

# FAX TRANSMITTAL

<b>ADDENDUM TO THE CONTRACT DOCUMENTS</b>	<b>Page Number</b> 1	<b>No. of Pages</b> 3
<b>Addendum No. Two</b>	<b>Date Addendum Issued:</b> September 12, 2016	
<b>Issuing Office</b> Division of Parks and Outdoor Recreation 550 West 7 <sup>th</sup> Ave., Suite 1380, Anchorage, Alaska 99501 Phone: 269-8731 Fax: 269-8917	<b>Previous Addenda Issued</b>  One (1)	
<b>Project:</b> Kasilof River SUA North Site Improvements <b>Project No.:</b> 76058-1	<b>Date and Hour of Quotes Due</b> September 16, 2016 at 2:00 PM prevailing time	

## NOTICE TO BIDDERS

**Bidder must acknowledge receipt of this addendum prior to the hour and date set for the quotes being due by one of the following methods:**

- (a) By acknowledging receipt of this addendum on the quote submitted.
- (b) By telegram or telefacsimile which includes a reference to the project and addendum number.

The bid documents require acknowledgment individually of all addenda to the drawings and/or specifications. This is a mandatory requirement and any quote received without acknowledgment of receipt of addenda may be classified as not being a responsive bid. If, by virtue of this addendum it is desired to modify a quote already submitted, such modification may be made by telegram or telefacsimile provided such a telegram or telefacsimile makes reference to this addendum and is received prior to the opening hour and date specified above.

\*\*\*\*\*

**Proposal, Contract, Bond and Specifications are modified as follows:**

Price for contingent sum item SWPPP Price Adjustment is set at \$0.00.

Replace the second page of the Bid Schedule with the modified Bid Schedule (Attachment A).

Section 650 Park Facilities. Add the following subsections:

650-2.18 FIBERGLASS GRATING. Corrosion resistant, slip-resistant, fiberglass grating with UV protection and Class 1 flame rating of 25 or less per ASTM E-84 or better. Color shall be dark gray. Use hold down clips as recommended by the manufacturer.

1. Decking.

Depth:	1.0 inches
Open Area:	60% Minimum
Deflection:	0.40 inches or less when spanned 36 inches and loaded at 110 psf
ADA Compliant:	Grate has openings of 1/2 inch or less
Color:	Dark Gray
Use:	Ecograte® 62 Molded Grating or equal

650-2.19 SHOP DRAWINGS. Submit shop drawings for the ELP Walkway, boardwalk, viewing deck and any other park facilities that require off-site fabrication. Shop drawings shall include sufficient plan, elevation and section views necessary to identify the dimension and location of all components of design. Indicate all structural member types, sizes, spacing and quantities. Include dimensions, locations and quantities of all external hardware including but not limited to fiberglass grating, handrails, and fasteners.

Shop drawings shall be generated utilizing computer aided software. All drawings shall include appropriate scales, and shall be submitted in a neat and clear format.

Submission of original provided bid drawings will not be accepted by the Department.

650-3.08 ELP WALKWAY. Construct in accordance with the Plans and Specifications. Ensure squareness and full dimensions of the platforms. Rails shall be erected in a manner resulting in smooth continuous installation paralleling the walkway. Use mitered or butt joints to join steel frame components together. Install fiberglass grating using stainless steel saddle-type clips as recommended by the manufacturer. Cut grating to fit around stair hinge connection.

Special attention shall be given to minimizing damage to existing vegetation (trees and ground cover) in the process of constructing the boardwalk.

Install deck grate, joists, and rail posts full length. No Splicing will be allowed. Allow lumber to acclimate onsite for a minimum of 2 days before installation onto boardwalk. Install deck boards cup side down.

Requirements of 650-2.12 Paint and 650-3.07 Paint apply to boardwalk lumber and steel.

Contractor shall smooth sharp metal, wooden, or plastic edges as directed by the Engineer.

Bidders are required to acknowledge this addendum on the proposal form or by FAX prior to the quotes being due.

\*\*\*\*\*

Addendum Number Two (2) received.

---

Name/Title Date

---

Firm

**END OF ADDENDUM**

Pay Item Number	Pay Item Description	Pay Unit	Quantity	Unit Bid Price	Amount Bid
-----------------	----------------------	----------	----------	----------------	------------

\*\*\*\*\* CONTINUE BASIC BID \*\*\*\*\*

603(1)	18 Inch CSP	L.F.	220	\$	\$
603(3)	End Section for 18 Inch CSP	Each	8	\$	\$
604(8)	Curb Drain	Each	1	\$	\$
606(1)	W-Beam Guardrail	L.F.	2,833	\$	\$
606(13)	Parallel Guardrail Terminal	Each	4	\$	\$
607(7)	Dune Fencing	L.F.	3,180	\$	\$
609(2)	Curb and Gutter, Type I	L.F.	1,600	\$	\$
611(1)	Riprap, Class I	Ton	15	\$	\$
615(1)	Standard Sign	S.F.	129.75	\$	\$
618(2)	Seeding	Pound	41	\$	\$
620(1)	Topsoil, Class B	S.Y.	4,450	\$	\$
630(1)	Geotextile, Separation	S.Y.	10,360	\$	\$
640(1)	Mobilization and Demobilization	L.S.	All Req'd	\$	\$
641(1)	Erosion, Sediment, and Pollution Control Administration	L.S.	All Req'd	\$	\$
641(2)	Temporary Erosion, Sediment, and Pollution Control	C.S.	All Req'd	\$15,000.00	\$15,000.00
641(6)	SWPPP Price Adjustment	C.S.	All Req'd	\$0.00	\$0.00
642(1)	Construction Surveying	L.S.	All Req'd	\$	\$
642(3)	Three Person Survey Party	Hour	15	\$	\$
643(2)	Traffic Maintenance	L.S.	All Req'd	\$	\$

BID SCHEDULE  
Kasilof River SUA  
North Site Improvements  
Project No. 76058-1

Name of Bidding Firm \_\_\_\_\_