

**U.S. SURVEY  
No. 9241, ALASKA**

COMPRISING 4 LOTS  
SITUATED  
ON  
THE SOUTHWESTERLY SHORE  
OF  
LAKE ALEKNAGIK  
APPROXIMATELY  
7 1/2 MILES NORTHWESTERLY  
FROM  
ALEKNAGIK, ALASKA

GEOGRAPHIC POSITION  
OF  
CORNER NO. 4, LOT 4, IS:  
LATITUDE: 59° 19' 14.96" NORTH  
LONGITUDE: 158° 47' 53.19" WEST  
NAD 27

AREA: 290.24 ACRES

SURVEYED  
BY  
PATRICK S. TWOHY, CADASTRAL SURVEYOR  
AUGUST 15 THROUGH SEPTEMBER 6, 1989  
UNDER SPECIAL INSTRUCTIONS  
DATED NOVEMBER 24, 1986  
APPROVED JANUARY 20, 1987

Acceptance of this survey does not purport to transfer any interest in submerged lands to which the State of Alaska is entitled under the Equal Footing Doctrine and Section 6(m) of the Alaska Statehood Act, P.L. 85-508, notwithstanding the use, location, or absence of meander lines to depict water bodies.

UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
Anchorage, Alaska

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

*Robert H. Anderson* 1 JULY 1991  
Date

Deputy State Director for Cadastral Survey, Alaska

**ORIGINAL**

U-191

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**FIELD NOTES****OF****U.S. SURVEY NO. 9241****COMPRISING 4 LOTS****SITUATED ON****THE SOUTHWEST SHORE OF LAKE ALEKNAGIK****APPROXIMATELY****7 1/2 MILES NORTHWESTERLY FROM****ALEKNAGIK****GEOGRAPHIC POSITION OF****CORNER NO. 4, LOT 4, IS:**

**LATITUDE 59°19'14.96" NORTH, LONGITUDE 158°47'53.19" WEST  
MAD 27**

**IN THE STATE OF ALASKA****EXECUTED BY****Patrick S. Twohy, Cadastral Surveyor**

**Under special instructions dated November 24, 1986, approved January 20, 1987, which provided for the survey included under U.S. Survey Number 9241, and assignment instructions dated May 2, 1988.**

**Survey commenced: August 15, 1989****Survey completed: September 6, 1989**

U.S. SURVEY NO. 9241, ALASKA

CHAINS

The following field notes are those of the survey of U.S. Survey No. 9241, comprising 4 lots.

U.S. Survey No. 9259 was surveyed by William P. Kness, Cadastral Surveyor, in 1988.

This survey was executed in accordance with the specifications set forth in the Manual of Surveying Instructions, 1973, and special instructions dated November 24, 1986.

The azimuth was obtained from direct observations of the sun, using the hour angle method, and refers to the true meridian.

The geographic position of corner No. 4, Lot 4, as determined from a tie to the witness corner to corner No. 4, Lot 1, U.S. Survey No. 9259 is:

Latitude 59°19'14.96" N., Longitude 158°47'53.19" W.  
NAD 27

The observed mean magnetic declination was 19 1/4° East.

---

LOT 1

---


Beginning at the true point for cor. No. 1, Lot 1, identical with the true point for cor. No. 1, Lot 2, both meander cors., on the southwest shore of Lake Aleknagik, at the line of ordinary high water; not monumented due to the liability of destruction by ice and water action.

South, on line 1-2, Lot 1, identical with a portion of line 1-2, Lot 2.

Over rolling ground, through spruce, birch and alder.

0.50 Point selected for the witness cor. to cor. No. 1, Lot 1, identical with the witness cor. to cor. No. 1, Lot 2, both meander cors.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.



## LOT 1, U.S. SURVEY NO. 9241, ALASKA

| CHAINS |   |
|--------|---|
|        | <p>from which</p> <p>A spruce, 8 ins. diam., bears S. 17 3/4° E.,<br/>103 lks. dist., mkd. X BT.</p> <p>A spruce, 8 ins. diam., bears S. 88 3/4° W.,<br/>13 lks. dist., mkd. X BT.</p> <p>Bury a clear DEEP-1 magnet beneath the stainless steel post.</p> <p>Over rolling ground, covered with spruce and birch.</p>   |
| 20.12  | <p>Point for cor. No. 2, Lot 1.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 827 964 1041" style="text-align: center;"> </div>   |
|        | <p>from which</p> <p>A spruce, 8 ins. diam., bears S. 24 1/2° W.,<br/>21 lks. dist., mkd. X BT.</p> <p>A spruce, 5 ins. diam., bears N. 50° W.,<br/>27 lks. dist., mkd. S9241 L1 C2 BT.<br/>Snow blazed.</p> <p>Bury a clear DEEP-1 magnet beneath the stainless steel post.</p> <hr/> <p>West, on line 2-3, Lot 1.</p> <p>Over mostly level ground, covered with spruce and birch.</p> |
| 9.20   | <p>Enter meadow, edge bears SE and W.</p>   |
| 15.00  | <p>Leave meadow, edge bears NE and S; ascend gradual SE slope.</p>  |
| 20.00  | <p>Point for cor. No. 3, Lot 1.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p>   |

## LOT 1, U.S. SURVEY NO. 9241, ALASKA

CHAINS

|       |
|-------|
| S9241 |
| L1    |
| C3    |

1989

from which

A spruce, 7 ins. diam., bears N. 47 1/2° E.,  
78 lks. dist., mkd. S9241 L1 C3 BT.  
Snow blazed.

A spruce, 5 ins. diam., bears S. 49 1/2° E.,  
32 lks. dist., mkd. X BT.


Bury a clear DEEP-1 magnet beneath the stainless steel post.

North, on line 3-4, lot 1.

Over rolling ground, covered with spruce and birch.

- 13.35 Enter meadow, edge bears E and NW.  
17.80 Leave meadow, edge bears SE and W.  
35.90 Top of bluff, 15 ft. high, bears E and W.  
36.30 Toe of same bluff; descend slight N slope.  
40.64 Point selected for the witness cor. to cor. No. 4, Lot 1, a  
meander cor.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27  
ins. in the ground, with brass cap mkd.



from which

A spruce, 8 ins. diam., bears S. 22° E.,  
69 lks. dist., mkd. X BT.

## LOT 1, U.S. SURVEY NO. 9241, ALASKA

CHAINS

A spruce, 6 ins. diam., bears N. 74° W.,  
40 lks. dist., mkd. X BT.

Bury a clear DEEP-1 magnet beneath the stainless steel post.

41.64 True point for cor. No. 4, Lot 1, a meander cor., on the southwest shore of Lake Aleknagik, at the line of ordinary high water; not monumented due to the liability of destruction by ice and water action.

Thence southeasterly with meanders of the southwest shore of Lake Aleknagik, along a gravel shore, 2 ft. high, at the line of ordinary high water.

S. 70°17' E., 1.61 chs.

S. 88°25' E., 1.19 chs.

N. 42°39' E., 1.89 chs.

At end of course, begin a rocky cliff, 10 to 15 ft. high.

S. 72°24' E., 1.13 chs.

S. 48°54' E., 1.14 chs.

At end of course, begin rocky shore, 2 to 3 ft. high.

S. 38°36' W., 1.27 chs.

S. 48°55' W., 2.34 chs.

S. 6°24' W., 1.09 chs.

S. 20°06' W., 1.88 chs.

At end of course, begin gravel beach, 2 to 3 ft. high.

S. 32°42' E., 1.31 chs.

S. 7°16' E., 2.42 chs.

S. 30°23' E., 3.91 chs.

S. 43°37' E., 3.65 chs.

S. 50°03' E., 3.22 chs.

S. 56°33' E., 3.49 chs.

S. 60°16' E., 2.61 chs.

S. 72°44' E., 3.58 chs.

S. 89°19' E., 0.83 chs.


At end of course, true point for cor. No. 1, Lot 1, identical with the true point for cor. No. 1, Lot 2, both meander cors., and the point of beginning.

## LOT 2

Beginning at the true point for the cor. No. 1, Lot 2, identical with the true point for cor. No. 1, Lot 1, both meander cors., at the line of ordinary high water, hereinbefore described.

South on line 1-2, Lot 2, identical in part with line 1-2, Lot 1, hereinbefore described.

## LOT 2, U.S. SURVEY NO. 9241, ALASKA

| CHAINS |  |
|--------|--|
| 0.50   | Witness cor. to cor. No. 1, Lot 2, identical with the witness cor. to cor No. 1, Lot 1, both meander cors., hereinbefore described.  |
| 20.12  | Cor. No. 2, Lot 1, hereinbefore described.<br><br>Descend moderate S slope, covered with spruce and birch.   |
| 22.25  | End descent; over mostly level ground, covered with thick alder, willow and spruce.  |
| 27.59  | Point selected for the witness cor. to cor. No. 2, Lot 2, a meander cor.<br><br>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.   |
|        | <div style="text-align: center;">  <p>WC<br/>↓ S9241<br/>L2<br/>C2<br/>MC<br/>1989</p> </div>   |
|        | <p>from which</p> <p style="padding-left: 40px;">A spruce, 6 ins. diam., bears N. 48 1/4° E.,<br/>33 lks. dist., mkd. X BT.</p> <p style="padding-left: 40px;">A spruce, 8 ins. diam., bears N. 47° W.,<br/>28 lks. dist., mkd. X BT.</p>  |
|        | Bury a clear DEEP-1 magnet beneath the stainless steel post.   |
| 28.09  | <p>True point for cor. No. 2, Lot 2, a meander cor., on the left bank of Ice Creek, at the line of ordinary high water; not monumented due to the liability of destruction by ice and water action.</p> <p>Thence northeasterly with meanders of the left bank of Ice Creek, along a well-defined bank, 2 ft. high, at the line of ordinary high water.</p> <p>N. 79°35' E., 2.10 chs.<br/>N. 53°36' E., 2.02 chs.<br/>N. 29°16' E., 4.92 chs.<br/>N. 72°55' E., 2.82 chs.</p> |


## LOT 2, U.S. SURVEY NO. 9241, ALASKA

| CHAINS                   |  |
|--------------------------|--|
|                          | <p>N. 54°49' E., 4.11 chs.<br/>           N. 16°22' E., 2.73 chs.<br/>           N. 25°26' W., 3.34 chs.<br/>           N. 6°55' W., 2.22 chs.<br/>           N. 38°20' E., 1.92 chs.<br/>           N. 58°56' E., 1.51 chs.<br/>           S. 87°54' E., 2.21 chs.<br/>           N. 70°19' E., 1.28 chs.</p>   |
|                          | <p>At end of course, confluence of Ice Creek with Lake Aleknagik, at the line of ordinary high water; thence northwest with meanders of the southwest shore of Lake Aleknagik, along a low muddy shore.</p> <p>N. 35°59' E., 0.56 chs.<br/>           N. 76°37' W., 1.03 chs.<br/>           N. 83°30' W., 2.26 chs.<br/>           S. 22°47' W., 0.93 chs.<br/>           N. 45°52' W., 4.32 chs.<br/>           N. 29°41' W., 2.01 chs.<br/>           N. 63°07' E., 1.30 chs.<br/>           S. 85°37' E., 0.89 chs.<br/>           N. 33°10' E., 1.82 chs.</p>           |
|                          | <p>At end of course, begin gravel beach, 2 to 3 ft. high.</p> <p>N. 57°42' W., 1.00 ch.<br/>           N. 89°46' W., 2.90 chs.<br/>           S. 76°34' W., 2.04 chs.<br/>           N. 85°17' W., 3.30 chs.<br/>           N. 70°47' W., 3.99 chs.</p>  |
|                          | <p>At end of course, the true point for cor. No. 1, Lot 2, identical with the true point for cor. No. 1, Lot 1, both meander cors., and the point of beginning.</p>  |
| <hr/> <p>LOT 3</p> <hr/> |  |
|                          | <p>Beginning at the true point for cor. No. 1, Lot 3, identical with the true point for cor. No. 1, Lot 4, both meander cors., on the southwest shore of Lake Aleknagik, at the line of ordinary high water; not monumented due to the liability of destruction by ice and water action.</p> <p>West, on line 1-2, Lot 3, identical in part with line 1-2, Lot 4.</p> <p>Ascend steep NE slope, through scattered spruce.</p> <p>1.50 Point selected for the witness cor. to cor. No. 1, Lot 3, identical with the witness cor. to cor. No. 1, Lot 4, both meander cors.</p> |

LOT 3, U.S. SURVEY NO. 9241, ALASKA

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.



1989

from which

A spruce, 7 ins. diam., bears S. 27 3/4° W.,  
56 lks. dist., mkd. X BT.

A spruce, 10 ins. diam., bears N. 38 3/4° W.,  
105 lks. dist., mkd. X BT.

Bury a clear DEEP-1 magnet beneath the stainless steel post.

From this point, the following improvements

The NW cor. of a log cabin, 12 x 26 ft.,  
bears N. 19°37' W., 25.57 chs. dist.,  
long side extends S. 18° W.

The NE cor. of a framed sauna, 7 x 12 ft.,  
bears N. 18°25' W., 26.92 chs. dist.,  
long side extends S. 14° W.

Over mostly level ground, covered with birch and spruce.

- 16.45 Enter meadow, edge bears SW and NW.
- 20.40 Leave meadow, edge bears N and S.
- 26.80 Enter meadow, edge bears SE and SW.
- 30.80 Leave meadow, edge bears SE and SW.
- 32.93 Point for cor. No. 2, Lot 4, hereinafter described.
- 35.50 E edge of beaver pond, bears N. 50° E. and S. 50° W.
- 36.90 W edge of same pond, bears N. 25° E. and S. 25° W.
- 44.91 Point for cor. No. 2, Lot 3.

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.

|       |
|-------|
| S9241 |
| L3    |
| C2    |

1989

from which

A spruce, 6 ins. diam., bears N. 74 1/2° E.,  
74 lks. dist., mkd. S9241 L3 C2 BT.  
Snow blazed.

A spruce, 7 ins. diam., bears N. 25° W.,  
29 lks. dist., mkd. X BT.


Bury a clear DEEP-1 magnet beneath the stainless steel post.

North, on line 2-3, Lot 3.

Over mostly level ground, covered with spruce and birch.

- 9.00 Enter bog, edge bears NE and SW.
- 15.50 Leave bog, edge bears SE and SW.
- 15.70 Begin rolling ground, covered with spruce and birch.
- 21.97 Point selected for the witness cor. to cor. No. 3, Lot 3, a meander cor.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.



1989

from which

A spruce, 10 ins. diam., bears S. 45° E.,  
63 lks. dist., mkd. X BT.

## LOT 3, U.S. SURVEY NO. 9241, ALASKA

| CHAINS |  |   |
|--------|--|---|
|        | <p>A spruce, 6 ins. diam., bears S. 52° W.,<br/>55 lks. dist., mkd. X BT.</p>  |   |
|        | <p>Bury a clear DEEP-1 magnet beneath the stainless steel post.</p>  |   |
|        | <p>From this point, the witness cor. to cor. No. 2, Lot 2, a meander cor., bears North, 2.45 chs. dist., hereinbefore described.</p>   |   |
| 22.97  | <p>True point for cor. No. 3, Lot 3, a meander cor., on the right bank of Ice Creek, at the line of ordinary high water; not monumented due to the liability of destruction by ice and water action.</p>   |   |
|        | <p>Thence northeasterly with meanders of the right bank of Ice Creek, along a well-defined bank, 2 ft. high, at the line of ordinary high water.</p>   |   |
|        | <p>N. 82°05' E., 2.41 chs.<br/>N. 60°00' E., 2.24 chs.<br/>N. 39°00' E., 2.94 chs.<br/>N. 14°44' E., 2.34 chs.<br/>N. 72°47' E., 5.51 chs.<br/>N. 41°17' E., 5.81 chs.<br/>N. 17°57' W., 2.12 chs.<br/>N. 56°42' W., 1.55 chs.<br/>N. 2°05' E., 1.83 chs.<br/>N. 62°55' E., 4.60 chs.</p>  | <p>At end of course, confluence of Ice Creek with Lake Aleknagik, at the line of ordinary high water; thence southeasterly with meanders of the southwest shore of Lake Aleknagik, along a low muddy shore.</p> |
|        | <p>S. 52°20' E., 2.43 chs.<br/>N. 25°28' E., 1.49 chs.<br/>N. 87°04' E., 1.82 chs.<br/>S. 28°51' E., 1.89 chs.<br/>N. 85°44' E., 4.49 chs.<br/>S. 28°17' E., 3.90 chs.<br/>N. 71°07' W., 7.96 chs.<br/>S. 4°55' W., 2.11 chs.<br/>S. 49°08' E., 3.98 chs.<br/>S. 85°13' E., 4.10 chs.<br/>S. 53°56' W., 1.79 chs.<br/>S. 21°09' E., 2.53 chs.<br/>S. 5°39' W., 1.95 chs.</p> | <p>At end of course, W end of a beaver dam, thence across the dam.</p>  |
|        | <p>N. 65°53' E., 1.44 chs.<br/>N. 8°13' W., 2.17 chs.</p>  | <p>At end of course, E end of same dam.</p>   |

## LOT 3, U.S. SURVEY NO. 9241, ALASKA

| CHAINS  |  |
|---|--|
| N. 50°16' E.,   | 2.63 chs.  |
| S. 9°35' E.,  | 2.76 chs.  |
| S. 59°58' E.,   | 4.52 chs.  |
| N. 6°02' E.,  | 5.83 chs.  |
| S. 46°12' W.,   | 4.42 chs.  |
| N. 34°54' E.,   | 5.53 chs.  |
| N. 44°36' W.,   | 2.69 chs.  |
| S. 32°17' W.,   | 1.41 chs.  |
|   | At end of course, begin gravel beach, 1 to 3 ft. high.   |
| N. 53°20' W.,   | 1.17 chs.  |
| N. 47°38' E.,   | 2.19 chs.  |
| S. 58°13' E.,   | 1.73 chs.  |
| S. 29°26' E.,   | 5.17 chs.  |
| S. 6°01' W.,  | 3.53 chs.  |
| S. 48°12' W.,   | 1.24 chs.  |
| S. 25°30' W.,   | 3.90 chs.  |
| S. 54°51' W.,   | 1.45 chs.  |
|   | At end of course, N end of a beaver dam, thence across the dam.  |
| S. 39°48' E.,   | 0.62 chs.  |
| N. 70°18' E.,   | 2.91 chs.  |
| S. 62°16' E.,   | 1.78 chs.  |
| S. 49°01' E.,   | 1.79 chs.  |
| S. 61°39' W.,   | 1.71 chs.  |
| S. 41°02' W.,   | 1.56 chs.  |
| S. 9°55' E.,  | 2.68 chs.  |
| S. 16°08' W.,   | 2.57 chs.  |
| S. 13°55' E.,   | 2.51 chs.  |
| S. 40°32' E.,   | 1.44 chs.  |
| S. 15°12' W.,   | 3.14 chs.  |
| S. 15°20' E.,   | 3.59 chs.  |
| S. 42°19' E.,   | 4.38 chs.  |
| S. 44°46' E.,   | 3.95 chs.  |
|   | At end of course, the true point for cor. No. 1, Lot 3, identical with the true point for cor. No. 1, Lot 4, both meander cors., and the point of beginning. |
| <hr/>   |  |
| LOT 4   |  |
| <hr/>   |  |
| Beginning at the true point for cor. No. 1, Lot 4, identical with the true point for cor. No. 1, Lot 3, both meander cors., hereinbefore described. |  |
| West, on line 1-2, Lot 4, identical with a portion of line 1-2, Lot 3, hereinbefore described.  |  |

## LOT 4, U.S. SURVEY NO. 9241, ALASKA

| CHAINS |  |
|--------|--|
| 1.50   | Witness cor. to cor. No. 1, Lot 4, identical with the witness cor. to cor. No. 1, Lot 3, both meander cors., hereinbefore described.   |
| 32.93  | <p>Point for cor. No. 2, Lot 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>L3</p> <hr style="width: 100px; margin: 0 auto;"/> <p style="margin: 0 auto;">S9241</p> <div style="display: inline-block; text-align: center; vertical-align: middle;"> <p>C2</p> <p>L4</p> </div> </div> <p style="text-align: center;">1989</p> <p>from which</p> <p style="margin-left: 40px;">A spruce, 8 ins. diam., bears S. 45 1/2° E.,<br/>84 lks. dist., mkd. S9241 L4 C2 BT.<br/>Snow blazed.</p> <p style="margin-left: 40px;">A spruce, 6 ins. diam., bears S. 57 3/4° W.,<br/>82 lks. dist., mkd. X BT.</p> <p>Bury a clear DEEP-1 magnet beneath the stainless steel post.</p> |
| <hr/>  |  |
| 1.05   | Enter swampy meadow, edge bears E and W.   |
| 3.65   | Leave swampy meadow, edge bears SE and NW; enter spruce.   |
| 6.16   | Leave spruce, enter swampy meadow, edge bears SE and NW.   |
| 20.00  | <p>Point for cor. No. 3, Lot 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <div style="display: inline-block; text-align: center; vertical-align: middle;"> <p>S9241</p> <p>L4</p> <p>C3</p> </div> </div> <p style="text-align: center;">1989</p> <p>from which</p>  |

LOT 4, U.S. SURVEY NO. 9241, ALASKA

CHAINS

A spruce, 6 ins. diam., bears N. 56 3/4° E.,  
612 lks. dist., mkd. S9241 L4 C3 BT.  
Snow blazed.

A birch, 5 ins. diam., bears N. 44 1/4° W.,  
198 lks. dist., mkd. X BT.

Bury a clear DEEP-1 magnet beneath the stainless steel post.

East, on line 3-4, Lot 4.

Over open, swampy meadow.

14.00 Enter spruce and birch, edge bears SE and NW; over rolling ground.

37.09 Enter swampy meadow, edge bears SE and NW.

40.93 Point for cor. No. 4, Lot 4.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.

|       |
|-------|
| S9241 |
| L4    |
| C4    |

1989

from which

A spruce, 7 ins. diam., bears S. 7° W.,  
132 lks. dist., mkd. X BT.

A spruce, 6 ins. diam., bears N. 85 1/4° W.,  
571 lks. dist., mkd. S9241 L4 C4 BT.  
Snow blazed.

Bury a clear DEEP-1 magnet beneath the stainless steel post.

From this point, the witness cor. to cor. No. 4, Lot 1, U.S. Survey No. 9259, bears N. 52°08' E., 6.47 chs. dist., monumented with an alum. rod, 3/4 in. diam., firmly set, projecting 2 ins. above ground, with alum. cap mkd. WC C4 L1 S9259 1988

from which the original bearing trees

A spruce, 9 ins. diam., bears N. 36 1/2° E.,  
188 lks. dist., mkd. X BT on open blazes.

## LOT 4, U.S. SURVEY NO. 9241, ALASKA

## CHAINS

A spruce, 13 ins. diam., bears N. 47° E.,  
210 lks. dist., mkd. X BT on open blazes.


North on line 4-5, Lot 3.

Over open, swampy meadow.

7.90 Enter spruce and birch, edge bears E and W; begin rolling ground.

13.97 Point selected for the witness cor. to cor. No. 5, Lot 4, a meander cor.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.



1989

from which

A spruce, 7 ins. diam., bears S. 14 1/2° E.,  
42 lks. dist., mkd. X BT.

A spruce, 9 ins. diam., bears S. 85 1/4° W.,  
37 lks. dist., mkd. X BT.

Bury a clear DEEP-1 magnet beneath the stainless steel post.

15.37 True point for cor. No. 5, Lot 4, a meander cor., on the southwest shore of Lake Aleknagik, at the line of ordinary high water; not monumented due to the liability of destruction by ice and water action.

Thence northwesterly with meanders of the southwest shore of Lake Aleknagik, along a gravel beach, 1 to 2 ft. high, at the line of ordinary high water.

N. 57°44' W., 3.72 chs.

N. 65°23' W., 4.50 chs.

## LOT 4, U.S. SURVEY NO. 9241, ALASKA

CHAINS

N. 44°46' W., 1.08 chs.

At end of course, the true point for cor. No. 1, Lot 4, identical with the true point for cor. No. 1, Lot 3, both meander cors., and point of beginning.

## GENERAL DESCRIPTION

U.S. Survey No. 9241, comprising 4 lots, is situated on the southwest shore of Lake Aleknagik, approximately 7 1/2 miles northwesterly of Aleknagik, Alaska.

The land is mostly rolling, covered with spruce, birch and scattered alder, with open meadows.

Soil consists of sandy loam, sandy clay, muck and gravel.

Access to the survey was by boat.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

Michael D. Wilson

Supervisory Land Surveyor

Michael O. Harmening

Student Trainee (LS)

John C. Hancock

Surveying Technician

## CERTIFICATE OF SURVEY

I, Patrick S. Twohy, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 24th day of November, 1986, I have surveyed U.S. Survey No. 9241, comprising 4 lots, situated on the southwest shore of Lake Aleknagik, approximately 7 1/2 miles northwesterly from Aleknagik, in the State of Alaska, which is represented in the foregoing field notes as having been executed by me, and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

OCTOBER 3, 1990  
(Date)

Patrick S. Twohy  
(Cadastral Surveyor)

## CERTIFICATE OF APPROVAL

Bureau of Land Management  
Anchorage, Alaska

The foregoing field notes of the survey described in the Certificate of Survey above, executed by Patrick S. Twohy, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

1 JULY 1991  
(Date)

Robert H. Anderson  
(Deputy State Director for  
Cadastral Survey, Alaska)