

Technical Report No. 18-01

Aquatic Biomonitoring at Greens Creek Mine, 2017

By

Johnny Zutz



April 2018

Alaska Department of Fish and Game

Division of Habitat



Symbols and Abbreviations

The following symbols and abbreviations, and others approved for the *Système International d'Unités* (SI), are used without definition in reports by the Divisions of Habitat, Sport Fish, and Commercial Fisheries. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figures or figure captions.

Weights and measures (metric)		General		Measures (fisheries)	
centimeter	cm	Alaska Administrative Code	AAC	fork length	FL
deciliter	dL	all commonly accepted abbreviations	e.g., Mr., Mrs., AM, PM, etc.	mid-eye-to-fork	MEF
gram	g	all commonly accepted professional titles	e.g., Dr., Ph.D., R.N., etc.	mid-eye-to-tail fork	METF
hectare	ha	at	@	standard length	SL
kilogram	kg	compass directions:		total length	TL
kilometer	km	east	E		
liter	L	north	N	Mathematics, statistics	
meter	m	south	S	<i>all standard mathematical signs, symbols and abbreviations</i>	
milliliter	mL	west	W	alternate hypothesis	H _A
millimeter	mm	copyright	©	base of natural logarithm	e
		corporate suffixes:		catch per unit effort	CPUE
Weights and measures (English)		Company	Co.	coefficient of variation	CV
cubic feet per second	ft ³ /s	Corporation	Corp.	common test statistics	(F, t, χ^2 , etc.)
foot	ft	Incorporated	Inc.	confidence interval	CI
gallon	gal	Limited	Ltd.	correlation coefficient (multiple)	R
inch	in	District of Columbia	D.C.	correlation coefficient (simple)	r
mile	mi	et alii (and others)	et al.	covariance	cov
nautical mile	nmi	et cetera (and so forth)	etc.	degree (angular)	°
ounce	oz	exempli gratia	(for example)	degrees of freedom	df
pound	lb	(for example)	e.g.	expected value	E
quart	qt	Federal Information Code	FIC	greater than	>
yard	yd	idest (that is)	i.e.	greater than or equal to	≥
		latitude or longitude	lat. or long.	harvest per unit effort	HPUE
Time and temperature		monetary symbols (U.S.)	\$, ¢	less than	<
day	d	months (tables and figures): first three letters	Jan,...,Dec	less than or equal to	≤
degrees Celsius	°C	registered trademark	®	logarithm (natural)	ln
degrees Fahrenheit	°F	trademark	™	logarithm (base 10)	log
degrees kelvin	K	United States (adjective)	U.S.	logarithm (specify base)	log ₂ , etc.
hour	h	United States of America (noun)	USA	minute (angular)	'
minute	min	U.S.C.	United States Code	no data	ND
second	s	U.S. state	use two-letter abbreviations (e.g., AK, WA)	not significant	NS
Physics and chemistry				null hypothesis	H ₀
all atomic symbols				percent	%
alternating current	AC			probability	P
ampere	A			probability of a type I error (rejection of the null hypothesis when true)	α
calorie	cal			probability of a type II error (acceptance of the null hypothesis when false)	β
direct current	DC			second (angular)	"
hertz	Hz			standard deviation	SD
horsepower	hp			standard error	SE
hydrogen ion activity (negative log of)	pH			variance	Var
inch of mercury	inHg			population	var
Kilopascal	kPa			sample	
Nephelometric Turbidity Unit	NTU				
parts per million	ppm				
parts per thousand	ppt, ‰				
volts	V				
watts	W				

TECHNICAL REPORT NO. 18-01

AQUATIC BIOMONITORING AT GREENS CREEK MINE, 2017

by

Johnny Zutz

Alaska Department of Fish and Game
Division of Habitat, Southeast Region
802 3rd Street, Douglas, Alaska, 99824

April 2018

This investigation was fully financed by Hecla Greens Creek Mining Company.

Cover: Young-of-year coho salmon and Dolly Varden char at Greens Creek Site 54.

Technical Reports are available through the Alaska State Library, Alaska Resources Library and Information Services (ARLIS) and on the Internet: http://www.adfg.alaska.gov/index.cfm?adfg=habitat_publications.main. This publication has undergone editorial and peer review.

Note: Product names or specific company names used in this publication are included for completeness but do not constitute product endorsement. The Alaska Department of Fish and Game, in accordance with State of Alaska ethics laws, does not favor one group over another through endorsement or recommendation.

*Alaska Department of Fish and Game, Division of Habitat,
802 3rd Street, Douglas, Alaska, 99824, USA*

This document should be cited as:

Zutz, J. 2018. Aquatic biomonitoring at Greens Creek Mine, 2017. Alaska Department of Fish and Game, Technical Report No. 18-01, Douglas, AK.

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility please write:

ADF&G ADA Coordinator, P.O. Box 115526, Juneau, AK 99811-5526

U.S. Fish and Wildlife Service, 4401 N. Fairfax Drive, MS 2042, Arlington, VA 22203

Office of Equal Opportunity, U.S. Department of the Interior, 1849 C Street NW MS 5230, Washington DC 20240

The department's ADA Coordinator can be reached via phone at the following numbers:

(VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648,

(Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

For information on alternative formats and questions on this publication, please contact:

ADF&G Division of Habitat, 802 3rd Street, Douglas, Alaska 99824 (907) 465-4105

TABLE OF CONTENTS

	Page
LIST OF FIGURES	ii
LIST OF APPENDICES	iii
ACKNOWLEDGEMENTS.....	iv
EXECUTIVE SUMMARY	1
INTRODUCTION	2
Purpose	3
Aquatic Biomonitoring	3
Study Area	3
Greens Creek	4
Tributary Creek.....	6
METHODS.....	7
Water Quality	7
Stream Flow.....	7
Periphyton: Chlorophyll Density and Composition.....	7
Benthic Macroinvertebrate Density and Community Composition.....	9
Juvenile Fish Population.....	10
Juvenile Fish Condition.....	13
Juvenile Fish Element Concentrations.....	14
RESULTS.....	15
Greens Creek Site 48	16
Greens Creek Site 54	20
Tributary Creek Site 9	23
Comparisons Among Greens Creek Sites.....	27
Comparisons Among Sites	30
REFERENCES CITED	33

LIST OF FIGURES

Figure	Page
1. Greens Creek Mine area map.....	2
2. Greens Creek Site 48.....	4
3. Greens Creek Site 54.....	5
4. Tributary Creek Site 9.....	6
5. Greens Creek mean daily discharge three weeks prior to sampling in 2017.....	15
6. Greens Creek mean daily discharges three weeks prior to sampling, 2011–2017.....	15
7. Greens Creek Site 48 chlorophyll <i>a</i> densities.....	16
8. Greens Creek Site 48 benthic macroinvertebrate densities.....	17
9. Greens Creek Site 48 benthic macroinvertebrate community composition.....	17
10. Greens Creek Site 48 juvenile fish population estimates.....	18
11. Greens Creek Site 48 Dolly Varden char element concentrations.....	19
12. Greens Creek Site 54 chlorophyll <i>a</i> densities.....	20
13. Greens Creek Site 54 benthic macroinvertebrate densities.....	21
14. Greens Creek Site 54 benthic macroinvertebrate community composition.....	21
15. Greens Creek Site 54 juvenile fish population estimates.....	22
16. Greens Creek Site 54 Dolly Varden char element concentrations.....	23
17. Tributary Creek Site 9 chlorophyll <i>a</i> densities.....	24
18. Tributary Creek Site 9 benthic macroinvertebrate densities.....	25
19. Tributary Creek Site 9 benthic macroinvertebrate community composition.....	25
20. Tributary Creek Site 9 juvenile fish population estimates.....	26
21. Tributary Creek Site 9 Dolly Varden char element concentrations.....	27
22. Greens Creek mean chlorophyll <i>a</i> densities.....	28
23. Greens Creek mean benthic macroinvertebrate densities.....	28
24. Greens Creek benthic macroinvertebrate taxa richness.....	29
25. Greens Creek Dolly Varden char population estimates.....	29
26. 2017 Greens Creek and Tributary Creek Dolly Varden char element concentrations.....	31
27. Greens Creek and Tributary Creek Dolly Varden char median element concentrations.....	32

LIST OF APPENDICES

APPENDIX A: PERIPHYTON DATA

- A.1. Greens Creek Site 48 chlorophylls *a*, *b*, and *c* densities, 2001–2017.
- A.2. Greens Creek Site 54 chlorophylls *a*, *b*, and *c* densities, 2001–2017.
- A.3. Tributary Creek Site 9 chlorophylls *a*, *b*, and *c* densities, 2001–2017.

APPENDIX B: BENTHIC MACROINVERTEBRATE DATA

- B.1. Greens Creek Site 48 BMI data summary, 2001–2017.
- B.2. Greens Creek Site 54 BMI data summary, 2001–2017.
- B.3. Tributary Creek Site 9 BMI data summary, 2001–2017.

APPENDIX C: JUVENILE FISH DATA

- C.1. Greens Creek Site 48 Dolly Varden char capture data, 2001–2017.
- C.2. Greens Creek Site 54 Dolly Varden char capture data, 2001–2017.
- C.3. Greens Creek Site 54 coho salmon capture data, 2001–2017.
- C.4. Tributary Creek Site 9 resident fish capture data, 2001–2017.
- C.5. Tributary Creek Site 9 coho salmon capture data, 2001–2017.
- C.6. Greens Creek Site 48 Dolly Varden char length frequency, 2001–2017.
- C.7. Greens Creek Site 54 Dolly Varden char length frequency, 2001–2017.
- C.8. Greens Creek Site 54 coho salmon length frequency, 2001–2017.
- C.9. Tributary Creek Site 9 Dolly Varden char length frequency, 2001–2017.
- C.10. Tributary Creek Site 9 coho salmon length frequency, 2001–2017.

APPENDIX D: JUVENILE FISH ELEMENT CONCENTRATIONS AND LAB REPORT

- D.1. Greens Creek Site 48 Dolly Varden char element concentrations, 2001–2017.
- D.2. Greens Creek Site 54 Dolly Varden char element concentrations, 2001–2017.
- D.3. Tributary Creek Site 9 Dolly Varden char element concentrations, 2001–2017.
- D.4. 2017 ALS Environmental laboratory report for Dolly Varden char element concentrations.

ACKNOWLEDGEMENTS

Hecla Greens Creek Mining Company provided financial support and Greens Creek Mine environmental staff Chris Wallace, Dave Landes, and Mitch Brooks provided logistical support. Mr. Brooks provided the water quality data and Mr. Landes reviewed and edited the report. U.S. Forest Service Fishery Technician Christina Mounce and intern Victoria Simek assisted with sampling.

Several Division of Habitat staff assisted with this project. Habitat Biologist Kate Kanouse directed data collection and verified data entry and analyses, and Habitat Biologist Greg Albrecht processed the periphyton samples and verified the periphyton data. Matthew Kern of Alder Grove Farm identified benthic macroinvertebrates. Division of Habitat Operations Manager Dr. Al Ott and Habitat Biologist Kate Kanouse reviewed and edited the report, and Southeast Regional Supervisor Jackie Timothy reviewed and edited the Executive Summary.

Thank you all for your contribution.

EXECUTIVE SUMMARY

Since 2001, the Alaska Department of Fish and Game (ADF&G) has completed the aquatic biomonitoring studies the U.S. Forest Service (USFS) and Alaska Department of Environmental Conservation (ADEC) require for Hecla Greens Creek Mining Company's (Hecla) Greens Creek Mine. This partnership provides ADF&G the opportunity to gather and review data, and help identify, assess, and resolve issues that could affect aquatic resources near the mine site.

The aquatic studies include sampling periphyton, benthic macroinvertebrates, and juvenile fish in Greens Creek and Tributary Creek, two streams near mine development and operations. In 2017, we completed these studies at Greens Creek sites 48 and 54, and Tributary Creek Site 9.

The National Weather Service reports 2017 had 12% more rainfall (177 cm) and 23% less snowfall (169 cm) compared to the 30-year average, 1981–2010 (K. Vaughan, Observation Program Leader, National Weather Service, Juneau, personal communication).

Among the 2017 Greens Creek samples, mean chlorophyll *a* density at each site was the lowest observed since 2001, while mean benthic macroinvertebrate density and proportion of sensitive insects were within the ranges of values previously observed. At Tributary Creek Site 9, mean chlorophyll *a* density and mean benthic macroinvertebrate density were within the ranges of values previously observed, while the proportion of sensitive insects was similar to the 2016 results and among lowest proportions observed since 2001.

The 2017 Greens Creek Site 48 juvenile Dolly Varden char *Salvelinus malma* population estimate was similar to previous years, and the Greens Creek Site 54 juvenile Dolly Varden char population estimate was the third greatest observed. We did not capture juvenile coho salmon *Oncorhynchus kisutch* during the Site 54 population study, though we observed young-of-year coho salmon within the study reach. The 2017 Tributary Creek Site 9 juvenile Dolly Varden char population estimate was the second greatest observed and coho salmon continue to be the most abundant juvenile fish species. Mean fish condition of Dolly Varden char and coho salmon were similar to previous years.

Whole body Dolly Varden char element concentrations at all three sites were within the ranges previously observed. Comparing all three sites, Tributary Creek Site 9 samples tend to have greater element concentrations and variability than Greens Creek samples, except copper and zinc which were generally greater among Greens Creek Site 48 samples.

INTRODUCTION

The Greens Creek Mine is located about 29 km southwest of Juneau by air near Hawk Inlet on the west side of Admiralty Island, within the Tongass National Forest and the Admiralty Island National Monument (USFS 2013). The mine has operated since 1989, except between 1993 and 1996 when the mine was temporarily closed, and produces three concentrates containing silver, gold, zinc, and lead. Hecla, a subsidiary of Hecla Mining Company of Coeur d'Alene, Idaho, has owned and operated the mine since April 2008.

Most mine infrastructure is located in two drainages that support resident and anadromous fish: the dry-stack tailings disposal facility (TDF) at the headwaters of Tributary Creek, and the mill, mine facilities, and waste rock storage areas adjacent to Greens Creek (Figure 1).




Figure 1.–Greens Creek Mine area map.

The project Plan of Operations Fresh Water Monitoring Program (FWMP; Hecla 2014, Appendix 1) and ADEC Waste Management Permit 2014DB0003 require aquatic studies in Greens Creek and Tributary Creek to document stream health near mine facilities.

The Division of Habitat began the aquatic studies for the Greens Creek Mine in 2001. Reports summarizing sampling results from previous years are in Weber Scannell and Paustian (2002), Jacobs et al. (2003), Durst and Townsend (2004), Durst et al. (2005), Durst and Jacobs (2006–2010), Kanouse (2011–2012), Kanouse and Brewster (2013–2014), Kanouse (2015), Brewster (2016), and Zutz (2017).

PURPOSE

This technical report summarizes the 2017 sample results and documents the condition of biological communities in Greens Creek and Tributary Creek near mine development and operations. This report satisfies the requirements for Hecla’s approved Plan of Operations (Hecla 2014) and ADEC Waste Management Permit 2014DB0003.

AQUATIC BIOMONITORING

We completed the following studies:

- chlorophyll density and composition;
- benthic macroinvertebrate density and community composition;
- juvenile fish populations and fish condition; and
- whole body juvenile Dolly Varden char element concentrations.

STUDY AREA

We completed the aquatic studies at three sample sites:

1. Greens Creek Site 48, reference site upstream of mine activities;
2. Greens Creek Site 54, downstream of mine activities; and
3. Tributary Creek Site 9, downstream of the TDF.

We have sampled Site 48, Site 54, and Site 9 annually since 2001. We sampled a fourth site, Greens Creek Site 6, in 2001, 2006, and 2011 (Kanouse 2012).

Greens Creek

The Greens Creek watershed is about 22.3 km² (USGS 2018) and the main channel measures about 16 km long from the alpine headwaters to the mouth in Hawk Inlet. At each sample site, gradients range from 2% to 4%, cobble is the dominant substrate, and large woody debris is common. The creek is largely fed by snowmelt and other drainages, and the magnitude of peak discharge in early summer depends on snowpack. Rainfall events during the fall also cause peak discharges.

The lower 10 km of Greens Creek (Stream No. 112-65-10240) provides habitat for chum salmon *O. keta*, coho salmon, pink salmon *O. gorbuscha*, and Dolly Varden char (Johnson and Blossom 2017). ADF&G Division of Commercial Fisheries staff survey returning chum salmon in Greens Creek as part of their in-season assessment of chum salmon run strength (D. Harris, Juneau Area Commercial Fisheries Management Biologist, ADF&G, Juneau, personal communication).

Greens Creek stream flow data is recorded at USGS stream gage no. 15101490^a, located upstream of the mine portal and downstream of Hecla's infiltration gallery^b.

Greens Creek Site 48

Site 48 (Figure 2) is located upstream of all mine activities, except exploratory drilling, near 265 m elevation and about 0.8 km upstream of the mine portal. Reference data collected at Site 48 are compared to data collected downstream at Site 54. Resident Dolly Varden char is the only fish species we have documented at Site 48; the infiltration gallery concrete weir near the mine portal blocks upstream fish passage. Periphyton and benthic macroinvertebrate sampling occur in riffles about 30 m downstream of the fish sample reach.



Figure 2.—Greens Creek Site 48.

^a Prior to February 16, 1999, the gage was located at a site 9 m upstream at datum 3 m higher (USGS 2018).

^b Withdrawing water for mine and mill use.

Greens Creek Site 54

Site 54 (Figure 3) is located downstream of the Bruin Creek confluence and adjacent to waste rock storage Site 23, near 225 m elevation and about 1.8 km downstream of the mine portal. Data collected at Site 54 are compared to data collected at reference Site 48 to detect potential changes from waste rock storage areas, storm water ponds, and mine and mill facilities upstream. Between Site 48 and Site 54, there are three tributaries that drain to Greens Creek: 1350 Creek, Cub Creek, and Bruin Creek.

We have documented coho salmon, Dolly Varden char, and cutthroat trout *O. clarkii* at Site 54. Anadromous fish access the site via a fish pass about 5.6 km upriver from the mouth.^c Periphyton and benthic macroinvertebrate sampling occur in riffles about 30 m upstream of the fish sample reach. Gallagher Creek enters Greens Creek within the fish sample reach.



Figure 3.—Greens Creek Site 54.

^c In 1989, Greens Creek Mining Company installed an engineered fish pass as mitigation for impacts to Tributary Creek from the TDF. Three concrete weirs provide step pools for adult coho salmon passage through a natural bedrock chute that prevents upstream fish migration. In November 2005, flood flows damaged the fish pass during a heavy rainstorm and limited fish passage until Hecla repaired and strengthened the structure in March 2016.

Tributary Creek

The Tributary Creek watershed is about 1.7 km² (USFS 2013) and the main channel is about 1.6 km long to its confluence with Zinc Creek. The TDF occupies the original headwaters of the creek. Tributary Creek is a low-energy, lowland stream fed by groundwater, precipitation, and a few hillside drainages. Stream gradient varies 1–2%, organics and sand are the dominant substrates with gravel present near the mouth, and large and small woody debris are common. Discharge estimates based on field measurements and limited gage data suggest annual stream flows range 1–5 ft³/s (USFS 2003).

Tributary Creek (Stream No. 112-65-10230-2007) provides habitat for coho salmon, pink salmon, and Dolly Varden char (Johnson and Blossom 2017).

Tributary Creek Site 9

Site 9 (Figure 4) is located about 1.2 km downstream of the TDF at 25 m elevation, and sampled to detect potential changes from the TDF. We have documented coho salmon, Dolly Varden char, cutthroat and rainbow trout *O. mykiss*, and sculpin *Cottus* sp. at this site. Periphyton and benthic macroinvertebrate sampling occurs within the fish sample reach after the juvenile fish population study is complete.



Figure 4.–Tributary Creek Site 9.

METHODS

We annually review data sets to ensure accuracy and consistency with methods modifications, and report corrections and updates in the document and appendices. The most recent technical report presents the current data sets and should be used to analyze data from previous years.

WATER QUALITY

Hecla staff used field meters to characterize basic water quality at each site during sampling, including temperature, pH, and conductivity. We include the 2017 results for each site in this report.

STREAM FLOW

Sampling and Analysis

We measured stream flow with a SonTek FlowTracker acoustic doppler velocimeter.^d We attempted to record at least 20 measurement points in equidistant subsections and collected additional measurements where we observed changes in the stream bottom elevation and water velocity, except in Tributary Creek where we recorded as many measurements as practicable.

We strung a fiberglass measuring tape tightly across the stream perpendicular to flow and began the survey from either bank following methods described in SonTek (2007). We surveyed where stream flow was confined to one channel, and usually where the stream bottom elevation and stream flow were continuous across the channel.

Data Presentation

We present discharge^e at the beginning of each sample site in the *Results* section.

PERIPHYTON: CHLOROPHYLL DENSITY AND COMPOSITION

Periphyton is composed of primary producing organisms such as algae, cyanobacteria and heterotrophic microbes, and detritus, attached to the submerged surfaces of aquatic ecosystems. Algal density and community structure are influenced by water and sediment quality through physical, chemical, and biological disturbances that change throughout the year (Barbour et al. 1999). The concentration of chlorophyll *a* (Chl-*a*) pigment in periphyton samples provides an estimate of active algal biomass (density), while concentrations of chlorophyll *b* (Chl-*b*) and chlorophyll *c* (Chl-*c*) estimate the composition of algal organisms present, such as green algae that produce chlorophyll *b*, and diatoms and brown algae that produce chlorophyll *c*.

Requirement FWMP 5.3

The FWMP requires measuring the density (mg/m²) of chlorophylls *a*, *b*, and *c* in each periphyton sample, comparing the Greens Creek Site 48 Chl-*a* data to the Greens Creek Site 54 Chl-*a* data each year, and tracking change over time at each sample site. We do not have reference data to compare Tributary Creek Site 9 data.

^d Prior to 2015 (Kanouse 2015), we measured stream flow using a Global Flow Probe Model FP101 flow meter and estimated discharge using a modification of the methods described in Platts et al. (1983).

^e We present discharge data in Imperial units for convention.

Sample Collection and Analysis

We collected 10 smooth, flat, undisturbed, and perennially wetted rocks from submerged cobble in riffle habitats in less than 0.45 m water depth at each sample site, and submerged the rocks with the sample area facing up. We held a 5 × 5 cm square of high-density foam on the top of each rock and scrubbed the area around the foam with a toothbrush to remove algae and other organisms outside the sample area, then rinsed the rock by dipping it in the stream while holding the foam in place.

We placed a 47 mm diameter Type A/E 1 μm glass fiber filter into a Nalgene® filter holder attached to a vacuum pump with a gauge, removed the foam square, and scrubbed the sample area using a rinsed toothbrush into the filter holder. We used stream water in a wash bottle to rinse the loosened periphyton from the rock, the toothbrush, and the inside of the filter holder onto the filter. We repeated the scrub and rinse cycle a second time. We pumped most of the water through the filter, maintaining pressure less than 34 kPa, and added a few drops^f of saturated magnesium carbonate solution^g to the filter before pumping the sample dry. We removed the glass fiber filter, folded it in half with the sample on the inside, and wrapped it in a white coffee filter to absorb additional water. We placed the samples in a sealed, labeled plastic bag with desiccant and stored the samples in a light-proof cooler containing frozen icepacks during transportation, in a camp freezer while onsite, and in a –20 °C ADF&G Douglas laboratory freezer until processing.

We followed U.S. Environmental Protection Agency (USEPA 1997) protocol for chlorophyll extraction and measurement, determining instrument and estimated detection limits, and data analysis.^h We removed the samples from the freezer, cut them into small pieces, and placed the filter pieces for each sample into individual 15 mL screw cap centrifuge tubes containing 10 mL of 90% acetone. We capped the centrifuge tubes and shook each sample vigorouslyⁱ before placing them in a rack, covering them with aluminum foil, and storing them in a refrigerator overnight to extract the chlorophyll.^j The following day, we centrifuged the samples for 20 min at 1,600 rpm, individually decanted the supernatant into a cuvette, and measured each sample absorbance at wavelengths 664 nm, 647 nm, 630 nm, and 750 nm using a Shimadzu UV-1800 spectrophotometer. Prior to measuring samples, we inserted two cuvettes with 90% acetone to correct for the absorbance of the solvent at each wavelength. We treated each sample with 80 μL of 0.1 N hydrochloric acid^k, waited 90 seconds, and measured absorbance at wavelengths 665 nm and 750 nm.

We entered sample absorbance values into trichromatic equations to estimate chlorophyll *a*, *b*, and *c* concentrations, and corrected for turbidity using the 750 nm absorbance value (APHA 2012, USEPA 1997). We corrected chlorophyll *a* concentrations when phaeophytin was detected. If chlorophyll *a* was not detected in a sample, we report the concentration at the estimated detection limit and do not report values for chlorophylls *b* or *c*. We round all values to

^f This measurement is not exact as the amount of water and magnesium carbonate used to create a saturated solution varies. We used supernatant solution to avoid magnesium carbonate solids.

^g To prevent acidification and conversion of chlorophyll to phaeophytin.

^h Except we stored the samples longer than 3.5 weeks and we cut the sample filters, rather than homogenize them, to reduce acetone exposure for laboratory staff.

ⁱ To ensure all filter pieces were submerged.

^j We allowed samples to steep for at least 2 h and not more than 24 h.

^k To convert the chlorophyll to phaeophytin.

2 decimal places. The 2017 chlorophyll *a* concentration estimated detection limit was 0.19 mg/m².

We performed the nonparametric Kruskal-Wallis one-way analysis of variance by ranks test, using Statistix® 9 analytical software, to test for differences of mean ranks between the 2017 Greens Creek sites 48 and 54 data, and across years at each site (Neter et al. 1990). We used the all-pairwise comparison test to identify differences between years and report significant differences when $p \leq 0.05$.

Data Presentation

We present a figure of Greens Creek mean daily discharges three weeks prior to sampling in 2017 and include daily discharge means for the same period 2001–2016.¹ We also include a figure presenting the range of Greens Creek mean daily discharges three weeks prior to sampling, 2001–2017.

For each sample site, we present a figure of mean chlorophyll *a* density (mg/m²) \pm 1 SD, excluding potential outliers. A star (*) in the figure represents a potential outlier, where chlorophyll *a* density of the sample exceeded the mean for the typical range of data that year by more than three times. We include possible outlier values in calculations, statistical analyses, and the raw data set (Appendix A).

We compare chlorophyll *a* density and chlorophyll proportions by year among Greens Creek sites 48 and 54 in *Comparisons Among Greens Creek Sites*. We do not compare Greens Creek data with Tributary Creek data as these systems provide different habitats for aquatic life, which affect productivity.

BENTHIC MACROINVERTEBRATE DENSITY AND COMMUNITY COMPOSITION

Benthic macroinvertebrates (BMI) classified in the orders Ephemeroptera (mayflies), Plecoptera (stoneflies), and Trichoptera (caddisflies), collectively known as EPT taxa, have complex and short life cycles and many genera are sensitive to changes in water and sediment quality (Barbour et al. 1999). These organisms are secondary producers, feed on periphyton and other macroinvertebrates, and provide an important food source for fish.

Requirement FWMP 5.4

The FWMP requires evaluating BMI community composition and abundance by sample at each site each year. We estimate mean BMI density and community composition at each site, compare the annual Greens Creek sites 48 and 54 data, and track change over time at all sites. We do not have reference data to compare Tributary Creek Site 9 data.

Sample Collection and Analysis

We opportunistically collected 8 BMI samples^m from each site using a Hess sampler in riffles and runs with cobble substrate and different flow velocities—habitat with the greatest taxonomic density and richness (Barbour et al. 1999). We do not sample other habitat types (e.g. pools) to reduce variability of the data.

¹ Discharge data are not available for Tributary Creek.

^m Prior to 2015, we collected 5 BMI samples each year.

The Hess stream bottom sampler has a 0.086 m² sample area and material is captured in a 200 mL cod end, both constructed with 300 µm mesh. We pushed the sampler into the stream bottom, scrubbed rocks within the sample area with a brush, and disturbed gravels, sand, and silt to about 10 cm depth to dislodge macroinvertebrates into the net.ⁿ We rinsed the net in the stream to ensure all organisms floated into the Hess sampler cod end, transferred each sample from the cod end to a labeled 500 mL plastic bottle, and preserved the samples in 95% ethanol at a ratio of three parts ethanol to one part sample. We discarded all samples where sediment overfilled the cod end.

Contractor Matt Kern of Alder Grove Farm used an elutriator system and 0.5 mm and 0.3 mm sieves to sort macroinvertebrates from debris,^{o,p} and identified BMIs to the lowest practical taxonomic level^q using Merritt and Cummins (1996) and Stewart and Oswood (2006). Habitat Biologist Greg Albrecht provided quality control by verifying BMI identification of three samples.

We calculated BMI density (per m²) for each sample by dividing the number of BMIs by 0.086 m², the Hess sampling area. We estimated BMI density for each site by calculating the mean density among the 8 samples. We report taxa richness as the number of taxonomic groups identified to the lowest practical level and exclude terrestrial organisms^r from all calculations.

Data Presentation

For each sample site, we present a figure of mean BMI density ± 1 SD and a figure illustrating community composition. Annual data summaries are included in Appendix B.

We compare annual BMI density and taxa richness data among Greens Creek sites 48 and 54 in *Comparisons Among Greens Creek Sites*. We do not compare Greens Creek data with Tributary Creek data as these systems provide different habitats for aquatic life, which affect productivity.

JUVENILE FISH POPULATION

Requirement FWMP 5.5

The FWMP requires estimating juvenile fish populations by species at each site, comparing the Greens Creek sites 48 and 54 population data each year, and monitoring population change over time at all sample sites. Valid population estimates are subject to our ability to satisfy assumptions of the study design each year.

ⁿ We spend about the same amount of time collecting each sample (e.g. 5 minutes) and prefer to have the same person collecting all samples at each site for consistency.

^o Gordon Willson-Naranjo and Greg Albrecht, Habitat Biologists, to Jackie Timothy, Southeast Regional Supervisor, ADF&G Division of Habitat. Memorandum: Benthic macroinvertebrate elutriation trials amendment; dated 12/17/2013. Unpublished document can be obtained from the Southeast Regional Supervisor, ADF&G Division of Habitat, 802 3rd St, Douglas, AK.

^p Katrina Lee, Administrative Assistant, to Jackie Timothy, Southeast Regional Supervisor, ADF&G Division of Habitat. Memorandum: Benthic macroinvertebrate sample enumeration procedures; dated 6/28/2016. Unpublished document can be obtained from the Southeast Regional Supervisor, ADF&G Division of Habitat, 802 3rd St, Douglas, AK.

^q Insects of the orders Ephemeroptera, Plecoptera, Trichoptera, and Diptera to genus, except nonbiting midges to family Chironomidae, and all others to class or order.

^r Including adult terrestrial insects of the orders Ephemeroptera, Plecoptera, Trichoptera, and Diptera.

Sample Collection and Analysis

We sampled 50 m reaches isolated by natural features, such as shallow riffles and debris jams, using two-piece 6.35 mm galvanized steel minnow traps baited with disinfected salmon roe^s following methods described in Magnus et al. (2006). We placed rocks in the bottom of each trap to weight the trap down and provide refuge for captured fish. We used bait contained in a punctured plastic bag to prevent ingestion and reduce the possibility of sample contamination. Prior to each study, we opportunistically set several baited minnow traps within 15 m of the upstream and downstream sample reach boundaries to capture potential migrants and improve sample reach isolation.^t These minnow traps remained undisturbed during the study, and upon study completion, we recorded fish captured by species and released fish at capture sites. We did not include fish captured in these boundary traps in the population estimates.

We sampled juvenile fish populations using a modification^u of a depletion method described by Bryant (2000). Beginning at the downstream end of each reach, we opportunistically set baited minnow traps in all habitat types where water depth and flow allowed. We moved away from the sample site as practicable^v to avoid disturbing fish while the traps soaked for 1.5 h. We retrieved each trap, transferred captured fish to a plastic bucket containing aerated stream water, removed the used bait bag, rebaited, and reset each trap in the same location as quickly as possible. We allowed the trap to soak another 1.5 h, and completed the sequence a third time.

We processed captured fish between passes. Biologists anesthetized fish using 9 mg/L AQUI-S 20E (10% eugenol), measured and recorded FL to the nearest 1 mm, weight to the nearest 0.1 g, and species (Pollard et al. 1997). Prior to weighing each fish, we tared the scale and emptied the measuring tray to minimize water weight. We retained fish in a perforated plastic bucket secured in the creek and released captured fish^w to the sample reach upon study completion.

We collected data to meet the assumptions of closure and equal probability of capture (Lockwood and Schneider 2000) during the three passes by ensuring the following:

- Fish emigration and immigration during the sampling period was negligible.
 - Sample reaches were isolated by natural stream features, and we set traps upstream and downstream of sample reaches to capture potential migrants.
- All fish were equally vulnerable to capture during each pass.
 - We set traps in all habitat types where water depth and flow allowed.
- Fish did not become more wary of capture with each pass.
 - We maintained trap numbers and placement during all three passes.
 - We completed all three passes as quickly as possible.
 - To avoid disturbing fish, we moved away from sample reaches while the traps soaked.

^s We added 4 oz. of Betadyne® for every 3 gallons of water and allowed roe to soak for 15 minutes, stirring frequently.

^t Greens Creek discharge is usually too high to efficiently and effectively isolate sample reaches using a 6.35 mm (0.25 in) mesh net across the stream. Though a mesh net could effectively isolate the Tributary Creek Site 9 sample reach, we also used baited minnow traps.

^u We sampled shorter reaches, used more minnow traps, and completed three passes instead of four.

^v Location dependent on our ability to visually monitor the traps and potential bear interference.

^w Except, we retained 10 Dolly Varden char for whole body element concentrations at each sample site.

- Collection effort and conditions which affect collection efficiency remained constant.
 - We retrieved traps beginning at the downstream end of each reach.
 - We moved upstream setting, retrieving, and replacing traps as quickly as possible.
 - We timed each pass exactly 1.5 h.
 - We replaced used bait bags with fresh bait bags and reset each trap in the same location.

We estimated juvenile fish populations using the multiple-pass depletion method developed by Lockwood and Schneider (2000), based on methods developed by Carle and Strub (1978). The repetitive method produces a maximum likelihood estimate (MLE) of fish with a 95% CI.

Let X represent an intermediate sum statistic where the total number of passes, k , is reduced by the pass number, i , and multiplied by the number of fish caught in the pass, C_i , for each pass:

$$X = \sum_{i=1}^k (k - i)C_i$$

Let T represent the total number of fish captured in the minnow traps, all passes. Let n represent the predicted population of fish, using T as the initial value tested. Using X , we calculated the MLE, N , by repeated estimations of n . The MLE is the smallest integer value of n greater than or equal to T which satisfies^x the following:

$$\left[\frac{n + 1}{n - T + 1} \right] \prod_{i=1}^k \left[\frac{kn - X - T + 1 + (k - i)}{kn - X + 2 + (k - i)} \right] \leq 1.000$$

The probability of capture, p , is given by the total number of fish captured, divided by an equation where the number of passes is multiplied by the MLE and subtracted by the intermediate statistic, X ,

$$p = \frac{T}{kN - X}$$

The variance of N , a measure of variability from the mean, is given by:

$$\text{Variance of } N = \frac{N(N - T)T}{T^2 - N(N - T) \left[\frac{(kp)^2}{(1 - p)} \right]}$$

We determined the SE of N by calculating the square root of the variance of N , and the 95% CI for the MLE using $\pm 2(\text{SE})$. The size of the 95% CI depends on the number of captures each pass; a small 95% CI results when fewer captures steadily occur with each pass, and a large 95% CI results when captures do not steadily decrease and when the number of fish captured on the second or third pass exceed the number of fish captured on the previous pass. A MLE cannot be generated from samples from small populations if we capture few fish (e.g. ≤ 20) during the

^x Lockwood and Schneider (2000) suggest the result should be rounded to one decimal place (1.0). We use three decimal places (1.000) which is an option in Carle and Strub (1978).

three passes; in these cases, we present the number of fish captured as the result and do not include a MLE.

Calculating a MLE using three-pass depletion data relies on equal capture probability among passes (Bryant 2000, Carle and Strub 1978, Lockwood and Schneider 2000). To evaluate equal capture probability, we used the goodness of fit test (White et al. 1982) recommended by Lockwood and Schneider (2000), which follows the χ^2 test form. We first calculated expected numbers of fish captured for each pass (C_1, C_2, C_3) using variables previously described:

$$E(C_1) = N(1 - p)^{i-1}p$$

Then we calculated χ^2 ,

$$\chi^2 = \frac{[C_1 - E(C_1)]^2}{E(C_1)} + \frac{[C_2 - E(C_2)]^2}{E(C_2)} + \frac{[C_3 - E(C_3)]^2}{E(C_3)}$$

We compare the χ^2 test result against $\chi^2_{0.95}$ with one degree of freedom (Lockwood and Schneider 2000), and if the χ^2 value is lower, the goodness of fit test suggests we achieved equal capture probability; if not, the MLE will be biased low.

Data Presentation

For each sample site, we present a figure of juvenile fish population estimates by species each year. We also present a comparison of Greens Creek sites 48 and 54 population estimates over time in *Comparisons Among Greens Creek Sites*. We do not compare Greens Creek data with Tributary Creek data as these systems provide different habitats for aquatic life, which affect productivity. Capture data summaries and length frequency diagrams of captured fish are included in Appendix C.

JUVENILE FISH CONDITION

Age, sex, season, maturation, diet, gut contents, fat reserve, and muscular development affect fish condition. We used juvenile fish length and weight data to calculate fish condition, an index of fish health.

Requirement FWMP 5.5

The FWMP requires we report mean fish condition by species each year.

Sample Collection and Analysis

We used FL and weight data of fish captured during the juvenile fish population studies, excluding fish measuring less than 40 mm FL. We calculated Fulton's condition factor (K) using the equation given in Anderson and Neumann (1996), where the weight (W) of each fish is divided by the cubed length (L) of the fish, and the product multiplied by 100,000,

$$K = \frac{W}{L^3} \times 100,000$$

Data Presentation

For each sample site, we present mean fish condition by species, compare fish condition among Greens Creek sites 48 and 54 in *Comparisons Among Greens Creek Sites*, and include mean condition by species by site and year in Appendix C.

JUVENILE FISH ELEMENT CONCENTRATIONS

Requirement FWMP 5.6

The FWMP requires we annually sample^y 10 juvenile Dolly Varden char within the size range 85–125 mm FL for whole body concentrations of silver (Ag), cadmium (Cd), copper (Cu), mercury^z (Hg), lead (Pb), selenium (Se), and zinc (Zn) at each site. A 85 mm fish provides the minimum amount of tissue (about 5 g) required for laboratory analyses, while the maximum fish size of 125 mm improves the likelihood of sampling less than 3-year-old fish at sites 54 and 9 where anadromous Dolly Varden char may be present. We evaluate the data for each site over time and compare the data among all three sites each year.

Sample Collection and Analysis

We wore latex gloves when handling fish and retained 10 juvenile Dolly Varden char measuring 85–125 mm FL captured during the juvenile fish population survey. We retained fish in individually labeled plastic bags, and measured FL and fish weight, correcting for bag weight. We placed all samples from each site in a larger plastic bag labeled with the sample location. We stored the samples in a cooler containing frozen ice packs during transport, in a camp freezer while onsite, and in a –20 °C ADF&G Douglas laboratory freezer.

We shipped the samples in a cooler with frozen ice packs to ALS Environmental in Kelso, WA, and maintained written chain of custody documentation. ALS Environmental individually digested, dried, and analyzed each sample for total Ag, Cd, Cu, Hg, Pb, Se, and Zn on a dry weight basis following EPA method 1631E (Mercury in Water by Oxidation, Purge and Trap, and Cold Vapor Atomic Fluorescence Spectrometry) for Hg, and EPA method 6020A (Inductively Coupled Plasma – Mass Spectrometry) for the other elements. ALS Environmental provided Tier II quality assurance/quality control information including results for matrix spikes, sample blanks, sample duplicates, and standard reference materials.

We performed the nonparametric Kruskal-Wallis one-way analysis of variance by ranks test, using Statistix® 9 analytical software, to test for equality of population medians between sites (Neter et al. 1990). We used the all-pairwise comparison test to identify differences between sites, and report significant differences when $p \leq 0.05$.

Data Presentation

For each sample site, we present a figure of maximum, median, and minimum whole body concentrations (mg/kg) for each element by year. We also compare the data among sample sites in *Comparison Among Sites*. We include the raw data, presenting the mean value for duplicate sample results, and the laboratory report in Appendix D.

^y Prior to 2015, we collected 6 Dolly Varden char samples at each site.

^z We began annually testing for Hg in 2012, and incidentally received Hg data in 2010.

RESULTS

Greens Creek mean daily discharges three weeks prior to sampling in 2017 were generally greater than the previous 16 year average, and the median daily discharge during the three week period was greater than many previous sampling years (USGS 2017; Figures 5, 6).




Figure 5.—Greens Creek mean daily discharge three weeks prior to sampling in 2017.
 Note: 2017 sampling days highlighted in gray.
 Source: USGS Gage 15101490 (USGS 2017).




Figure 6.—Greens Creek mean daily discharges three weeks prior to sampling, 2011–2017.
 Note: Median, minimum, and maximum discharges presented.
 Source: USGS Gage 15101490 (USGS 2017).

GREENS CREEK SITE 48

We sampled Greens Creek Site 48 on July 13, 2017. Hecla environmental staff measured basic water quality data at 0830: water temperature 7.5 °C, conductivity 94.26 $\mu\text{S}/\text{cm}$, and pH 7.76. We measured stream flow in a single channel below the sandbar where we process fish and estimate discharge was 49 ft^3/s at 1445. The USGS stream gage located downstream of Site 48, 1350 Creek, Cub Creek, and Hecla's water withdrawal recorded 62.4 ft^3/s at 1500. We observed more stream flow through the river-left side of the large woody debris jam, similar to last year.

Periphyton: Chlorophyll Density and Composition

The 2017 mean chlorophyll *a* density was 1.20 mg/m^2 , the lowest mean density observed since 2001 and similar to the 2012 mean density (Figure 7).^{aa} The samples contained about 89% chlorophyll *a*, 11% chlorophyll *c*, and no chlorophyll *b*, similar to mean composition in previous years.




Figure 7.—Greens Creek Site 48 chlorophyll *a* densities.
Note: Mean density \pm 1 SD, excluding potential outliers (*).

Benthic Macroinvertebrate Density and Community Composition

Among the 2017 BMI samples, we counted 25 taxa and estimate mean density at 2,346 BMI/m^2 , of which 90% were EPT insects, similar to previous years (Figures 8, 9). Dominant taxa were Ephemeroptera: *Epeorus* and *Baetis*, representing 24% and 16% of the samples.

^{aa} We usually find significant differences in Site 48 chlorophyll *a* densities between the current year and the 2003 and 2006 data. Chlorophyll *a* densities in 2003 and 2006 were the greatest observed since 2001, which we attribute to natural variation.




Figure 8.—Greens Creek Site 48 benthic macroinvertebrate densities.
 Note: Mean density \pm 1 SD.




Figure 9.—Greens Creek Site 48 benthic macroinvertebrate community composition.

Juvenile Fish Populations and Fish Condition

We estimate the 2017 Dolly Varden char population at 139 ± 8 fish, within the range of previous estimates (Figure 10). Mean fish condition among the 132 Dolly Varden char we captured was 1.1, and the length frequency diagram suggests multiple age classes were present, as in previous years.




Figure 10.—Greens Creek Site 48 Dolly Varden population estimates.

Juvenile Fish Element Concentrations

Ag, Cd, Cu, Hg, Pb, Se, and Zn concentrations among the 2017 whole body Dolly Varden char samples were within the range of values observed since 2001 (Figure 11).




Figure 11.—Greens Creek Site 48 Dolly Varden char element concentrations.
Note: Minimum, median, and maximum whole body concentrations presented.

GREENS CREEK SITE 54

We sampled Greens Creek Site 54 on July 12, 2017. Hecla environmental staff measured basic water quality data at 0925: water temperature 7.1 °C, conductivity 105.5 $\mu\text{S}/\text{cm}$, turbidity 2.22 NTU, and pH 7.87. We measured stream flow upstream of the crossing log and estimate discharge was 60.5 ft^3/s at 1515. The USGS gage measured 53.8 ft^3/s at 1500. Upstream of the fish sample reach, we observed more flow in the river-right channel and sand in the river-left channel limited benthic macroinvertebrate sampling sites.

Periphyton: Chlorophyll Density and Composition

The 2017 mean chlorophyll *a* density was 0.83 mg/m^2 , the lowest mean density observed since 2001 (Figure 12).^{bb} The samples contained about 85% chlorophyll *a*, 15% chlorophyll *c*, and no chlorophyll *b*, similar to mean composition in previous years.




Figure 12.—Greens Creek Site 54 chlorophyll *a* densities.
Note: Mean density \pm 1 SD, excluding potential outliers (*).

Benthic Macroinvertebrate Density and Community Composition

Among the 2017 BMI samples, we counted 31 taxa and estimate mean density at 1,651 BMI/ m^2 , of which 89% were EPT insects, similar to previous years (Figures 13, 14). Dominant taxa were Ephemeroptera: *Epeorus* and *Baetis*, representing 23% and 22% of the samples.

^{bb} We usually find significant differences in Site 54 chlorophyll *a* densities between the current year and the 2003 and 2006 data. Chlorophyll *a* densities in 2003 and 2006 were the greatest observed since 2001, which we attribute to natural variation.




Figure 13.—Greens Creek Site 54 benthic macroinvertebrate densities.
 Note: Mean density \pm 1 SD.




Figure 14.—Greens Creek Site 54 benthic macroinvertebrate community composition.

Juvenile Fish Populations and Fish Condition

We estimate the 2017 Dolly Varden char population at 358 ± 32 fish, within the range of previous estimates and greater than the previous three years (Figure 15). We did not capture coho salmon during the juvenile fish population study; however we observed young-of-year coho salmon and Dolly Varden char within the sample reach.

Mean fish condition among 306 Dolly Varden char we captured was 1.1, and the length frequency diagram suggests multiple age classes were present, as in previous years.




Figure 15.—Greens Creek Site 54 juvenile fish population estimates.
 Note: 2001–2010 data from a 28 m reach, 2011–2017 data from a 50 m reach.

Juvenile Fish Element Concentrations

Ag, Cd, Cu, Hg, Pb, Se, and Zn concentrations among the 2017 whole body Dolly Varden char samples were within the range of values observed since 2001 (Figure 16).




Figure 16.—Greens Creek Site 54 Dolly Varden char element concentrations.
Note: Minimum, median, and maximum whole body concentrations presented.

TRIBUTARY CREEK SITE 9

We sampled Tributary Creek Site 9 on July 11, 2017. GCM environmental staff measured basic water quality at 0830: water temperature 10.6 °C, conductivity 77.85 $\mu\text{S}/\text{cm}$, turbidity 5.01 NTU, and pH 6.78. Water level was too low to measure stream flow. This year, the lower portion of the sample reach had more flow on river-left and the beaver dam upstream of the sample reach was larger.

Periphyton: Chlorophyll Density and Composition

The 2017 mean chlorophyll *a* density was 4.09 mg/m^2 , within the range observed since 2001 (Figure 17). The samples contained about 93% chlorophyll *a*, 7% chlorophyll *c*, and no chlorophyll *b*, similar to mean composition in previous years.




Figure 17.—Tributary Creek Site 9 chlorophyll *a* densities.
Note: Mean density \pm 1 SD, excluding potential outliers (*).

Benthic Macroinvertebrate Density and Community Composition

Among the 2017 BMI samples, we counted 29 taxa and estimate mean density at 2,625 BMI/m^2 , similar to previous years (Figure 18). EPT insects accounted for 46% of the samples, greater than the lowest percentage observed in 2016 (Figure 19). Dominant taxa were Diptera: Chironomidae and Plecoptera: *Suwallia*, representing 24% and 15% of the samples.




Figure 18.–Tributary Creek Site 9 benthic macroinvertebrate densities.
 Note: Mean density \pm 1 SD.




Figure 19.–Tributary Creek Site 9 benthic macroinvertebrate community composition.

Juvenile Fish Populations and Fish Condition

We estimate the 2017 Dolly Varden char population at 72 ± 20 fish, greater than most previous years (Figure 20). Mean condition for the 56 Dolly Varden char we captured was 1.1 and the length frequency diagram suggests multiple age classes were present, as in previous years.

We estimate the 2017 coho salmon population at 101 ± 6 fish, within the range observed since 2001 (Figure 20). Mean condition for the 96 coho salmon we captured was 1.3 and the length frequency diagram suggests two age classes were present, as in previous years.




Figure 20.–Tributary Creek Site 9 juvenile fish population estimates.

Juvenile Fish Element Concentrations

Ag, Cd, Cu, Pb, Se, and Zn concentrations among the 2017 whole body Dolly Varden char samples were within the range of values observed since 2001, and we observed the largest range of Hg concentrations since sampling began in 2010 (Figure 21).




Figure 21.—Tributary Creek Site 9 Dolly Varden char element concentrations.
Note: Minimum, median, and maximum whole body concentrations presented.

COMPARISONS AMONG GREENS CREEK SITES

Periphyton: Chlorophyll Density and Composition

Chlorophyll *a* densities among the 2017 samples from Site 48 and Site 54 were not significantly different. Mean chlorophyll *a* densities at Site 48 and Site 54 generally followed a similar trend 2001–2017 (Figure 22), with peak densities observed in 2003, 2004, and 2006. Greens Creek discharges were low prior to sampling in 2003 and 2004 and may have contributed to greater chlorophyll *a* densities those years, while greater discharges prior to sampling in 2007, 2008, 2012, and 2017 may explain lower mean chlorophyll *a* densities observed those years.

Periphyton samples collected at Site 48 and Site 54 generally contained about 90% chlorophyll *a*, zero or nearly zero chlorophyll *b*, and about 10% chlorophyll *c* each year.




Figure 22.—Greens Creek mean chlorophyll *a* densities.

Benthic Macroinvertebrate Density and Community Composition

Mean benthic macroinvertebrate density and taxonomic richness among Site 48 and Site 54 samples generally followed similar trends 2001–2017 (Figures 23, 24), and EPT insects usually comprised more than 80% of the organisms among samples at each site, each year.




Figure 23.—Greens Creek mean benthic macroinvertebrate densities.




Figure 24.—Greens Creek benthic macroinvertebrate taxa richness.

Juvenile Fish Populations and Fish Condition

The 2017 Site 54 Dolly Varden char population estimate was significantly greater than the Site 48 population estimate. Population estimates among sites generally followed a similar trend from 2001 to 2016 (Figure 25). We captured several age classes of Dolly Varden char at both sites most years, and mean fish condition was similar among sites each year, about 1.0.




Figure 25.—Greens Creek Dolly Varden char population estimates.
 Note: Site 54 2001–2010 data extrapolated to 50 m sample reach for comparison.

Juvenile Fish Element Concentrations

Comparing the 2017 Greens Creek Dolly Varden char whole body element concentrations data, the mean ranks for Pb concentration were significantly different.

COMPARISONS AMONG SITES

Juvenile Fish Element Concentrations

Comparing the 2017 Greens Creek and Tributary Creek Dolly Varden char element concentrations data (Figure 26):

- The Site 9 mean ranks for Ag, Hg, Pb, and Zn concentrations were significantly different than the mean ranks for Site 48 and Site 54; and
- The Site 9 mean ranks for Cd and Se concentrations were significantly different than the mean ranks for Site 48.

The 2017 results were within the range of values reported for reference and exploration sites elsewhere in Alaska (Legere and Timothy 2016).

Site 9 whole body Dolly Varden char samples contained greater concentrations and variability than the Site 48 and Site 54 samples, except Cu and Zn which were generally greater at Site 48 (Figure 27).




Figure 26.–2017 Greens Creek and Tributary Creek Dolly Varden char element concentrations.
Note: Minimum, median, and maximum whole body concentrations presented.




Figure 27.—Greens Creek and Tributary Creek Dolly Varden char median element concentrations.

REFERENCES CITED

- Anderson, R. O. and R. M. Neumann, 1996. Length, weight, and associated structural indices. Pages 447–481 [*In*] B. R. Murphy and D.W. Willis, editors. Fisheries Techniques. 2nd edition. American Fisheries Society, Bethesda, MD.
- APHA (American Public Health Association). 2012. Standard Methods for the examination of water and wastewater. Section 1020.H.2. 22nd Edition. American Public Health Association, Washington DC.
- Barbour, M. T., J. Gerritsen, B. D. Snyder, and J. B. Stribling. 1999. Rapid bioassessment protocols for use in streams and wadeable rivers: periphyton, benthic macroinvertebrates and fish. 2nd edition. EPA 841-B-99-002. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- Brewster, B. P. 2016. Aquatic biomonitoring at Greens Creek Mine, 2015. Alaska Department of Fish and Game, Technical Report No. 16-04, Douglas, AK.
- Bryant, M. D. 2000. Estimating fish populations by removal methods with minnow traps in Southeast Alaska streams. North American Journal of Fisheries Management 20:923–930.
- Carle, F. L., and M. R. Strub. 1978. A new method for estimating population size from removal data. Biometrics 34:621–630.
- Durst, J. D., and A. H. Townsend. 2004. Aquatic biomonitoring at Greens Creek Mine, 2003. Alaska Department of Natural Resources, Office of Habitat Management and Permitting, Technical Report No. 04-04, Juneau, AK.
- Durst, J. D., A. H. Townsend, and J. P. Cariello. 2005. Aquatic biomonitoring at Greens Creek Mine, 2004. Alaska Department of Natural Resources, Office of Habitat Management and Permitting, Technical Report No. 05-04, Juneau, AK.
- Durst, J. D., and L. L. Jacobs. 2006. Aquatic biomonitoring at Greens Creek Mine, 2005. Alaska Department of Natural Resources, Office of Habitat Management and Permitting, Technical Report No. 06-01, Juneau, AK.
- Durst, J. D., and L. L. Jacobs. 2007. Aquatic biomonitoring at Greens Creek Mine, 2006. Alaska Department of Natural Resources, Office of Habitat Management and Permitting, Technical Report No. 07-02, Juneau, AK.
- Durst, J. D., and L. L. Jacobs. 2008. Aquatic biomonitoring at Greens Creek Mine, 2007. Alaska Department of Natural Resources, Office of Habitat Management and Permitting, Technical Report No. 08-03, Juneau, AK.
- Durst, J. D., and L. L. Jacobs. 2009. Aquatic biomonitoring at Greens Creek Mine, 2008. Alaska Department of Fish and Game, Technical Report No. 09-02, Juneau, AK.
- Durst, J. D., and L. L. Jacobs. 2010. Aquatic biomonitoring at Greens Creek Mine, 2009. Alaska Department of Fish and Game, Technical Report No. 10-03, Juneau, AK.
- Hecla. 2014. General plan of operations. Appendix 1: Integrated Monitoring Plan.
- Jacobs, L. L., P. W. Scannell, and B. Morris. 2003. Aquatic biomonitoring at Greens Creek Mine, 2002. Alaska Department of Fish and Game, Technical Report No. 03-04, Juneau, AK.
- Johnson, J. and B. Blossom. 2017. Catalog of waters important for the spawning, rearing, or migration of anadromous fishes – Southeastern Region. Effective June 1, 2017. Alaska Department of Fish and Game, Special Publication No. 17-04, Anchorage, AK.
- Kanouse, K. M. 2011. Aquatic biomonitoring at Greens Creek Mine, 2010. Alaska Department of Fish and Game, Technical Report No. 11-02, Douglas, AK.
- Kanouse, K. M. 2012. Aquatic biomonitoring at Greens Creek Mine, 2011. Alaska Department of Fish and Game, Technical Report No. 12-03, Douglas, AK.
- Kanouse, K. M. and B. P. Brewster. 2013. Aquatic biomonitoring at Greens Creek Mine, 2012. Alaska Department of Fish and Game, Technical Report No. 12-11. Douglas, AK.
- Kanouse, K. M. and B. P. Brewster. 2014. Aquatic biomonitoring at Greens Creek Mine, 2013. Alaska Department of Fish and Game, Technical Report No. 14-05, Douglas, AK.

REFERENCES CITED, CONTINUED

- Kanouse, K. M. 2015. Aquatic biomonitoring at Greens Creek Mine, 2014. Alaska Department of Fish and Game, Technical Report No. 15-03, Douglas, AK.
- Legere, N. M. and J. Timothy. 2016. Tulsequah Chief acid mine drainage and Dolly Varden char metals concentrations. Alaska Department of Fish and Game, Technical Report No. 16-06, Douglas, AK.
- Lockwood, R. N., and J. C. Schneider. 2000. Stream fish population estimates by mark-and-recapture and depletion methods. [In] J. C. Schneider, editor. 2000. Manual of fisheries survey methods II: with periodic updates. Michigan Department of Natural Resources, Fisheries Special Report 25, Ann Arbor, MI.
- MacDonald, D. D., C. G. Ingersoll, and T. A. Berger. 2000. Development and evaluation of consensus-based sediment quality guidelines for freshwater ecosystems. Archives of Environmental Contamination Toxicology 39(1):20–31.
- Magnus, D. L., D. Brandenburger, K. F. Crabtree, K. A. Pahlke, and S. A. McPherson. 2006. Juvenile salmon capture and coded wire tagging manual. Alaska Department of Fish and Game, Special Publication No. 06-31, Anchorage, AK.
- Merritt, R. W. and K. W. Cummins, editors. 1996. An introduction to the aquatic insects of North America. 3rd edition. Kendall/Hunt Publishing Co., Dubuque, IA.
- Pollard, W. R., G. F. Hartman, C. Groot, and P. Edgell. 1997. Field identification of coastal juvenile salmonids. Department of Fisheries and Oceans, Vancouver, BC.
- SonTek YSI Inc. 2007. FlowTracker Handheld ADV Technical Manual. San Diego, CA. https://www.uvm.edu/bwrl/lab_docs/manuals/Flow_Tracker_Manual.pdf (accessed April 5, 2017).
- Stewart, K. W. and M. W. Oswood. 2006. The stoneflies (Plecoptera) of Alaska and Western Canada. The Caddis Press, Columbus, OH.
- USEPA. 1997. Method 446.0: In vitro determination of chlorophylls a, b, c1 + c2 and pheopigments in marine and freshwater algae by visible spectrophotometry. Adapted by Elizabeth J. Arar, Revision 1.2, September 1997. U.S. Environmental Protection Agency, National Exposure Research Laboratory, Cincinnati, OH.
- USFS. 2003. Greens Creek tailings disposal final environmental impact statement. U.S. Department of Agriculture, Forest Service, Alaska Region.
- USFS. 2013. Greens Creek Mine tailings disposal facility expansion final environmental impact statement and record of decision. U.S. Department of Agriculture, Forest Service, Alaska Region.
- USGS. 2017. National Water Information System: Gage 15101490 Greens Creek at Greens Creek Mine near Juneau, AK. http://waterdata.usgs.gov/nwis/uv?site_no=15101490 (Accessed December 13, 2017).
- USGS. 2018. National Water Information System: Gage 15101490 Greens Creek at Greens Creek Mine near Juneau, AK. https://nwis.waterdata.usgs.gov/nwis/wys_rpt?dv_ts_ids=&489&adr_begin_date=2014-1001&adr_end_date=2015-09-30&site_no=15101490&agency_cd=USGS (Accessed April 12, 2018).
- Weber Scannell, P., and S. Paustian. 2002. Aquatic biomonitoring at Greens Creek Mine, 2001. Alaska Department of Fish and Game, Technical Report No. 02-03, Juneau, AK.
- White, G. C., D. R. Anderson, K. P. Burnham, and D. L. Otis. 1982. Capture-recapture and removal methods for sampling closed populations. Los Alamos National Laboratory LA-8787-NERP, Los Alamos, NM.
- Zutz, J. 2017. Aquatic biomonitoring at Greens Creek Mine, 2016. Alaska Department of Fish and Game, Technical Report No. 17-03, Douglas, AK.

APPENDIX A: PERIPHYTON DATA

Appendix A.1.–Greens Creek Site 48 chlorophylls *a*, *b*, and *c* densities, 2001–2017.

mg/m ²	7/23/2001			7/23/2002			7/22/2003			7/21/2004		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	1.91	0.01	0.14	5.34	0.00	0.29	12.92	0.00	1.26	18.05	0.00	2.03
	1.83	0.00	0.18	4.27	0.00	0.21	8.65	0.03	1.57	6.73	0.00	0.69
	5.61	0.00	0.69	6.62	0.00	0.71	3.84	0.09	0.39	8.97	0.00	0.90
	0.31	0.08	0.06	2.99	0.00	0.25	12.18	0.01	0.64	12.82	0.00	1.45
	2.96	0.04	0.36	5.34	0.00	0.75	17.19	0.00	0.72	5.45	0.00	0.62
	5.44	0.00	0.62	6.62	0.00	0.75	17.19	0.02	0.86	20.40	0.00	2.15
	3.38	0.00	0.47	6.09	0.00	0.73	33.21	0.00	2.14	6.30	0.00	0.45
	1.87	0.03	0.15	ND	ND	ND	24.24	0.13	0.99	11.64	0.00	1.38
	2.63	0.14	0.14	2.99	0.00	0.36	19.76	0.00	0.57	7.48	0.00	0.65
	1.23	0.02	0.16	2.78	0.00	0.15	35.35	0.00	0.89	5.23	0.00	0.55
mean	2.72	0.03	0.30	4.78	0.00	0.47	18.45	0.03	1.00	10.31	0.00	1.09
minimum	0.31	0.00	0.06	2.78	0.00	0.15	3.84	0.00	0.39	5.23	0.00	0.45
maximum	5.61	0.14	0.69	6.62	0.00	0.75	35.35	0.13	2.14	20.40	0.00	2.15

mg/m ²	7/22/2005			7/20/2006			7/20/2007			7/22/2008		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	0.85	0.00	0.01	8.33	0.00	0.80	6.62	0.00	0.16	1.50	0.00	0.09
	4.70	0.00	0.51	11.43	0.00	0.71	5.55	0.00	0.23	4.70	0.00	0.16
	6.62	0.00	0.27	10.68	0.00	1.25	7.48	0.00	0.33	2.67	0.00	0.24
	6.19	0.00	0.51	20.08	0.00	2.04	11.64	0.00	1.39	2.14	0.00	0.17
	11.11	0.00	0.92	10.57	0.00	0.98	6.94	0.00	0.47	0.85	0.00	0.02
	5.66	0.00	0.51	14.10	0.00	1.72	11.11	0.00	0.54	12.60	0.00	0.33
	7.69	0.00	0.53	16.98	0.00	1.76	11.75	0.01	0.60	2.78	0.00	0.19
	5.13	0.00	0.29	5.23	0.00	1.74	4.81	0.00	0.29	6.30	0.00	0.74
	2.46	0.02	0.28	16.87	0.00	1.73	8.12	0.00	1.10	1.28	0.00	0.14
	9.08	0.00	0.63	4.38	0.00	0.54	4.06	0.00	0.43	3.20	0.00	0.37
mean	5.95	0.00	0.45	11.87	0.00	1.33	7.81	0.00	0.55	3.80	0.00	0.25
minimum	0.85	0.00	0.01	4.38	0.00	0.54	4.06	0.00	0.16	0.85	0.00	0.02
maximum	11.11	0.02	0.92	20.08	0.00	2.04	11.75	0.01	1.39	12.60	0.00	0.74

mg/m ²	7/21/2009			7/20/2010			7/21/2011			7/21/2012		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	3.20	0.00	0.49	8.54	0.00	0.44	4.49	0.00	0.50	0.36	ND	ND
	1.50	0.00	0.25	4.59	0.00	0.61	6.51	0.00	0.59	0.69	0.00	0.10
	4.17	0.11	0.59	5.13	0.00	0.27	2.88	0.00	0.30	1.29	0.00	0.12
	5.66	0.07	0.73	3.10	0.00	0.26	2.59	0.17	0.05	2.56	0.00	0.39
	3.42	0.06	0.50	7.58	0.00	0.29	3.31	0.00	0.36	0.85	0.00	0.00
	8.22	0.13	0.95	5.55	0.00	0.55	5.13	0.00	0.55	1.60	0.00	0.26
	0.43	0.11	0.11	10.68	0.00	0.64	7.16	0.00	1.06	1.82	0.00	0.29
	1.39	0.18	0.29	7.69	0.00	0.41	5.66	0.00	0.49	1.92	0.00	0.28
	7.80	0.00	0.89	3.63	0.00	0.25	0.85	0.00	0.11	0.32	0.00	0.08
	9.18	0.17	1.19	3.10	0.02	0.15	4.81	0.00	0.49	1.60	0.00	0.16
mean	4.50	0.08	0.60	5.96	0.00	0.39	4.34	0.02	0.45	1.30	0.00	0.19
minimum	0.43	0.00	0.11	3.10	0.00	0.15	0.85	0.00	0.05	0.32	0.00	0.00
maximum	9.18	0.18	1.19	10.68	0.02	0.64	7.16	0.17	1.06	2.56	0.00	0.39

-continued-

Appendix A.1.–Page 2 of 2.

mg/m ²	7/24/2013			7/24/2014			7/15/2015			7/12/2016		
	Chl-a	Chl-b	Chl-c	Chl-a	Chl-b	Chl-c	Chl-a	Chl-b	Chl-c	Chl-a	Chl-b	Chl-c
	2.03	0.00	0.12	4.81	0.00	0.31	2.14	0.00	0.18	4.38	0.00	0.60
	1.50	0.00	0.11	0.60	0.00	0.12	11.96	0.00	0.90	3.84	0.00	0.43
	4.59	0.00	0.33	1.60	0.00	0.10	4.70	0.00	0.31	7.58	0.00	0.88
	2.03	0.00	0.19	6.62	0.00	0.00	3.31	0.00	0.24	6.51	0.00	0.75
	6.94	0.00	0.38	ND	ND	ND	5.55	0.00	0.25	2.24	0.00	0.26
	6.62	0.00	0.39	5.66	0.00	0.33	2.46	0.00	0.18	2.99	0.00	0.47
	1.60	0.00	0.26	0.55	0.00	0.02	1.38	0.00	0.08	3.20	0.00	0.45
	1.39	0.00	0.07	0.43	0.00	0.07	2.35	0.00	0.05	2.35	0.00	0.31
	3.74	0.00	0.46	1.24	0.00	0.03	2.99	0.00	0.22	2.67	0.00	0.31
	5.23	0.00	0.70	5.02	0.24	0.38	0.43	0.00	0.03	4.49	0.00	0.61
mean	3.57	0.00	0.30	2.95	0.03	0.15	3.73	0.00	0.24	4.03	0.00	0.51
minimum	1.39	0.00	0.07	0.43	0.00	0.00	0.43	0.00	0.03	2.24	0.00	0.26
maximum	6.94	0.00	0.70	6.62	0.24	0.38	11.96	0.00	0.90	7.58	0.00	0.88

mg/m ²	7/12/2017		
	Chl-a	Chl-b	Chl-c
	0.55	0.00	0.02
	0.64	0.00	0.07
	0.43	0.01	0.04
	2.99	0.00	0.39
	0.96	0.00	0.09
	0.64	0.00	0.16
	2.14	0.00	0.28
	1.70	0.00	0.26
	0.96	0.00	0.09
	0.96	0.00	0.10
mean	1.20	0.00	0.15
minimum	0.43	0.00	0.02
maximum	2.99	0.01	0.39

Appendix A.2.–Greens Creek Site 54 chlorophylls *a*, *b*, and *c* densities, 2001–2017.

mg/m ²	7/23/2001			7/23/2002			7/22/2003			7/21/2004		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	1.60	0.01	0.15	2.88	0.00	0.30	13.24	0.00	1.05	17.19	0.00	2.02
	3.10	0.05	0.41	9.61	0.00	1.02	8.33	0.00	0.79	9.72	0.00	0.93
	3.61	0.00	0.21	8.12	0.00	0.24	14.20	0.00	1.45	8.76	0.00	0.67
	2.97	0.00	0.29	4.49	0.00	0.38	6.09	0.00	0.62	32.04	0.00	3.66
	1.88	0.00	0.01	5.34	0.00	0.53	15.49	0.00	1.74	5.23	0.00	0.42
	1.78	0.00	0.19	2.46	0.87	1.26	10.68	0.00	1.06	3.74	0.00	0.31
	4.95	0.00	0.22	6.51	0.00	0.64	5.55	0.00	0.39	12.82	0.00	1.35
	1.46	0.00	0.10	4.91	0.00	0.40	16.34	0.00	1.72	1.92	0.03	0.09
	1.69	0.00	0.14	4.81	0.00	0.45	12.60	0.00	1.07	10.47	0.00	1.09
	3.48	0.00	0.16	8.44	0.00	0.79	16.02	0.00	1.75	5.98	0.00	0.53
mean	2.65	0.01	0.19	5.76	0.09	0.60	11.85	0.00	1.16	10.79	0.00	1.11
minimum	1.46	0.00	0.01	2.46	0.00	0.24	5.55	0.00	0.39	1.92	0.00	0.09
maximum	4.95	0.05	0.41	9.61	0.87	1.26	16.34	0.00	1.75	32.04	0.03	3.66

mg/m ²	7/22/2005			7/20/2006			7/20/2007			7/22/2008		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	10.36	0.00	0.54	19.54	0.00	1.62	0.43	0.04	0.04	2.99	0.00	0.29
	2.56	0.00	0.26	5.66	0.00	0.76	0.24	ND	ND	1.17	0.02	0.00
	3.31	0.00	0.17	28.73	0.00	1.19	1.39	0.04	0.11	1.50	0.00	0.19
	2.88	0.00	0.12	23.28	0.00	2.63	4.27	0.00	0.48	1.71	0.00	0.13
	5.66	0.00	0.38	4.59	0.00	0.47	0.24	ND	ND	2.24	0.00	0.09
	2.99	0.00	0.13	27.34	0.00	2.22	3.31	0.00	0.38	2.14	0.00	0.11
	4.27	0.00	0.18	4.27	0.00	0.38	8.01	0.00	0.98	2.46	0.00	0.25
	4.38	0.00	0.31	8.86	0.00	0.94	0.24	ND	ND	0.96	0.00	0.01
	4.06	0.00	0.16	31.72	0.00	3.17	2.99	0.00	0.39	0.24	ND	ND
	3.10	0.00	0.16	5.55	0.00	0.68	6.41	0.00	0.81	0.24	ND	ND
mean	4.36	0.00	0.24	15.95	0.00	1.41	2.75	0.01	0.46	1.57	0.00	0.13
minimum	2.56	0.00	0.12	4.27	0.00	0.38	0.24	0.00	0.04	0.24	0.00	0.00
maximum	10.36	0.00	0.54	31.72	0.00	3.17	8.01	0.04	0.98	2.99	0.02	0.29

mg/m ²	7/21/2009			7/20/2010			7/21/2011			7/21/2012		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	8.01	0.11	1.06	2.67	0.00	0.29	9.61	0.00	0.64	5.54	0.00	0.24
	7.58	0.11	1.13	6.73	0.00	0.69	0.43	0.00	0.06	0.11	0.00	0.04
	6.84	0.07	0.89	4.38	0.00	0.74	3.42	0.00	0.32	2.65	0.00	0.11
	9.18	0.09	0.96	2.14	0.00	0.25	3.42	0.00	0.33	1.82	0.00	0.10
	ND	ND	ND	5.23	0.00	0.67	41.76	0.00	3.02	1.07	0.00	0.04
	8.33	0.15	1.11	1.71	0.04	0.25	5.23	0.00	0.64	1.17	0.00	0.13
	11.32	0.20	1.57	1.39	0.02	0.11	10.36	0.00	0.45	0.75	0.00	0.06
	5.34	0.17	0.66	3.20	0.00	0.46	7.16	0.00	0.53	19.54	0.00	1.10
	4.49	0.10	0.63	2.04	0.00	0.21	0.64	0.00	0.07	4.06	0.00	0.30
	4.38	0.10	0.43	0.21	0.01	0.05	2.24	0.00	0.29	0.43	0.01	0.04
mean	7.27	0.12	0.94	2.97	0.01	0.37	8.43	0.00	0.64	3.71	0.00	0.22
minimum	4.38	0.07	0.43	0.21	0.00	0.05	0.43	0.00	0.06	0.11	0.00	0.04
maximum	11.32	0.20	1.57	6.73	0.04	0.74	41.76	0.00	3.02	19.54	0.01	1.10

-continued-

Appendix A.2.–Page 2 of 2.

mg/m ²	7/24/2013			7/24/2014			7/15/2015			7/12/2016		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	2.56	0.00	0.26	6.51	0.00	0.60	1.07	0.00	0.13	2.46	0.00	0.19
	2.14	0.00	0.23	4.91	0.00	0.92	1.60	0.00	0.23	3.42	0.00	0.36
	1.28	0.00	0.24	4.59	0.00	0.42	1.82	0.00	0.21	5.66	0.00	0.87
	2.14	0.00	0.37	1.82	0.00	0.11	4.27	0.00	0.34	1.17	0.00	0.11
	0.53	0.00	0.02	7.05	0.00	0.56	6.09	0.00	0.43	1.92	0.00	0.17
	0.43	0.00	0.07	2.67	0.00	0.45	2.46	0.00	0.15	5.77	0.00	0.57
	ND	ND	ND	1.50	0.00	0.17	2.24	0.00	0.16	2.24	0.00	0.27
	2.03	0.00	0.28	2.46	0.00	0.20	1.92	0.00	0.10	2.14	0.00	0.12
	5.87	0.00	0.76	0.05	ND	ND	1.33	0.00	0.08	3.52	0.00	0.45
	2.14	0.00	0.21	1.60	0.00	0.26	1.71	0.00	0.15	3.74	0.00	0.36
mean	2.12	0.00	0.27	3.32	0.00	0.41	2.45	0.00	0.20	3.20	0.00	0.35
minimum	0.43	0.00	0.02	0.05	0.00	0.11	1.07	0.00	0.08	1.17	0.00	0.11
maximum	5.87	0.00	0.76	7.05	0.00	0.92	6.09	0.00	0.43	5.77	0.00	0.87

mg/m ²	7/12/2017		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	1.17	0.00	0.08
	0.19	ND	ND
	0.64	0.00	0.11
	2.99	0.00	0.38
	0.43	0.00	0.07
	0.96	0.00	0.09
	0.85	0.00	0.11
	0.19	ND	ND
	0.37	0.00	0.18
	0.55	0.00	0.12
mean	0.83	0.00	0.14
minimum	0.19	0.00	0.07
maximum	2.99	0.00	0.38

Note: Bold value is the spectrophotometer estimated detection limit; chlorophyll *a* was not detected.

Appendix A.3.–Tributary Creek Site 9 chlorophylls *a*, *b*, and *c* densities, 2001–2017.

mg/m ²	7/23/2001			7/23/2002			7/23/2003			7/21/2004		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	6.62	0.00	0.79	8.91	0.00	0.52	9.61	0.00	1.26	9.40	0.22	0.80
	11.15	0.00	1.20	16.43	0.95	1.28	17.19	0.00	0.79	5.77	0.00	0.42
	15.05	0.00	1.47	12.65	0.17	0.00	7.69	0.00	0.29	5.45	0.00	0.48
	16.58	0.23	1.51	5.44	0.45	0.07	8.76	0.00	1.11	6.09	0.03	0.38
	3.15	0.00	0.33	23.72	1.21	0.84	10.47	0.00	1.92	14.52	0.02	1.40
	2.59	0.06	0.28	12.75	0.40	0.22	10.79	0.00	1.88	6.51	0.17	0.40
	1.61	0.00	0.01	32.53	0.00	1.89	22.64	0.00	3.98	10.36	0.13	0.80
	6.66	0.00	0.43	4.40	1.50	0.00	12.39	0.00	2.43	6.84	0.04	0.36
	15.21	0.81	1.44	2.94	0.30	0.17	8.54	0.00	1.69	26.17	0.51	2.61
	11.55	0.00	1.51	8.01	1.47	0.27	13.03	0.00	3.86	8.44	0.22	0.53
mean	9.02	0.11	0.90	12.78	0.65	0.53	12.11	0.00	1.92	9.96	0.13	0.82
minimum	1.61	0.00	0.01	2.94	0.00	0.00	7.69	0.00	0.29	5.45	0.00	0.36
maximum	16.58	0.81	1.51	32.53	1.50	1.89	22.64	0.00	3.98	26.17	0.51	2.61

mg/m ²	7/23/2005			7/21/2006			7/20/2007			7/23/2008		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	6.09	0.00	0.25	3.42	0.25	0.19	ND	ND	ND	2.35	0.00	0.12
	8.01	1.28	0.18	4.08	0.40	0.20	5.45	0.08	0.23	6.94	0.00	0.27
	1.82	0.13	0.07	6.94	0.00	0.40	7.26	0.00	0.54	6.30	0.24	0.34
	9.08	0.06	0.29	4.11	0.01	0.32	ND	ND	ND	6.41	0.00	0.25
	4.70	0.00	0.10	4.17	0.00	0.39	ND	ND	ND	2.46	0.12	0.19
	4.70	0.00	0.12	4.78	0.00	0.29	0.85	0.16	0.11	6.19	0.05	0.39
	7.80	0.00	0.20	14.16	0.00	0.57	6.41	0.06	0.24	4.06	0.00	0.13
	14.85	0.00	0.46	4.34	0.01	0.21	7.05	0.24	0.65	4.59	0.00	0.37
	36.10	0.10	1.12	5.23	0.00	0.56	5.02	0.00	0.26	1.60	0.00	0.00
	8.97	0.00	0.26	3.66	0.37	0.26	3.20	0.00	0.23	3.74	0.00	0.28
mean	10.21	0.16	0.31	5.49	0.10	0.34	5.03	0.08	0.32	4.46	0.04	0.23
minimum	1.82	0.00	0.07	3.42	0.00	0.19	0.85	0.00	0.11	1.60	0.00	0.00
maximum	36.10	1.28	1.12	14.16	0.40	0.57	7.26	0.24	0.65	6.94	0.24	0.39

mg/m ²	7/22/2009			7/20/2010			7/20/2011			7/26/2012		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	2.03	0.10	0.16	12.82	0.00	0.39	4.81	0.47	0.08	3.63	0.00	0.25
	5.45	0.17	0.38	6.62	0.00	0.39	3.84	0.00	0.12	8.97	0.00	0.33
	4.38	0.24	0.30	7.69	0.00	0.43	4.91	0.00	0.34	10.68	0.00	0.48
	7.05	0.58	0.33	5.66	0.12	0.32	10.47	0.03	0.50	3.74	0.00	0.25
	9.08	0.36	0.49	9.72	0.88	0.40	5.13	0.00	0.37	1.28	0.00	0.04
	8.76	0.41	0.62	5.98	0.00	0.20	1.71	0.00	0.01	1.71	0.00	0.12
	2.14	0.08	0.09	5.55	0.00	0.40	6.30	0.00	0.44	5.66	0.00	0.29
	18.37	0.66	0.78	10.57	0.28	0.34	9.61	0.00	0.35	6.09	0.00	0.26
	2.35	0.18	0.16	4.06	0.05	0.16	12.50	0.00	0.87	2.14	0.00	0.21
	3.20	0.20	0.33	5.77	0.00	0.32	6.30	0.00	0.17	7.37	0.00	0.40
mean	6.28	0.30	0.36	7.44	0.13	0.34	6.56	0.05	0.33	5.13	0.00	0.26
minimum	2.03	0.08	0.09	4.06	0.00	0.16	1.71	0.00	0.01	1.28	0.00	0.04
maximum	18.37	0.66	0.78	12.82	0.88	0.43	12.50	0.47	0.87	10.68	0.00	0.48

-continued-

Appendix A.3.–Page 2 of 2.

mg/m ²	7/23/2013			7/23/2014			7/14/2015			7/11/2016		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	11.00	0.00	0.64	ND	ND	ND	5.13	0.00	0.33	5.66	0.00	0.35
	2.88	0.00	0.19	11.21	0.00	0.63	15.06	0.00	0.94	2.24	0.00	0.13
	5.45	0.00	0.40	1.60	0.00	0.17	2.67	0.00	0.14	1.88	0.00	0.21
	5.02	0.00	0.40	5.87	0.00	0.37	3.63	0.00	0.09	1.82	0.00	0.22
	2.24	0.00	0.15	5.98	0.00	0.60	5.55	0.00	0.47	7.80	0.00	0.90
	2.99	0.00	0.17	0.75	0.00	0.06	2.56	0.00	0.11	1.92	0.00	0.26
	9.51	0.00	0.66	1.71	0.00	0.15	2.88	0.21	0.10	1.33	0.00	0.08
	0.32	0.05	0.15	0.05	ND	ND	9.29	0.00	0.87	1.55	0.03	0.16
	3.52	0.00	0.19	0.11	0.00	0.00	6.62	0.00	0.52	3.10	0.00	0.21
	2.78	0.00	0.17	3.20	0.00	0.23	4.06	0.00	0.30	4.91	0.00	0.46
mean	4.57	0.01	0.31	3.39	0.00	0.28	5.75	0.02	0.39	3.22	0.00	0.30
minimum	0.32	0.00	0.15	0.05	0.00	0.00	2.56	0.00	0.09	1.33	0.00	0.08
maximum	11.00	0.05	0.66	11.21	0.00	0.63	15.06	0.21	0.94	7.80	0.03	0.90

mg/m ²	7/11/2017		
	Chl- <i>a</i>	Chl- <i>b</i>	Chl- <i>c</i>
	12.82	0.00	1.07
	1.39	0.00	0.02
	1.50	0.00	0.07
	8.44	0.00	0.56
	3.31	0.07	0.15
	1.39	0.00	0.03
	0.43	0.00	0.00
	0.96	0.00	0.06
	3.10	0.00	0.28
	7.58	0.00	0.69
mean	4.09	0.01	0.29
minimum	0.43	0.00	0.00
maximum	12.82	0.07	1.07

Note: Bold value is the spectrophotometer estimated detection limit; chlorophyll *a* was not detected.

APPENDIX B: BENTHIC MACROINVERTEBRATE DATA

Appendix B.1.–Greens Creek Site 48 BMI data summary, 2001–2017.

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Total BMI Taxa	25	26	27	30	29	21	24	21	18	23	27	22	20	24	27	25	25
Mean BMI Taxa / Sample	12	13	18	19	16	11	13	13	10	15	17	13	12	13	17	13	15
Total Ephemeroptera Taxa	6	6	7	6	6	6	7	6	7	7	7	7	7	7	8	8	7
Total Plecoptera Taxa	7	11	6	9	8	4	5	3	5	6	7	7	5	6	6	5	6
Total Trichoptera Taxa	2	2	4	2	4	2	1	2	1	1	2	2	1	1	2	2	3
Total Counts																	
Ephemeroptera	1,094	599	1,897	1,034	902	495	428	887	852	937	558	555	618	844	1,488	1,520	1,300
Plecoptera	49	41	191	74	36	10	75	20	40	81	151	55	131	98	122	209	128
Trichoptera	7	9	20	22	15	7	8	24	1	4	12	5	8	14	62	14	22
Aquatic Diptera	31	39	206	169	101	38	34	79	15	71	193	73	86	184	291	352	146
Other	3	16	53	25	5	10	15	11	2	8	68	5	12	16	65	28	18
% Ephemeroptera	92%	85%	80%	79%	86%	88%	80%	87%	93%	86%	57%	80%	72%	73%	73%	72%	81%
% Plecoptera	4%	6%	8%	6%	3%	3%	11%	2%	5%	7%	15%	8%	15%	8%	6%	10%	8%
% Trichoptera	1%	1%	1%	2%	2%	1%	2%	2%	0%	0%	1%	1%	1%	1%	3%	1%	1%
% Aquatic Diptera	3%	6%	9%	12%	9%	6%	6%	8%	2%	6%	20%	11%	10%	16%	14%	17%	9%
% Other	0%	2%	2%	2%	1%	1%	2%	1%	0%	1%	7%	1%	1%	1%	3%	1%	1%
% EPT	97%	92%	89%	86%	90%	92%	92%	92%	98%	93%	73%	89%	89%	83%	82%	82%	90%
% Chironomidae	1%	4%	7%	11%	8%	3%	4%	6%	1%	5%	17%	9%	9%	15%	9%	14%	9%
% Dominant Taxon	41%	35%	30%	28%	30%	37%	36%	58%	46%	31%	21%	37%	25%	31%	28%	27%	24%
Total BMI	1,184	704	2,367	1,679	1,396	693	733	1,331	953	1,240	982	693	855	1,156	2,028	2,123	1,614
Total Terrestrial Invertebrates	0	4	5	1	24	5	2	8	2	11	4	0	14	32	6	4	27
Total Invertebrates	1,184	708	2,372	1,680	1,420	698	735	1,339	955	1,251	986	693	869	1,188	2,034	2,127	1,641
% Sample BMI	100%	99%	99%	99%	98%	99%	99%	99%	99%	99%	99%	100%	98%	97%	99%	99%	98%
% Sample Terrestrial	0%	1%	1%	1%	2%	1%	1%	1%	1%	1%	1%	0%	2%	3%	1%	1%	2%
Total Sample Area (m ²)	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.69	0.69	0.69
Total Invertebrates / m ²	2,753	1,647	5,516	3,907	3,302	1,623	1,709	3,114	2,221	2,909	2,293	1,612	2,021	2,763	2,956	3,092	2,385
Total BMI / m ²	2,753	1,637	5,505	3,905	3,247	1,612	1,705	3,095	2,216	2,884	2,284	1,612	1,988	2,688	2,948	3,086	2,346
± 1 SD	1,435	434	1,579	677	1,441	807	648	980	1,939	1,530	630	872	526	1,043	892	1,219	1,034

Appendix B.2.–Greens Creek Site 54 BMI data summary, 2001–2017.

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Total BMI Taxa	28	30	26	32	25	13	15	22	23	21	34	30	19	26	28	30	31
Mean BMI Taxa / Sample	15	14	16	19	15	9	8	14	13	13	18	14	9	11	14	15	14
Total Ephemeroptera Taxa	7	6	7	6	8	5	6	8	7	6	8	7	5	7	7	8	8
Total Plecoptera Taxa	7	7	7	10	7	3	4	4	7	5	7	10	6	7	6	6	8
Total Trichoptera Taxa	2	2	1	3	3	2	0	2	2	2	5	4	1	3	2	3	4
Total Counts																	
Ephemeroptera	1,627	1,352	2,011	1,601	1,265	477	286	1,105	895	1,247	1,536	591	308	1,277	941	2,072	917
Plecoptera	80	54	82	117	37	30	22	65	43	53	96	49	54	109	99	204	72
Trichoptera	7	6	12	19	31	4	0	9	4	8	32	9	3	15	24	18	22
Aquatic Diptera	53	39	173	184	65	13	10	85	32	61	203	81	52	177	182	201	111
Other	15	15	57	46	4	1	1	13	5	8	46	24	19	24	52	22	14
% Ephemeroptera	91%	92%	86%	81%	90%	91%	90%	87%	91%	91%	80%	78%	71%	80%	72%	82%	81%
% Plecoptera	4%	4%	4%	6%	3%	6%	7%	5%	4%	4%	5%	6%	12%	7%	8%	8%	6%
% Trichoptera	0%	0%	1%	1%	2%	1%	0%	1%	0%	1%	2%	1%	1%	1%	2%	1%	2%
% Aquatic Diptera	3%	3%	7%	9%	5%	2%	3%	7%	3%	4%	11%	11%	12%	11%	14%	8%	10%
% Other	1%	1%	2%	2%	0%	0%	0%	1%	1%	1%	2%	4%	4%	1%	4%	1%	1%
% EPT	96%	96%	90%	88%	95%	97%	97%	92%	96%	95%	87%	86%	84%	87%	82%	91%	89%
% Chironomidae	2%	2%	6%	8%	4%	2%	2%	5%	2%	3%	9%	9%	10%	10%	11%	6%	8%
% Dominant Taxon	52%	43%	40%	38%	40%	31%	34%	53%	40%	35%	43%	30%	30%	35%	32%	25%	23%
Total BMI	1,782	1,466	2,335	1,967	1,402	525	319	1,277	979	1,377	1,913	754	436	1,607	1,298	2,517	1,136
Total Terrestrial Invertebrates	0	4	7	1	3	1	6	1	8	9	14	5	8	12	6	3	24
Total Invertebrates	1,782	1,470	2,342	1,968	1,405	526	325	1,278	987	1,386	1,927	759	444	1,619	1,304	2,520	1,160
% Sample BMI	100%	99%	99%	99%	99%	99%	98%	100%	99%	99%	99%	99%	98%	99%	99%	99%	98%
% Sample Terrestrial	0%	1%	1%	1%	1%	1%	2%	0%	1%	1%	1%	1%	2%	1%	1%	1%	2%
Total Sample Area (m ²)	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.69	0.69	0.69
Total Invertebrates / m ²	4,144	3,419	5,447	4,577	3,267	1,223	756	2,972	2,295	3,223	4,481	1,765	1,033	3,765	1,895	3,663	1,686
Total BMI / m ²	4,144	3,409	5,430	4,575	3,260	1,221	742	2,970	2,277	3,202	4,449	1,753	1,014	3,737	1,887	3,658	1,651
± 1 SD	1,464	1,148	1,422	1,540	1,016	345	293	1,855	297	772	2,668	738	642	1,253	1,065	1,139	809

Appendix B.3.–Tributary Creek Site 9 BMI data summary, 2001–2017.

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Total BMI Taxa	21	24	36	26	30	23	21	20	26	22	26	27	20	22	23	29	29
Mean BMI Taxa / Sample	14	15	21	14	14	11	10	14	13	10	12	15	11	12	11	18	16
Total Ephemeroptera Taxa	6	7	8	5	9	7	5	7	8	7	6	5	7	6	6	7	7
Total Plecoptera Taxa	5	5	5	6	5	2	3	4	5	5	6	6	4	3	6	4	5
Total Trichoptera Taxa	0	2	3	3	4	1	2	1	0	0	2	3	1	3	0	5	3
Total Counts																	
Ephemeroptera	205	436	981	562	334	444	104	441	203	89	277	245	726	565	137	1,128	452
Plecoptera	68	69	593	166	95	35	37	50	97	17	138	69	130	166	160	359	365
Trichoptera	0	2	7	5	4	2	4	1	0	0	13	10	2	8	0	22	7
Aquatic Diptera	86	66	256	66	60	42	21	206	141	52	196	179	135	181	73	1,449	727
Other	150	175	679	233	35	102	52	55	38	40	232	106	36	146	145	896	255
% Ephemeroptera	40%	58%	39%	54%	63%	71%	48%	59%	42%	45%	32%	40%	71%	53%	27%	29%	25%
% Plecoptera	13%	9%	24%	16%	18%	6%	17%	7%	20%	9%	16%	11%	13%	16%	31%	9%	20%
% Trichoptera	0%	0%	0%	0%	1%	0%	2%	0%	0%	0%	2%	2%	0%	1%	0%	1%	0%
% Aquatic Diptera	17%	9%	10%	6%	11%	7%	10%	27%	29%	26%	23%	29%	13%	17%	14%	38%	40%
% Other	30%	23%	27%	23%	7%	16%	24%	7%	8%	20%	27%	17%	3%	14%	28%	23%	14%
% EPT	54%	68%	63%	71%	82%	77%	67%	65%	63%	54%	50%	53%	83%	69%	58%	39%	46%
% Chironomidae	7%	5%	5%	5%	8%	4%	1%	1%	22%	23%	21%	26%	11%	14%	11%	29%	24%
% Dominant Taxon	26%	29%	26%	44%	37%	40%	26%	33%	32%	32%	24%	30%	38%	30%	28%	29%	24%
Total BMI	509	748	2,516	1,032	528	625	218	753	479	198	856	609	1,029	1,066	515	3,854	1,806
Total Terrestrial Invertebrates	0	5	15	3	12	33	1	5	50	22	2	9	13	13	6	18	3
Total Invertebrates	509	753	2,531	1,035	540	658	219	758	529	220	858	618	1,042	1,079	521	3,872	1,809
% Sample BMI	100%	99%	99%	99%	98%	95%	99%	99%	91%	90%	99%	99%	99%	99%	99%	99%	99%
% Sample Terrestrial	0%	1%	1%	1%	2%	5%	1%	1%	10%	11%	1%	1%	1%	1%	1%	1%	1%
Total Sample Area (m ²)	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.69	0.69	0.69
Total Invertebrates / m ²	1,184	1,751	5,886	2,407	1,256	1,530	509	1,763	1,230	512	1,995	1,437	2,423	2,509	757	5,628	2,629
Total BMI / m ²	1,184	1,740	5,851	2,400	1,228	1,453	507	1,751	1,114	460	1,991	1,416	2,393	2,479	749	5,602	2,625
± 1 SD	1,148	620	1,579	851	357	878	268	631	636	463	447	615	1,897	727	348	3,133	1,059

APPENDIX C: JUVENILE FISH DATA

Appendix C.1.–Greens Creek Site 48 Dolly Varden char capture data, 2001–2017.

Year	FL (mm)	Number of Fish Captured				Population Estimate	Condition Factor
		Set 1	Set 2	Set 3	Total		
2001	48-139	30	16	22	68	121±68	ND
2002	45-160	74	29	23	126	144±17	ND
2003	54-180	157	72	56	285	347±39	ND
2004	54-158	168	48	28	244	256±10	ND
2005	50-149	118	56	38	212	251±28	ND
2006	49-150	138	40	34	212	231±15	ND
2007	53-154	50	29	16	95	113±19	ND
2008	77-137	54	10	9	73	75±4	ND
2009	47-142	67	31	28	126	159±30	ND
2010	47-170	97	41	20	158	172±13	ND
2011	54-155	56	28	41	125	241±125	ND
2012	64-148	85	22	28	135	153±17	1.0
2013	35-154	167	61	25	253	267±11	1.0
2014	52-146	59	19	21	99	115±17	1.0
2015	54-165	48	32	17	97	120±23	1.0
2016	36-163	119	17	17	153	156±4	1.2
2017	52-156	84	36	12	132	139±8	1.1

Appendix C.2.–Greens Creek Site 54 Dolly Varden char capture data, 2001–2017.

Year	FL (mm)	Number of Fish Captured				Population Estimate	Condition Factor
		Set 1	Set 2	Set 3	Total		
2001	27-162	70	49	19	138	163±21	ND
2002	33-160	168	72	31	271	293±16	ND
2003	51-184	92	81	59	232	440±175	ND
2004	52-161	118	36	47	201	244±32	ND
2005	52-146	111	59	43	213	269±40	ND
2006	49-158	116	61	40	217	264±33	ND
2007	50-145	64	19	24	107	126±19	ND
2008	45-131	50	15	6	71	73	ND
2009	47-101	42	32	19	93	128±37	ND
2010	52-151	46	13	14	73	81±10	ND
2011	43-150	73	43	57	173	390±224	ND
2012	47-143	92	39	58	189	313±105	1.0
2013	50-150	188	67	42	297	323±17	1.1
2014	50-158	121	28	13	162	165±4	1.0
2015	54-150	64	29	9	102	108±7	1.0
2016	55-156	31	52	36	119	ND	1.1
2017	48-151	169	88	49	306	358±32	1.1

Appendix C.3.–Greens Creek Site 54 coho salmon capture data, 2001–2017.

Year	FL (mm)	Number of Fish Captured				Population Estimate	Condition Factor
		Set 1	Set 2	Set 3	Total		
2001	32-95	2	6	4	12	ND	ND
2002	59-85	14	6	1	21	21	ND
2003	44-52	5	3	0	8	ND	ND
2004	70-95	9	9	6	24	34±17	ND
2005	66-93	33	20	8	61	68±9	ND
2006	62-88	6	0	1	7	ND	ND
2007	ND	0	0	0	0	ND	ND
2008	53-69	4	0	0	4	ND	ND
2009	67-73	2	2	0	4	ND	ND
2010	77	1	0	0	1	ND	ND
2011	ND	0	0	0	0	ND	ND
2012	67-71	0	3	2	5	ND	1.1
2013	ND	0	0	0	0	ND	ND
2014	70-85	10	4	1	15	ND	1.2
2015	44-100	15	5	1	21	ND	1.1
2016	68-100	14	12	6	32	40±13	1.3
2017	ND	0	0	0	0	ND	ND


Appendix C.4.–Tributary Creek Site 9 resident fish capture data, 2001–2017.

Year	Species	FL (mm)	Number of Fish Captured			Total	Population Estimate	Condition Factor
			Set 1	Set 2	Set 3			
2001	DV	58-110	70	4	7	81	81	ND
	CT	124	1	0	0	1	ND	ND
2002	DV	38-147	29	14	8	51	57±9	ND
	CT	124	0	0	1	1	ND	ND
2003	DV	54-114	13	4	2	19	ND	ND
	CT	122	1	0	0	1	ND	ND
2004	DV	64-109	21	6	5	32	33±2	ND
	CT	122	1	0	0	1	ND	ND
	RT	86-106	3	1	0	4	ND	ND
2005	DV	59-131	21	12	11	44	59±21	ND
	CT	91-103	1	1	0	2	ND	ND
2006	DV	85-117	7	3	1	11	ND	ND
2007	DV	81-158	7	5	0	12	ND	ND
	CT	138	0	0	1	1	ND	ND
2008	DV	60-108	15	4	3	22	22	ND
	CT	82-112	1	0	2	3	ND	ND
2009	DV	48-98	24	5	9	38	42±7	ND
	CT	97	1	0	0	1	ND	ND
2010	DV	58-108	21	7	31	59	59	ND
	CT	64-89	4	1	0	5	ND	ND
2011	DV	50-125	15	7	14	36	36	ND
	CT	115	1	0	0	1	ND	ND
2012	DV	66-112	17	11	12	40	40	1.0
	CT	63-93	4	0	1	5	ND	1.0
2013	DV	52-92	9	2	2	13	ND	1.2
	CT	73-80	0	2	0	2	ND	1.0
2014	DV	37-115	1	12	1	14	ND	1.0
	CT	110-110	0	1	1	2	ND	0.9
	RT	105-110	1	0	1	2	ND	0.7
2015	DV	55-84	10	5	1	16	ND	1.2
2016	DV	76-114	15	2	3	20	ND	1.1
2017	DV	55-117	31	9	16	56	72±20	1.1


Appendix C.5.–Tributary Creek Site 9 coho salmon capture data, 2001–2017.

Year	FL (mm)	Number of Fish Captured			Total	Population Estimate	Condition Factor
		Set 1	Set 2	Set 3			
2001	39-101	89	18	11	118	120±3	ND
2002	27-85	29	9	6	44	46±4	ND
2003	46-88	37	11	4	52	53±2	ND
2004	40-94	23	2	2	27	27	ND
2005	39-103	82	42	15	139	151±12	ND
2006	69-108	5	4	1	10	ND	ND
2007	38-104	50	10	9	69	71±4	ND
2008	41-100	72	44	26	142	177±30	ND
2009	38-116	42	9	2	53	53	ND
2010	39-90	77	21	30	128	152±22	ND
2011	38-100	18	18	13	49	85±50	ND
2012	46-105	39	9	7	55	55	1.1
2013	50-91	9	6	3	18	20±4	1.4
2014	39-92	86	26	24	136	150±13	1.2
2015	38-95	36	27	13	76	95±21	1.4
2016	44-97	75	6	7	88	88	1.3
2017	35-94	67	14	15	96	101±6	1.3


Appendix C.6.–Greens Creek Site 48 Dolly Varden char length frequency, 2001–2017.




-continued-




-continued-




Appendix C.7.–Greens Creek Site 54 Dolly Varden char length frequency, 2001–2017.




-continued-




-continued-




Appendix C.8.–Greens Creek Site 54 coho salmon length frequency, 2001–2017.




-continued-




-continued-




Appendix C.9.—Tributary Creek Site 9 Dolly Varden char length frequency, 2001–2017.




-continued-




-continued-




Appendix C.10.—Tributary Creek Site 9 coho salmon length frequency, 2001–2017.



-continued-



-continued-



**APPENDIX D: JUVENILE FISH ELEMENT
CONCENTRATIONS DATA AND LAB REPORT**

Appendix D.1.–Greens Creek Site 48 Dolly Varden char element concentrations, 2001–2017.

Sample Date	FL (mm)	Weight (g)	Ag (mg/kg)	Cd (mg/kg)	Cu (mg/kg)	Hg (mg/kg)	Pb (mg/kg)	Se (mg/kg)	Zn (mg/kg)
7/23/01	131	26.0	0.02	1.76	8.3	ND	0.20	6.1	180
7/23/01	137	28.8	0.03	0.89	7.2	ND	0.17	4.6	146
7/23/01	119	18.8	0.02	2.27	5.7	ND	0.20	6.2	189
7/23/01	121	21.1	0.02	1.56	6.9	ND	0.17	5.2	182
7/23/01	111	13.7	0.03	0.89	4.7	ND	0.23	5.4	138
7/23/01	121	21.1	<0.02	1.26	7.4	ND	0.10	5.6	157
7/24/02	133	23.2	0.03	1.64	6.8	ND	0.72	4.8	239
7/24/02	120	15.0	0.07	0.85	7.0	ND	0.28	4.1	210
7/24/02	122	17.5	0.03	0.74	4.3	ND	0.17	4.9	162
7/24/02	127	20.8	0.04	1.40	6.1	ND	0.16	4.7	185
7/24/02	134	24.8	0.05	1.30	7.9	ND	0.46	4.3	208
7/24/02	128	21.7	0.04	1.56	6.8	ND	0.22	5.7	343
7/22/03	90	8.9	<0.02	0.65	4.2	ND	0.14	5.6	191
7/22/03	98	9.9	<0.02	0.90	5.1	ND	0.22	5.5	180
7/22/03	103	12.1	<0.02	0.82	5.6	ND	0.16	5.4	241
7/22/03	112	12.5	<0.02	0.78	6.1	ND	0.11	6.1	192
7/22/03	108	11.9	<0.02	0.63	3.9	ND	0.14	5.2	174
7/22/03	100	10.5	<0.02	0.58	3.7	ND	0.08	5.5	218
7/22/04	96	8.6	<0.02	0.63	4.7	ND	0.15	4.3	206
7/22/04	88	6.8	<0.02	0.83	5.6	ND	0.26	4.0	175
7/22/04	101	11.5	<0.02	1.54	4.6	ND	0.21	4.1	183
7/22/04	98	9.3	<0.02	0.80	5.2	ND	0.28	3.7	168
7/22/04	93	7.6	<0.02	1.25	4.4	ND	0.14	6.4	220
7/22/04	91	7.5	0.03	1.01	4.5	ND	0.29	5.6	323
7/22/05	103	19.7	0.02	0.66	4.4	ND	0.44	4.2	183
7/22/05	96	13.1	<0.02	0.84	14.5	ND	0.98	4.8	220
7/22/05	119	15.6	0.02	0.89	4.4	ND	0.66	4.8	226
7/22/05	114	17.1	0.02	0.59	6.0	ND	0.32	4.8	178
7/22/05	111	15.3	0.03	1.10	18.8	ND	0.79	4.6	217
7/22/05	125	16.9	0.03	0.47	3.6	ND	0.36	3.8	161
7/20/06	110	15.8	0.04	0.56	8.5	ND	0.37	5.4	244
7/20/06	110	15.4	0.05	1.20	8.3	ND	0.31	6.0	217
7/20/06	113	16.1	0.04	0.65	6.3	ND	0.24	5.4	264
7/20/06	132	25.0	0.06	0.63	8.1	ND	0.66	5.2	232
7/20/06	104	12.8	0.08	0.96	8.5	ND	0.37	5.1	283
7/20/06	114	16.7	0.03	0.63	5.3	ND	0.20	5.1	270

-continued-

Appendix D.1.–Page 2 of 3.

Sample Date	FL (mm)	Weight (g)	Ag (mg/kg)	Cd (mg/kg)	Cu (mg/kg)	Hg (mg/kg)	Pb (mg/kg)	Se (mg/kg)	Zn (mg/kg)
7/21/07	122	17.9	0.03	1.16	5.5	ND	0.17	5.5	221
7/21/07	95	10.4	0.02	1.42	3.9	ND	0.29	5.8	165
7/21/07	135	22.8	0.09	1.35	14.1	ND	1.37	5.3	166
7/21/07	98	9.9	0.03	0.96	5.7	ND	0.27	5.2	269
7/21/07	105	13.2	0.11	1.79	11.4	ND	1.62	5.4	323
7/21/07	99	10.0	0.04	1.43	5.2	ND	0.31	5.7	208
7/22/08	112	16.4	0.069	1.23	5.2	ND	0.95	5.72	289.0
7/22/08	123	21.3	0.039	0.79	3.9	ND	0.57	4.56	194.0
7/22/08	105	14.0	0.079	0.82	4.6	ND	0.52	5.88	199.5
7/22/08	124	20.6	0.041	0.87	4.9	ND	0.42	6.31	244.0
7/22/08	115	16.9	0.030	1.36	5.3	ND	0.51	5.36	254.0
7/22/08	122	19.8	0.037	1.07	5.6	ND	0.38	6.11	260.0
7/21/09	120	20.1	<0.02	1.05	5.2	ND	0.22	5.9	186
7/21/09	121	20.7	<0.02	1.40	5.3	ND	0.44	5.7	173
7/21/09	119	17.9	0.02	1.10	4.5	ND	0.13	5.9	182
7/21/09	108	13.6	<0.02	1.20	4.1	ND	0.15	5.7	162
7/21/09	109	14.6	<0.02	1.50	4.9	ND	0.17	5.9	186
7/21/09	110	15.2	<0.02	0.84	3.8	ND	0.18	6.1	202
7/21/10	103	11.9	0.020	1.56	4.8	0.09	0.16	5.0	226
7/21/10	109	16.1	<0.020	0.50	3.0	0.15	0.20	5.4	170
7/21/10	108	13.9	0.040	0.91	4.2	0.17	0.30	5.0	180
7/21/10	105	13.8	<0.020	0.98	3.4	0.13	0.09	4.6	163
7/21/10	98	10.8	0.062	0.90	4.8	0.14	0.46	4.8	213
7/21/10	93	9.1	<0.020	0.96	3.6	0.10	0.09	4.0	156
7/22/11	88-112	ND	0.03	1.12	5.7	ND	0.28	6.2	221
7/24/12	109	11.3	0.03	2.26	27.0	0.134	0.16	5.5	186
7/24/12	123	18.3	0.03	1.37	4.9	0.122	0.10	5.7	184
7/24/12	110	9.8	0.03	1.83	25.6	0.159	2.59	5.6	275
7/24/12	103	10.6	0.03	0.99	76.8	0.175	0.30	5.1	189
7/24/12	104	10.7	0.03	2.66	84.8	0.122	1.05	6.3	242
7/24/12	116	15.8	0.04	0.73	35.1	0.148	1.03	4.7	190
7/25/13	145	20.6	<0.02	0.68	3.7	0.214	0.17	5.3	237
7/25/13	115	17.9	0.07	0.97	6.1	0.238	0.24	5.8	239
7/25/13	115	14.3	<0.02	0.81	4.0	0.180	0.08	6.7	258
7/25/13	105	11.4	<0.02	0.68	3.2	0.213	0.14	6.4	213
7/25/13	109	13.0	0.04	2.01	6.6	0.113	0.36	6.2	271
7/25/13	105	12.4	0.04	1.75	5.7	0.274	0.22	6.2	287

-continued-

Appendix D.1.–Page 3 of 3.

Sample Date	FL (mm)	Weight (g)	Ag (mg/kg)	Cd (mg/kg)	Cu (mg/kg)	Hg (mg/kg)	Pb (mg/kg)	Se (mg/kg)	Zn (mg/kg)
7/25/14	110	13.0	0.04	0.55	4.5	0.146	0.11	5.3	234
7/25/14	100	10.5	<0.02	0.93	4.2	0.148	0.19	6.9	213
7/25/14	106	10.7	<0.02	1.22	4.8	0.199	0.38	5.7	232
7/25/14	105	11.3	<0.02	1.45	4.2	0.122	0.44	6.1	193
7/25/14	100	10.4	<0.02	0.92	4.5	0.134	0.06	4.9	237
7/25/14	120	14.8	0.04	0.75	5.5	0.260	0.18	5.9	305
7/16/15	105	12.4	<0.02	0.60	2.5	0.114	0.13	6.2	159
7/16/15	104	11.7	0.04	1.11	10.7	0.100	1.30	5.8	205
7/16/15	100	11.7	0.03	1.05	3.8	0.152	0.14	6.1	187
7/16/15	105	11.3	0.03	1.39	4.2	0.154	0.36	6.1	198
7/16/15	105	12.7	<0.02	1.06	4.0	0.128	0.12	5.7	169
7/16/15	100	10.4	0.02	1.49	3.9	0.165	0.37	5.4	191
7/16/15	104	9.6	<0.02	0.85	3.1	0.091	0.09	5.2	175
7/16/15	85	8.6	0.03	0.90	3.6	0.139	0.27	5.9	172
7/16/15	102	10.3	<0.02	1.51	3.7	0.180	0.15	7.2	192
7/16/15	120	16.3	<0.02	0.86	4.0	0.150	0.14	6.4	223
7/14/16	84	7.3	<0.020	1.28	4.72	0.180	0.157	7.63	252
7/14/16	82	6.1	0.023	0.921	4.82	0.160	0.147	5.83	222
7/14/16	98	10.1	0.021	1.09	3.99	0.108	0.150	6.30	189
7/14/16	93	7.9	<0.020	1.44	4.49	0.163	0.205	6.77	197
7/14/16	88	6.9	0.035	1.50	4.65	0.243	0.493	7.63	185
7/14/16	84	7.3	0.023	0.681	4.12	0.150	0.088	6.42	200
7/14/16	94	8.8	0.065	1.21	4.69	0.172	0.143	7.19	194
7/14/16	86	7.6	0.022	1.89	4.96	0.210	0.295	7.27	251
7/14/16	93	9.4	<0.020	1.23	4.85	0.127	0.193	5.8	205
7/14/16	101	9.8	<0.020	1.32	4.72	0.114	0.134	6.28	178
7/13/17	95	8.7	0.054	0.649	3.74	0.115	0.189	5.79	172
7/13/17	91	8.0	0.097	1.51	3.86	0.118	0.417	5.98	169
7/13/17	102	10.0	0.024	0.746	3.92	0.0919	0.089	5.37	168
7/13/17	105	13.1	0.022	1.00	4.98	0.143	0.237	6.78	194
7/13/17	94	8.6	<0.020	0.456	2.81	0.106	0.064	4.5	166
7/13/17	99	9.9	0.023	1.03	3.93	0.111	0.087	5.39	200
7/13/17	98	10.8	0.022	0.462	2.68	0.101	0.064	4.4	168
7/13/17	124	18.8	0.034	0.655	3.77	0.123	0.087	5.02	154
7/13/17	99	10.7	<0.020	0.673	3.48	0.0893	0.067	4.69	165
7/13/17	95	9.8	0.044	0.305	3.18	0.112	0.126	4.73	159

Appendix D.2.–Greens Creek Site 54 Dolly Varden char element concentrations, 2001–2017.

Sample Date	FL (mm)	Weight (g)	Ag (mg/kg)	Cd (mg/kg)	Cu (mg/kg)	Hg (mg/kg)	Pb (mg/kg)	Se (mg/kg)	Zn (mg/kg)
7/23/01	121	21.5	0.03	0.46	4.3	ND	0.33	5.7	126
7/23/01	119	19.3	0.02	0.21	3.2	ND	0.22	3.6	82
7/23/01	107	15.7	0.03	0.73	6.3	ND	0.59	4.7	144
7/23/01	109	13.6	0.02	0.82	5.4	ND	0.86	4.9	172
7/23/01	105	13.5	<0.02	0.79	6.5	ND	0.45	5.8	203
7/23/01	138	27.5	<0.02	0.74	5.8	ND	0.40	5.4	171
7/24/02	118	18.0	0.03	0.50	4.4	ND	0.94	3.4	363
7/24/02	128	22.3	0.03	0.52	4.5	ND	0.35	4.7	150
7/24/02	115	17.7	0.05	0.95	6.0	ND	0.66	4.4	161
7/24/02	115	18.9	0.03	1.03	5.2	ND	0.66	4.2	216
7/24/02	124	21.1	0.05	1.32	5.2	ND	0.74	3.9	194
7/24/02	123	20.9	0.02	0.70	3.9	ND	0.78	4.4	195
7/22/03	123	21.1	0.03	0.85	6.4	ND	1.40	6.1	188
7/22/03	101	10.6	<0.02	0.67	4.2	ND	0.32	6.4	174
7/22/03	88	9.2	<0.02	0.75	4.3	ND	0.35	6.5	186
7/22/03	109	14.8	<0.02	1.11	5.8	ND	0.38	5.7	188
7/22/03	95	10.6	<0.02	0.59	3.5	ND	0.29	5.7	174
7/22/03	92	9.7	<0.02	0.91	4.1	ND	0.43	6.5	263
7/21/04	103	9.9	0.02	0.79	11.0	ND	0.57	4.6	232
7/21/04	104	10.0	<0.02	0.88	5.5	ND	0.54	5.0	206
7/21/04	86	6.6	<0.02	1.26	5.1	ND	0.36	5.3	164
7/21/04	96	9.3	0.03	0.79	5.9	ND	0.28	5.4	191
7/21/04	93	9.9	<0.02	0.83	5.0	ND	0.48	3.9	202
7/21/04	104	12.9	0.08	1.12	7.0	ND	0.93	4.9	217
7/22/05	120	12.3	0.03	0.72	5.0	ND	0.27	4.0	160
7/22/05	106	12.1	0.02	0.63	4.5	ND	0.13	3.9	200
7/22/05	113	20.8	<0.02	0.73	8.8	ND	0.17	4.7	223
7/22/05	114	17.9	<0.02	0.82	9.7	ND	0.17	3.9	222
7/22/05	112	16.1	0.03	1.06	8.8	ND	0.22	4.4	209
7/22/05	118	22.3	0.02	0.55	5.5	ND	0.39	3.9	185
7/20/06	137	27.3	0.06	0.42	4.8	ND	0.51	5.7	208
7/20/06	112	14.9	0.04	0.75	16.0	ND	0.95	7.2	223
7/20/06	102	12.0	0.02	0.93	22.2	ND	0.52	6.3	239
7/20/06	114	19.6	0.04	1.03	7.6	ND	0.85	5.3	252
7/20/06	98	12.3	0.08	0.54	10.9	ND	0.48	5.4	223
7/20/06	115	16.9	0.04	0.78	8.6	ND	0.68	5.6	257

-continued-

Appendix D.2.–Page 2 of 3.

Sample Date	FL (mm)	Weight (g)	Ag (mg/kg)	Cd (mg/kg)	Cu (mg/kg)	Hg (mg/kg)	Pb (mg/kg)	Se (mg/kg)	Zn (mg/kg)
7/20/07	102	11.8	0.04	0.88	5.3	ND	0.54	5.6	157
7/20/07	125	21.1	0.03	0.97	5.2	ND	0.83	7.5	234
7/20/07	97	10.7	0.06	0.81	5.7	ND	0.89	8.6	185
7/20/07	123	19.7	0.02	0.75	4.4	ND	0.50	7.1	175
7/20/07	104	12.5	0.03	0.92	5.6	ND	0.57	7.8	174
7/20/07	110	15.1	0.04	1.38	6.2	ND	0.82	5.4	191
7/22/08	123	21.9	0.039	0.66	5.3	ND	0.26	5.53	185.0
7/22/08	94	10.8	0.039	1.04	5.1	ND	0.28	6.07	203.0
7/22/08	123	21.5	0.028	1.53	4.9	ND	3.46	6.29	261.0
7/22/08	97	11.2	0.029	1.34	5.0	ND	0.17	5.90	198.5
7/22/08	108	16.0	0.045	1.98	6.3	ND	0.23	5.97	220.0
7/22/08	108	14.2	0.059	1.07	8.4	ND	1.31	5.03	195.0
7/21/09	132	26.9	0.04	1.10	4.8	ND	0.33	5.4	213
7/21/09	141	32.3	0.02	0.71	4.5	ND	0.45	7.9	143
7/21/09	116	17.9	<0.02	0.99	4.2	ND	0.40	6.3	153
7/21/09	117	17.7	0.03	1.00	5.9	ND	0.39	6.8	200
7/21/09	119	22.1	<0.02	1.20	4.0	ND	0.28	6.5	176
7/21/09	103	13.0	0.02	2.20	5.3	ND	0.35	5.9	226
7/20/10	115	16.0	<0.020	0.80	3.4	0.08	0.37	4.6	159
7/20/10	112	12.8	0.022	0.67	3.1	0.09	0.34	3.7	154
7/20/10	118	12.6	<0.020	0.98	3.6	0.12	0.25	5.2	190
7/20/10	108	10.6	<0.020	1.31	3.8	0.10	0.16	4.1	212
7/20/10	115	12.3	<0.020	1.73	5.0	0.12	0.36	4.4	222
7/20/10	94	9.0	0.025	0.77	4.0	0.14	0.31	4.8	199
7/21/11	95-117	ND	<0.02	0.95	4.5	ND	0.32	5.6	191
7/23/12	132	24.2	0.02	0.85	7.7	0.0768	0.41	9.2	144
7/23/12	118	17.3	0.04	1.03	7.7	0.109	0.57	6.3	199
7/23/12	109	13.1	0.06	2.04	19.2	0.112	1.32	7.4	215
7/23/12	97	9.1	0.03	2.04	65.6	0.126	0.50	6.2	227
7/23/12	115	15.4	0.04	1.22	12.6	0.123	1.10	6.9	202
7/23/12	119	18.3	0.03	1.81	5.3	0.0798	0.27	5.1	191
7/24/13	117	16.9	<0.02	1.39	4.2	0.131	0.30	5.6	247
7/24/13	117	17.6	0.02	0.74	3.9	0.183	0.39	7.0	297
7/24/13	94	11.3	<0.02	1.27	4.3	0.172	0.28	6.6	262
7/24/13	118	18.9	<0.02	0.89	3.9	0.145	0.33	6.0	211
7/24/13	105	10.3	0.02	1.18	5.3	0.108	0.27	6.4	245
7/24/13	116	15.3	0.02	1.07	4.5	0.126	0.18	6.4	225

-continued-

Appendix D.2.–Page 3 of 3.

Sample Date	FL (mm)	Weight (g)	Ag (mg/kg)	Cd (mg/kg)	Cu (mg/kg)	Hg (mg/kg)	Pb (mg/kg)	Se (mg/kg)	Zn (mg/kg)
7/24/14	125	21.2	0.08	0.93	12.7	0.121	1.55	5.7	212
7/25/14	104	10.8	0.04	1.15	4.5	0.111	0.37	4.8	247
7/25/14	110	11.5	0.21	0.85	4.3	0.119	0.30	6.2	291
7/25/14	110	14.9	<0.02	0.69	4.8	0.113	0.25	5.9	248
7/25/14	104	10.5	<0.02	1.03	5.0	0.106	0.28	5.7	250
7/25/14	135	24.1	0.02	0.86	4.4	0.160	0.49	6.6	243
7/15/15	110	11.3	0.02	0.92	4.7	0.121	0.59	6.3	236
7/15/15	105	11.5	<0.02	0.52	2.5	0.116	0.36	7.0	117
7/15/15	110	11.7	<0.02	0.67	3.0	0.106	0.36	6.4	171
7/15/15	105	12.0	0.03	1.16	3.8	0.109	1.62	7.3	221
7/15/15	100	10.7	<0.02	2.06	4.9	0.106	0.37	6.6	198
7/15/15	95	8.4	<0.02	0.91	3.4	0.096	0.38	5.5	176
7/15/15	100	8.2	<0.02	0.60	3.6	0.119	0.49	5.8	219
7/15/15	92	9.9	0.02	0.84	4.7	0.072	0.47	6.5	153
7/15/15	90	7.1	0.03	1.32	3.9	0.159	1.08	7.2	204
7/15/15	88	6.2	0.02	1.13	4.0	0.119	0.39	6.4	179
7/12/16	127	21.5	<0.020	0.913	3.24	0.0958	0.194	4.29	122
7/12/16	113	16.2	0.024	1.01	3.49	0.130	0.295	6.23	154
7/12/16	117	15.8	<0.020	1.44	4.22	0.146	0.232	7.03	210
7/12/16	104	12.1	<0.019	0.626	3.39	0.153	0.220	6.18	173
7/12/16	101	9.0	<0.020	1.49	4.57	0.129	0.305	6.66	257
7/12/16	95	8.7	<0.020	0.558	3.26	0.101	0.226	6.01	194
7/12/16	99	11.1	0.029	1.89	5.98	0.110	0.820	7.47	210
7/12/16	86	8.8	0.022	1.52	5.21	0.101	0.359	6.48	226
7/12/16	107	10.0	<0.020	0.983	3.60	0.127	0.239	7.10	182
7/12/16	97	8.9	<0.019	1.18	4.60	0.124	0.215	6.93	244
7/12/17	103	11.5	0.028	0.745	3.39	0.0996	0.189	6.36	173
7/12/17	96	8.8	0.030	0.771	3.69	0.103	0.327	5.9	160
7/12/17	93	8.1	0.039	0.487	3.25	0.116	0.468	5.1	133
7/12/17	96	10.4	0.020	0.674	3.30	0.107	0.173	5.7	177
7/12/17	84	6.5	0.028	0.724	3.72	0.110	0.403	5.18	192
7/12/17	109	14.1	0.033	0.454	3.29	0.0882	0.212	5.05	150
7/12/17	90	9.0	0.035	1.30	5.34	0.0929	0.281	7.16	227
7/12/17	97	9.9	0.029	0.893	3.79	0.0901	0.246	6.3	178
7/12/17	101	10.6	0.031	0.869	4.27	0.104	0.222	6.4	167
7/12/17	115	14.1	0.039	1.20	22.2	0.109	0.444	5.9	191

Appendix D.3.–Tributary Creek Site 9 Dolly Varden char element concentrations, 2001–2017.

Sample Date	FL (mm)	Weight (g)	Ag (mg/kg)	Cd (mg/kg)	Cu (mg/kg)	Hg (mg/kg)	Pb (mg/kg)	Se (mg/kg)	Zn (mg/kg)
7/21/01	97	9.1	0.09	0.35	4.3	ND	0.56	6.8	127
7/21/01	97	9.7	0.10	0.77	5.2	ND	0.67	8.0	118
7/21/01	97	9.5	0.15	0.92	5.4	ND	4.88	5.3	144
7/21/01	98	10.4	0.15	0.86	6.7	ND	2.19	ND	99
7/21/01	86	6.4	0.08	0.76	4.9	ND	0.33	6.2	106
7/21/01	93	7.8	0.06	0.37	12.0	ND	0.38	6.8	122
7/24/02	103	10.8	0.02	0.22	3.7	ND	0.12	1.4	144
7/24/02	97	10.4	0.07	1.20	5.5	ND	1.66	3.3	172
7/24/02	100	11.2	0.13	1.06	6.1	ND	3.40	5.0	138
7/24/02	90	7.9	0.23	1.29	7.1	ND	4.08	5.2	168
7/24/02	90	9.2	0.08	1.15	5.2	ND	1.39	6.2	150
7/24/02	100	9.3	0.04	0.84	3.2	ND	0.33	5.4	152
7/23/03	106	10.7	0.06	0.46	2.8	ND	0.34	6.3	134
7/23/03	89	6.8	0.10	1.01	4.0	ND	0.82	6.0	131
7/23/03	112	17.4	0.16	1.35	4.4	ND	1.85	5.7	108
7/23/03	95	11.6	0.19	0.69	5.6	ND	1.30	3.6	136
7/23/03	91	9.5	0.05	0.72	4.4	ND	0.56	4.9	131
7/23/03	84	8.4	0.12	0.76	3.9	ND	0.78	4.7	125
7/21/04	84	5.5	0.10	0.96	3.2	ND	1.19	5.4	169
7/21/04	96	8.5	0.10	1.24	3.8	ND	0.67	5.9	138
7/21/04	105	14.1	0.10	2.02	4.0	ND	1.76	5.8	125
7/21/04	85	5.8	0.04	0.47	3.7	ND	0.93	4.8	175
7/21/04	81	6.4	0.09	2.34	4.3	ND	1.44	8.2	140
7/21/04	86	10.4	0.11	0.83	5.5	ND	0.97	5.8	161
7/23/05	97	11.1	0.06	0.70	10.4	ND	0.29	6.4	104
7/23/05	113	16.8	0.10	0.63	4.7	ND	0.97	6.1	122
7/23/05	115	18.8	0.07	0.52	6.3	ND	0.53	5.8	109
7/23/05	117	20.5	0.19	0.79	9.9	ND	1.07	6.7	117
7/23/05	101	11.7	0.07	1.44	5.2	ND	1.00	8.1	130
7/23/05	107	13.7	0.10	1.29	4.6	ND	0.46	8.0	134
7/21/06	99	12.9	0.12	0.74	4.0	ND	0.32	6.3	120
7/21/06	96	11.6	0.12	0.76	7.7	ND	1.32	6.8	157
7/21/06	94	10.9	0.18	1.59	10.3	ND	2.48	4.9	160
7/21/06	100	10.9	0.11	1.34	8.5	ND	1.46	5.2	142
7/21/06	97	11.7	0.14	0.88	4.6	ND	0.96	5.2	107
7/21/06	117	20.8	0.24	1.29	4.3	ND	2.92	5.9	130

-continued-

Appendix D.3.–Page 2 of 3.

Sample Date	FL (mm)	Weight (g)	Ag (mg/kg)	Cd (mg/kg)	Cu (mg/kg)	Hg (mg/kg)	Pb (mg/kg)	Se (mg/kg)	Zn (mg/kg)
7/20/07	98	12.4	0.11	0.91	2.7	ND	1.10	7.8	106
7/20/07	89	8.9	0.12	1.72	3.3	ND	1.80	5.6	136
7/20/07	114	14.1	0.15	2.76	3.4	ND	1.28	8.7	122
7/20/07	81	7.1	0.14	1.90	4.2	ND	2.03	7.0	114
7/20/07	114	14.6	0.88	3.63	3.9	ND	1.56	10.9	131
7/20/07	93	10.6	0.14	1.50	20.3	ND	3.80	9.4	107
7/23/08	103	12.9	0.224	1.99	4.2	ND	3.47	7.66	169.0
7/23/08	108	14.8	0.095	0.96	3.2	ND	0.86	5.82	143.0
7/23/08	88	8.9	0.076	0.93	3.3	ND	0.75	4.41	186.0
7/23/08	86	9.3	0.220	1.91	5.7	ND	4.06	5.71	119.0
7/23/08	92	9.6	0.073	1.01	2.7	ND	0.61	5.20	125.0
7/23/08	90	8.7	0.033	0.54	2.2	ND	0.43	4.80	108.0
7/22/09	83	6.9	0.04	0.29	1.7	ND	0.24	5.4	127
7/22/09	91	8.6	0.06	0.55	2.1	ND	0.16	5.1	137
7/22/09	91	8.5	0.11	0.36	2.0	ND	0.23	7.5	138
7/22/09	98	10.3	0.09	0.81	3.4	ND	0.38	5.8	147
7/22/09	91	8.6	0.03	0.47	2.2	ND	0.40	4.5	125
7/22/09	90	7.8	0.06	0.60	2.2	ND	0.38	5.6	129
7/20/10	87	7.4	0.293	1.61	5.4	0.43	3.92	6.4	151
7/20/10	94	10.9	0.124	0.82	2.5	0.58	0.24	5.7	174
7/20/10	90	8.5	0.084	0.73	2.9	0.35	0.29	5.3	125
7/20/10	90	8.2	0.059	0.60	2.3	0.27	0.33	4.7	151
7/20/10	108	13.5	0.081	0.66	2.6	0.54	0.25	3.2	118
7/20/10	105	11.6	0.076	0.75	3.1	0.27	0.23	3.9	150
7/21/11	85-115	ND	0.090	0.80	3.4	ND	0.32	6.7	146
7/26/12	89	7.3	<0.02	0.33	18.4	0.429	0.18	4.3	123
7/26/12	122	16.5	0.03	0.60	8.4	0.257	0.54	4.8	126
7/26/12	74,75	8.1	0.05	0.76	42.4	0.217	1.65	4.9	140
7/26/12	105	11.7	0.13	0.57	22.6	0.241	0.74	7.5	128
7/26/12	98	9.9	0.07	0.95	203	0.235	1.90	5.5	115
7/26/12	86,112	20.2	0.06	0.53	8.5	0.278	0.67	5.3	116
7/23/13	90	10.1	0.72	6.36	7.5	0.418	5.93	9.7	179
7/23/13	92	10.4	0.27	1.57	3.8	0.329	1.60	6.9	122
7/23/13	85	7.8	0.19	2.41	5.8	0.297	3.90	8.6	153
7/23/13	82,52	8.0	0.05	0.59	3.3	0.439	0.35	5.0	152
7/23/13	82	6.6	0.48	4.67	8.9	0.332	4.87	9.6	181
7/23/13	81	5.5	0.13	2.14	4.6	0.289	1.64	5.6	166

-continued-

Appendix D.3.–Page 3 of 3.

Sample Date	FL (mm)	Weight (g)	Ag (mg/kg)	Cd (mg/kg)	Cu (mg/kg)	Hg (mg/kg)	Pb (mg/kg)	Se (mg/kg)	Zn (mg/kg)
7/23/14	105	13.1	0.16	0.82	2.7	0.186	0.16	7.1	145
7/23/14	105	11.5	0.02	0.69	2.3	0.188	0.18	5.1	140
7/23/14	104	9.1	0.09	0.69	2.6	0.247	0.22	7.2	116
7/23/14	94	8.4	0.06	1.16	2.4	0.264	0.33	6.7	156
7/23/14	95	8.3	0.12	0.54	2.8	0.215	0.55	6.2	135
7/23/14	105	11.4	0.04	0.30	2.6	0.228	0.19	5.3	117
7/14/15	77,60	12.4	0.22	3.92	3.8	0.285	3.30	7.1	188
7/14/15	77	5.7	0.33	4.40	5.2	0.321	4.93	9.1	157
7/14/15	84	7.2	0.22	2.54	5.3	0.338	2.84	7.9	134
7/14/15	63,69	81.0	0.48	4.73	6.7	0.338	6.20	10.6	173
7/14/15	82	6.9	0.36	3.76	4.6	0.342	4.80	8.5	153
7/14/15	55,75	7.7	0.25	4.03	5.3	0.280	3.42	7.8	165
7/14/15	90	9.3	0.28	1.81	3.4	0.304	1.69	9.2	124
7/14/15	80	6.8	0.30	3.92	5.1	0.312	4.87	9.7	159
7/14/15	75,75	8.9	0.13	1.69	4.2	0.322	1.86	7.2	142
7/14/15	75,75	12.8	0.51	5.86	5.1	0.293	4.54	10.7	175
7/11/16	97	8.1	0.057	0.341	1.99	0.250	0.222	6.34	136
7/11/16	90	6.3	0.068	0.898	2.68	0.219	0.493	5.61	115
7/11/16	105	11.5	0.139	0.438	2.23	0.315	0.333	7.48	124
7/11/16	94	9.4	0.134	1.30	2.76	0.234	0.982	7.12	134
7/11/16	94	10.3	0.078	0.783	2.35	0.334	0.189	6.62	125
7/11/16	114	16.4	0.109	1.03	2.19	0.232	0.285	5.83	131
7/11/16	87	6.5	0.051	0.494	2.09	0.363	0.190	4.99	101
7/11/16	89	6.5	0.034	0.577	2.17	0.249	0.198	5.61	138
7/11/16	102	11.1	0.156	0.892	3.29	0.443	0.368	5.4	127
7/11/16	87	6.1	0.059	1.35	2.27	0.263	0.179	8.34	125
7/11/17	109	12.9	0.080	1.15	2.76	0.269	0.484	10.0	114
7/11/17	78	5.4	0.191	2.78	3.60	0.408	2.04	8.8	145
7/11/17	78	5.7	0.089	2.34	6.71	0.310	1.57	7.89	160
7/11/17	109	12.4	0.094	1.29	2.40	0.631	0.413	6.15	122
7/11/17	84	6.2	0.079	1.16	2.62	0.400	0.412	7.39	121
7/11/17	117	17.8	0.288	3.68	3.21	0.439	1.72	9.25	148
7/11/17	87	7.4	0.191	2.02	4.01	0.261	1.30	8.6	126
7/11/17	94	9.2	0.068	0.292	3.55	0.169	0.183	3.2	163
7/11/17	73	4.1	0.062	0.817	3.85	0.364	0.988	5.5	172
7/11/17	83	6.7	0.096	1.33	3.44	0.457	1.80	8.25	118



ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

August 29, 2017

Analytical Report for Service Request No: K1707898

Kate Kanouse
Alaska Department of Fish and Game
Division of Habitat
802 3rd Street
P.O. Box 110024
Douglas, AK 99811-0024

RE: 2017 Greens Creek Mine Biomonitoring / 160004158

Dear Kate,

Enclosed are the results of the sample(s) submitted to our laboratory July 27, 2017
For your reference, these analyses have been assigned our service request number **K1707898**.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3293. You may also contact me via email at Shar.Samy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental



Shar Samy, Ph.D.
Project Manager



ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

Acronyms

Qualifiers

State Certifications, Accreditations, And Licenses

Case Narrative

Chain of Custody

Total Solids

Metals

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Inorganic Data Qualifiers

- * The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- E The result is an estimate amount because the value exceeded the instrument calibration range.
- J The result is an estimated value.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
DOD-QSM 4.2 definition : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.
- H The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

- # The control limit criteria is not applicable. See case narrative.
- J The result is an estimated value.
- E The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
- M The duplicate injection precision was not met.
- N The Matrix Spike sample recovery is not within control limits. See case narrative.
- S The reported value was determined by the Method of Standard Additions (MSA).
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
DOD-QSM 4.2 definition : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- W The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
 - i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- + The correlation coefficient for the MSA is less than 0.995.
- Q See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

- * The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- A A tentatively identified compound, a suspected aldol-condensation product.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- C The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
- D The reported result is from a dilution.
- E The result is an estimated value.
- J The result is an estimated value.
- N The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
- P The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
DOD-QSM 4.2 definition : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- i The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

- F The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
- L The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
- H The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
- O The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
- Y The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
- Z The chromatographic fingerprint does not resemble a petroleum product.

**ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses**

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L14-51
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/analyte is offered by that state.



Case Narrative

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577- 7222 Fax (360)636- 1068
www.alsglobal.com

ALS ENVIRONMENTAL

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/
160004158
Sample Matrix: Animal Tissue

Service Request No.: K1707898
Date Received: 07/27/17

Case Narrative

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples designated for Tier II data deliverables. When appropriate to the method, method blank results have been reported with each analytical test. Additional quality control analyses reported herein include: Laboratory Duplicate (DUP), Matrix Spike (MS), and Matrix/Duplicate Matrix Spike (MS/DMS).

Sample Receipt

Thirty animal tissue samples were received for analysis at ALS Environmental on 07/27/17. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored frozen at -20°C upon receipt at the laboratory.

Total Metals

Relative Percent Difference Exceptions:

The Relative Percent Difference (RPD) for the replicate analysis of Lead in sample 2017TC9DV1 was outside the normal ALS control limits. The samples were homogenized, freeze dried, then ground prior to digestion, however this was not sufficient to achieve a completely uniform distribution of Lead in the tissue.

No other anomalies associated with the analysis of these samples were observed.

Approved by  _____



Chain of Custody

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577- 7222 Fax (360)636- 1068
www.alsglobal.com



CHAIN OF CUSTODY

1317 South 13th Ave., Kelso, WA 98626 | +1 360 577 7222 | +1 800 695 7222 | +1 360 636 1068 (fax)

SR# K1707898
 PAGE 1 OF 2 COC#

PROJECT NAME <u>2017 Greens Creek Mine Biomonitoring</u>		NUMBER OF CONTAINERS	TESTS															REMARKS						
PROJECT NUMBER	PROJECT MANAGER		Semivolatile Organics by GC/MS 625 <input type="checkbox"/> 8270 <input type="checkbox"/> 8270L <input type="checkbox"/> SIM PAH <input type="checkbox"/>	Volatile Organics 624 <input type="checkbox"/> 8260 <input type="checkbox"/>	Hydrocarbons Gas <input type="checkbox"/> 8021 <input type="checkbox"/>	Oil & Grease/TRPH Diesel <input type="checkbox"/> Oil <input type="checkbox"/>	1684 HEM <input type="checkbox"/> 1684 SGT <input type="checkbox"/>	Aroclors <input type="checkbox"/>	Pesticides/Herbicides 608 <input type="checkbox"/> 8081 <input type="checkbox"/>	Congeners <input type="checkbox"/>	Chlorophenolics Tri <input type="checkbox"/> 8141 <input type="checkbox"/>	Metals Total (See List below) 8151 <input type="checkbox"/>	Tetra <input type="checkbox"/>	PCP <input type="checkbox"/>	Cyanide <input type="checkbox"/>	Hex-Chrom <input type="checkbox"/>	(circle) pH, Cond, Cl, SO ₄ , PO ₄ , F, NO ₂ , NO ₃ , BOD, TSS, TDS, Turb. <input type="checkbox"/>		DOC, NO ₂ -N, COD, TKN, TOC, TOX 9020 <input type="checkbox"/>	F-Phos <input type="checkbox"/>	AOX 1650 <input type="checkbox"/> 506 <input type="checkbox"/>	CO ₂ <input type="checkbox"/>	HCO ₃ <input type="checkbox"/>	1613 <input type="checkbox"/> 8290 <input type="checkbox"/>
COMPANY NAME <u>Alaska Dept. of Fish & Game</u>		30	<input checked="" type="checkbox"/> Metals Total (See List below)																					
ADDRESS <u>602 3rd St.</u>																								
CITY/STATE/ZIP <u>Douglas, AK 99824</u>																								
E-MAIL ADDRESS <u>Kate.Kanouse@alaska.gov</u>																								
PHONE # <u>(907) 465-4290</u>																								
FAX #																								
SAMPLER'S SIGNATURE <u>Kate Kanouse</u>																								
SAMPLE I.D.	DATE	TIME	LAB I.D.	MATRIX																				
<u>see attachment 1 of 1 of whole body juvenile fish individual samples</u>																								

REPORT REQUIREMENTS

I. Routine Report: Method Blank, Surrogate, as required

II. Report Dup., MS, MSD as required

III. CLP Like Summary (no raw data)

IV. Data Validation Report

V. EDD

INVOICE INFORMATION

P.O. # _____

Bill To: Chris Wallace
Hecla Greens Creek Mining Company

TURNAROUND REQUIREMENTS

24 hr. 48 hr.

5 day

Standard (15 working days)

Provide FAX Results

Requested Report Date _____

Circle which metals are to be analyzed:

Total Metals: Al As Sb Ba Be B Ca Cd Co Cr Cu Fe Mg Mn Mo Ni K Na Se Sr Ti Sn V Zn Hg

Dissolved Metals: Al As Sb Ba Be B Ca Cd Co Cr Cu Fe Pb Mg Mn Mo Ni K Ag Na Se Sr Ti Sn V Zn Hg

*INDICATE STATE HYDROCARBON PROCEDURE: AK CA WI NORTHWEST OTHER: _____ (CIRCLE ONE)

SPECIAL INSTRUCTIONS/COMMENTS:

Sample Shipment contains USDA regulated soil samples (check box if applicable)

Container Supply Number
 79021

RELINQUISHED BY:		RECEIVED BY:		RELINQUISHED BY:		RECEIVED BY:	
<u>Kate Kanouse</u> Signature	<u>7/29/17 0800</u> Date/Time	<u>Chris Wallace</u> Signature	<u>8/2/17</u> Date/Time	_____ Signature	_____ Date/Time	_____ Signature	_____ Date/Time
<u>Kate Kanouse</u> Printed Name	<u>ADPG</u> Firm	<u>Chris Wallace</u> Printed Name	<u>ALS</u> Firm	_____ Printed Name	_____ Firm	_____ Printed Name	_____ Firm

Project Name: 2017 Greens Creek Mine Biomonitoring
 Project Manager: Kate Kanouse
 Company Name: Alaska Department of Fish and Game
 Contact Information: kate.kanouse@alaska.gov; (907) 465-4290
 Sample Type: Whole body juvenile Dolly Varden char
 Analysis: Total metals, dry weight basis, report percent solids

Attachment 1 of 1

1C1707898

Matrix	Sample Date	Sample Name	Sample ID	Total Metals	Fork Length (mm)	Weight (g)
Whole Body	7/11/2017	Tributary Creek Site 9 DV Metals Fish #1	2017TC9DV1	Ag, Cd, Cu, Hg, Pb, Se, Zn	109	12.9
Whole Body	7/11/2017	Tributary Creek Site 9 DV Metals Fish #2	2017TC9DV2	Ag, Cd, Cu, Hg, Pb, Se, Zn	78	5.4
Whole Body	7/11/2017	Tributary Creek Site 9 DV Metals Fish #3	2017TC9DV3	Ag, Cd, Cu, Hg, Pb, Se, Zn	78	5.7
Whole Body	7/11/2017	Tributary Creek Site 9 DV Metals Fish #4	2017TC9DV4	Ag, Cd, Cu, Hg, Pb, Se, Zn	109	12.4
Whole Body	7/11/2017	Tributary Creek Site 9 DV Metals Fish #5	2017TC9DV5	Ag, Cd, Cu, Hg, Pb, Se, Zn	84	6.2
Whole Body	7/11/2017	Tributary Creek Site 9 DV Metals Fish #6	2017TC9DV6	Ag, Cd, Cu, Hg, Pb, Se, Zn	117	17.8
Whole Body	7/11/2017	Tributary Creek Site 9 DV Metals Fish #7	2017TC9DV7	Ag, Cd, Cu, Hg, Pb, Se, Zn	87	7.4
Whole Body	7/11/2017	Tributary Creek Site 9 DV Metals Fish #8	2017TC9DV8	Ag, Cd, Cu, Hg, Pb, Se, Zn	94	9.2
Whole Body	7/11/2017	Tributary Creek Site 9 DV Metals Fish #9	2017TC9DV9	Ag, Cd, Cu, Hg, Pb, Se, Zn	73	4.1
Whole Body	7/11/2017	Tributary Creek Site 9 DV Metals Fish #10	2017TC9DV10	Ag, Cd, Cu, Hg, Pb, Se, Zn	83	6.7
Whole Body	7/12/2017	Greens Creek Site 54 DV Metals Fish #1	2017GC54DV1	Ag, Cd, Cu, Hg, Pb, Se, Zn	103	11.5
Whole Body	7/12/2017	Greens Creek Site 54 DV Metals Fish #2	2017GC54DV2	Ag, Cd, Cu, Hg, Pb, Se, Zn	96	8.8
Whole Body	7/12/2017	Greens Creek Site 54 DV Metals Fish #3	2017GC54DV3	Ag, Cd, Cu, Hg, Pb, Se, Zn	93	8.1
Whole Body	7/12/2017	Greens Creek Site 54 DV Metals Fish #4	2017GC54DV4	Ag, Cd, Cu, Hg, Pb, Se, Zn	96	10.4
Whole Body	7/12/2017	Greens Creek Site 54 DV Metals Fish #5	2017GC54DV5	Ag, Cd, Cu, Hg, Pb, Se, Zn	84	6.5
Whole Body	7/12/2017	Greens Creek Site 54 DV Metals Fish #6	2017GC54DV6	Ag, Cd, Cu, Hg, Pb, Se, Zn	109	14.1
Whole Body	7/12/2017	Greens Creek Site 54 DV Metals Fish #7	2017GC54DV7	Ag, Cd, Cu, Hg, Pb, Se, Zn	90	9.0
Whole Body	7/12/2017	Greens Creek Site 54 DV Metals Fish #8	2017GC54DV8	Ag, Cd, Cu, Hg, Pb, Se, Zn	97	9.9
Whole Body	7/12/2017	Greens Creek Site 54 DV Metals Fish #9	2017GC54DV9	Ag, Cd, Cu, Hg, Pb, Se, Zn	101	10.6
Whole Body	7/12/2017	Greens Creek Site 54 DV Metals Fish #10	2017GC54DV10	Ag, Cd, Cu, Hg, Pb, Se, Zn	115	14.1
Whole Body	7/13/2017	Greens Creek Site 48 DV Metals Fish #1	2017GC48DV1	Ag, Cd, Cu, Hg, Pb, Se, Zn	95	8.7
Whole Body	7/13/2017	Greens Creek Site 48 DV Metals Fish #2	2017GC48DV2	Ag, Cd, Cu, Hg, Pb, Se, Zn	91	8.0
Whole Body	7/13/2017	Greens Creek Site 48 DV Metals Fish #3	2017GC48DV3	Ag, Cd, Cu, Hg, Pb, Se, Zn	102	10.0
Whole Body	7/13/2017	Greens Creek Site 48 DV Metals Fish #4	2017GC48DV4	Ag, Cd, Cu, Hg, Pb, Se, Zn	105	13.1
Whole Body	7/13/2017	Greens Creek Site 48 DV Metals Fish #5	2017GC48DV5	Ag, Cd, Cu, Hg, Pb, Se, Zn	94	8.6
Whole Body	7/13/2017	Greens Creek Site 48 DV Metals Fish #6	2017GC48DV6	Ag, Cd, Cu, Hg, Pb, Se, Zn	99	9.9
Whole Body	7/13/2017	Greens Creek Site 48 DV Metals Fish #7	2017GC48DV7	Ag, Cd, Cu, Hg, Pb, Se, Zn	98	10.8
Whole Body	7/13/2017	Greens Creek Site 48 DV Metals Fish #8	2017GC48DV8	Ag, Cd, Cu, Hg, Pb, Se, Zn	124	18.8
Whole Body	7/13/2017	Greens Creek Site 48 DV Metals Fish #9	2017GC48DV9	Ag, Cd, Cu, Hg, Pb, Se, Zn	99	10.7
Whole Body	7/13/2017	Greens Creek Site 48 DV Metals Fish #10	2017GC48DV10	Ag, Cd, Cu, Hg, Pb, Se, Zn	95	9.8



PC Star

Cooler Receipt and Preservation Form

Client Alaska Fish & Game Service Request K17 07898

Received: 07/27/17 Opened: 07/27/17 By: JW Unloaded: 07/27/17 By: JW

- 1. Samples were received via? USPS Fed Ex UPS DHL PDX Courier Hand Delivered
- 2. Samples were received in: (circle) Cooler Box Envelope Other NA
- 3. Were custody seals on coolers? NA Y N If yes, how many and where? _____
If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Raw Cooler Temp	Corrected Cooler Temp	Raw Temp Blank	Corrected Temp Blank	Corr. Factor	Thermometer ID	Cooler/COC ID	Tracking Number	NA	Filed
2.8	2.6	4.6	4.4	-0.2	375		787288953919		
-0.5	-0.7	3.0	2.8	-0.2	298				

- 4. Packing material: Inserts Baggies Bubble Wrap Gel Packs Wet Ice Dry Ice Sleeves
- 5. Were custody papers properly filled out (ink, signed, etc.)? NA Y N
- 6. Were samples received in good condition (temperature, unbroken)? *Indicate in the table below.* NA Y N
If applicable, tissue samples were received: Frozen Partially Thawed Thawed
- 7. Were all sample labels complete (i.e analysis, preservation, etc.)? NA Y N
- 8. Did all sample labels and tags agree with custody papers? *Indicate major discrepancies in the table on page 2.* NA Y N
- 9. Were appropriate bottles/containers and volumes received for the tests indicated? NA Y N
- 10. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA Y N
- 11. Were VOA vials received without headspace? *Indicate in the table below.* NA Y N
- 12. Was C12/Res negative? NA Y N

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count	Bottle Type	Out of Temp	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, & Resolutions: _____



Total Solids

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Analysis Method: Freeze Dry
Prep Method: None

Service Request: K1707898
Date Collected: 07/11/17 - 07/13/17
Date Received: 07/27/17
Units: Percent
Basis: Wet

Total Solids

Sample Name	Lab Code	Result	MRL	Dil.	Date Analyzed	Q
2017TC9DV1	K1707898-001	22.9	-	1	08/08/17 17:10	
2017TC9DV2	K1707898-002	21.9	-	1	08/08/17 17:10	
2017TC9DV3	K1707898-003	22.6	-	1	08/08/17 17:10	
2017TC9DV4	K1707898-004	23.0	-	1	08/08/17 17:10	
2017TC9DV5	K1707898-005	22.5	-	1	08/08/17 17:10	
2017TC9DV6	K1707898-006	22.7	-	1	08/08/17 17:10	
2017TC9DV7	K1707898-007	23.5	-	1	08/08/17 17:10	
2017TC9DV8	K1707898-008	20.8	-	1	08/08/17 17:10	
2017TC9DV9	K1707898-009	21.7	-	1	08/08/17 17:10	
2017TC9DV10	K1707898-010	24.2	-	1	08/08/17 17:10	
2017GC54DV1	K1707898-011	22.9	-	1	08/08/17 17:10	
2017GC54DV2	K1707898-012	22.5	-	1	08/08/17 17:10	
2017GC54DV3	K1707898-013	22.0	-	1	08/08/17 17:10	
2017GC54DV4	K1707898-014	23.5	-	1	08/08/17 17:10	
2017GC54DV5	K1707898-015	22.2	-	1	08/08/17 17:10	
2017GC54DV6	K1707898-016	24.2	-	1	08/08/17 17:10	
2017GC54DV7	K1707898-017	23.0	-	1	08/08/17 17:10	
2017GC54DV8	K1707898-018	22.2	-	1	08/08/17 17:10	
2017GC54DV9	K1707898-019	22.8	-	1	08/08/17 17:10	
2017GC54DV10	K1707898-020	23.1	-	1	08/08/17 17:10	
2017GC48DV1	K1707898-021	22.2	-	1	08/08/17 17:10	
2017GC48DV2	K1707898-022	22.6	-	1	08/08/17 17:10	
2017GC48DV3	K1707898-023	24.8	-	1	08/08/17 17:10	
2017GC48DV4	K1707898-024	23.8	-	1	08/08/17 17:10	
2017GC48DV5	K1707898-025	23.9	-	1	08/08/17 17:10	
2017GC48DV6	K1707898-026	22.8	-	1	08/08/17 17:10	
2017GC48DV7	K1707898-027	23.6	-	1	08/08/17 17:10	
2017GC48DV8	K1707898-028	22.9	-	1	08/08/17 17:10	
2017GC48DV9	K1707898-029	24.6	-	1	08/08/17 17:10	
2017GC48DV10	K1707898-030	24.4	-	1	08/08/17 17:10	

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client: Alaska Department of Fish and Game
Project 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue

Service Request: K1707898
Date Collected: NA
Date Received: NA
Date Analyzed: 08/08/17

Replicate Sample Summary

Inorganic Parameters

Sample Name: Batch QC **Units:** Percent
Lab Code: K1707899-006 **Basis:** Wet

Analyte Name	Analysis Method	MRL	Sample Result	Duplicate Sample K1707899-006DUP Result	Average	RPD	RPD Limit
Total Solids	Freeze Dry	-	24.6	24.9	24.8	1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.



Metals

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

ALS Group USA, Corp.

dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal tissue

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17

Mercury, Total

Prep Method: METHOD
Analysis Method: 1631E
Test Notes:

Units: ng/g
Basis: Dry

Sample Name	Lab Code	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
2017TC9DV1	K1707898-001	5.0	5	08/24/17	08/25/17	269	
2017TC9DV2	K1707898-002	4.9	5	08/24/17	08/25/17	408	
2017TC9DV3	K1707898-003	4.7	5	08/24/17	08/25/17	310	
2017TC9DV4	K1707898-004	5.0	5	08/24/17	08/25/17	631	
2017TC9DV5	K1707898-005	4.9	5	08/24/17	08/25/17	400	
2017TC9DV6	K1707898-006	4.8	5	08/24/17	08/25/17	439	
2017TC9DV7	K1707898-007	5.0	5	08/24/17	08/25/17	261	
2017TC9DV8	K1707898-008	4.9	5	08/24/17	08/25/17	169	
2017TC9DV9	K1707898-009	5.2	5	08/24/17	08/25/17	364	
2017TC9DV10	K1707898-010	4.7	5	08/24/17	08/25/17	457	
2017GC54DV1	K1707898-011	4.9	5	08/24/17	08/25/17	99.6	
2017GC54DV2	K1707898-012	4.9	5	08/24/17	08/25/17	103	
2017GC54DV3	K1707898-013	4.9	5	08/24/17	08/25/17	116	
2017GC54DV4	K1707898-014	4.9	5	08/24/17	08/25/17	107	
2017GC54DV5	K1707898-015	5.0	5	08/24/17	08/25/17	110	
2017GC54DV6	K1707898-016	4.7	5	08/24/17	08/25/17	88.2	
2017GC54DV7	K1707898-017	4.8	5	08/24/17	08/25/17	92.9	
2017GC54DV8	K1707898-018	4.7	5	08/24/17	08/25/17	90.1	
2017GC54DV9	K1707898-019	4.9	5	08/24/17	08/25/17	104	
2017GC54DV10	K1707898-020	5.0	5	08/24/17	08/25/17	109	
Method Blank 1	K1707898-MB1	1.0	1	08/24/17	08/25/17	ND	
Method Blank 2	K1707898-MB2	1.0	1	08/24/17	08/25/17	ND	
Method Blank 3	K1707898-MB3	1.0	1	08/24/17	08/25/17	ND	

ALS Group USA, Corp.
dba ALS Environmental
Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal tissue

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17

Mercury, Total

Prep Method: METHOD
Analysis Method: 1631E
Test Notes:

Units: ng/g
Basis: Dry

Sample Name	Lab Code	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
2017GC48DV1	K1707898-021	4.8	5	08/24/17	08/25/17	115	
2017GC48DV2	K1707898-022	4.8	5	08/24/17	08/25/17	118	
2017GC48DV3	K1707898-023	4.9	5	08/24/17	08/25/17	91.9	
2017GC48DV4	K1707898-024	4.9	5	08/24/17	08/25/17	143	
2017GC48DV5	K1707898-025	4.6	5	08/24/17	08/25/17	106	
2017GC48DV6	K1707898-026	4.5	5	08/24/17	08/25/17	111	
2017GC48DV7	K1707898-027	4.7	5	08/24/17	08/25/17	101	
2017GC48DV8	K1707898-028	4.8	5	08/24/17	08/25/17	123	
2017GC48DV9	K1707898-029	4.6	5	08/24/17	08/25/17	89.3	
2017GC48DV10	K1707898-030	4.7	5	08/24/17	08/25/17	112	
Method Blank 1	K1707898-MB1	1.0	1	08/24/17	08/25/17	ND	
Method Blank 2	K1707898-MB2	1.0	1	08/24/17	08/25/17	ND	
Method Blank 3	K1707898-MB3	1.0	1	08/24/17	08/25/17	ND	

ALS Group USA, Corp.
dba ALS Environmental
 QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal tissue

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17
Date Extracted: 08/24/17
Date Analyzed: 08/25/17

Matrix Spike/Duplicate Matrix Spike Summary
 Total Metals

Sample Name: 2017TC9DV6 Units: ng/g
 Lab Code: K1707898-006MS, K1707898-006MSD Basis: Dry
 Test Notes:

Analyte	Prep Method	Analysis Method	MRL	Spike Level		Sample Result	Spike Result		Percent Recovery		ALS Acceptance Limits	Relative Percent Difference	Result Notes
				MS	DMS		MS	DMS	MS	DMS			
Mercury	METHOD	1631E	4.8	240	240	439	670	698	96	108	70-130	4	

ALS Group USA, Corp.
dba ALS Environmental
 QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal tissue

Service Request: K1707898
Date Collected: 07/12/17
Date Received: 07/27/17
Date Extracted: 08/24/17
Date Analyzed: 08/25/17

Matrix Spike/Duplicate Matrix Spike Summary
 Total Metals

Sample Name: 2017GC54DV6 Units: ng/g
 Lab Code: K1707898-016MS, K1707898-016MSD Basis: Dry
 Test Notes:

Analyte	Prep Method	Analysis Method	MRL	Spike Level		Sample Result	Spike Result		Percent Recovery		ALS Acceptance Limits	Relative Percent Difference	Result Notes
				MS	DMS		MS	DMS	MS	DMS			
Mercury	METHOD	1631E	4.8	242	238	88.2	331	319	100	97	70-130	4	

ALS Group USA, Corp.
 dba ALS Environmental
 QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
LCS Matrix: Water

Service Request: K1707898
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 08/25/17

Ongoing Precision and Recovery (OPR) Sample Summary
 Total Metals

Sample Name: Ongoing Precision and Recovery (Initial) Units: ng/g
 Basis: NA

Test Notes:

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	ALS	Result Notes
						Percent Recovery Acceptance Limits	
Mercury	METHOD	1631E	5.00	5.22	104	70-130	

ALS Group USA, Corp.
dba ALS Environmental
QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
LCS Matrix: Water

Service Request: K1707898
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 08/25/17

Ongoing Precision and Recovery (OPR) Sample Summary
 Total Metals

Sample Name: Ongoing Precision and Recovery (Final) Units: ng/g
 Basis: NA

Test Notes:

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	ALS	Result Notes
						Percent Recovery Acceptance Limits	
Mercury	METHOD	1631E	5.00	4.38	88	70-130	

ALS Group USA, Corp.
dba ALS Environmental
QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
LCS Matrix: Animal tissue

Service Request: K1707898
Date Collected: NA
Date Received: NA
Date Extracted: 08/24/17
Date Analyzed: 08/25/17

Quality Control Sample (QCS) Summary
 Total Metals

Sample Name: Quality Control Sample Units: ng/g
 Lab Code: Basis: Dry
 Test Notes:

Source: TORT-3

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	ALS	Result Notes
						Percent Recovery Acceptance Limits	
Mercury	METHOD	1631E	292	266	91	70-130	

ALS Group USA, Corp.
dba ALS Environmental
 QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal tissue

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17
Date Extracted: 08/24/17
Date Analyzed: 08/25/17

Matrix Spike/Duplicate Matrix Spike Summary
 Total Metals

Sample Name: 2017GC48DV8 Units: ng/g
 Lab Code: K1707898-028MS, K1707898-028MSD Basis: Dry
 Test Notes:

Analyte	Prep Method	Analysis Method	MRL	Spike Level		Sample Result	Spike Result		Percent Recovery		ALS Acceptance Limits	Relative Percent Difference	Result Notes
				MS	DMS		MS	DMS	MS	DMS			
Mercury	METHOD	1631E	4.9	237	244	123	338	342	91	90	70-130	1	

ALS Group USA, Corp.
dba ALS Environmental
QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
LCS Matrix: Water

Service Request: K1707898
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 08/25/17

Ongoing Precision and Recovery (OPR) Sample Summary
 Total Metals

Sample Name: Ongoing Precision and Recovery (Initial) Units: ng/g
 Basis: NA

Test Notes:

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	ALS	Result Notes
						Percent Recovery Acceptance Limits	
Mercury	METHOD	1631E	5.00	4.54	91	70-130	

ALS Group USA, Corp.
dba ALS Environmental
QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
LCS Matrix: Water

Service Request: K1707898
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 08/25/17

Ongoing Precision and Recovery (OPR) Sample Summary
 Total Metals

Sample Name: Ongoing Precision and Recovery (Final) Units: ng/g
 Basis: NA

Test Notes:

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	ALS	Result Notes
						Percent Recovery Acceptance Limits	
Mercury	METHOD	1631E	5.00	4.69	94	70-130	

ALS Group USA, Corp.
dba ALS Environmental
QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
LCS Matrix: Animal tissue

Service Request: K1707898
Date Collected: NA
Date Received: NA
Date Extracted: 08/24/17
Date Analyzed: 08/25/17

Quality Control Sample (QCS) Summary
 Total Metals

Sample Name: Quality Control Sample Units: ng/g
 Lab Code: Basis: Dry
 Test Notes:

Source: TORT-3

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	ALS	Result Notes
						Percent Recovery Acceptance Limits	
Mercury	METHOD	1631E	292	262	90	70-130	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017TC9DV1
Lab Code: K1707898-001

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	1.18	mg/Kg	0.020	5	08/24/17 15:07	08/22/17	
Copper	6020A	2.80	mg/Kg	0.10	5	08/24/17 15:07	08/22/17	
Lead	6020A	0.587	mg/Kg	0.020	5	08/24/17 15:07	08/22/17	
Selenium	6020A	9.9	mg/Kg	1.0	5	08/24/17 15:07	08/22/17	
Silver	6020A	0.083	mg/Kg	0.020	5	08/24/17 15:07	08/22/17	
Zinc	6020A	109	mg/Kg	0.50	5	08/24/17 15:07	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017TC9DV2
Lab Code: K1707898-002

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	2.78	mg/Kg	0.020	5	08/24/17 15:30	08/22/17	
Copper	6020A	3.60	mg/Kg	0.10	5	08/24/17 15:30	08/22/17	
Lead	6020A	2.04	mg/Kg	0.020	5	08/24/17 15:30	08/22/17	
Selenium	6020A	8.8	mg/Kg	1.0	5	08/24/17 15:30	08/22/17	
Silver	6020A	0.191	mg/Kg	0.020	5	08/24/17 15:30	08/22/17	
Zinc	6020A	145	mg/Kg	0.50	5	08/24/17 15:30	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017TC9DV3
Lab Code: K1707898-003

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	2.34	mg/Kg	0.020	5	08/24/17 15:33	08/22/17	
Copper	6020A	6.71	mg/Kg	0.099	5	08/24/17 15:33	08/22/17	
Lead	6020A	1.57	mg/Kg	0.020	5	08/24/17 15:33	08/22/17	
Selenium	6020A	7.89	mg/Kg	0.99	5	08/24/17 15:33	08/22/17	
Silver	6020A	0.089	mg/Kg	0.020	5	08/24/17 15:33	08/22/17	
Zinc	6020A	160	mg/Kg	0.50	5	08/24/17 15:33	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017TC9DV4
Lab Code: K1707898-004

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	1.29	mg/Kg	0.020	5	08/24/17 15:36	08/22/17	
Copper	6020A	2.40	mg/Kg	0.099	5	08/24/17 15:36	08/22/17	
Lead	6020A	0.413	mg/Kg	0.020	5	08/24/17 15:36	08/22/17	
Selenium	6020A	6.15	mg/Kg	0.99	5	08/24/17 15:36	08/22/17	
Silver	6020A	0.094	mg/Kg	0.020	5	08/24/17 15:36	08/22/17	
Zinc	6020A	122	mg/Kg	0.50	5	08/24/17 15:36	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017TC9DV5
Lab Code: K1707898-005

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	1.16	mg/Kg	0.020	5	08/24/17 15:39	08/22/17	
Copper	6020A	2.62	mg/Kg	0.099	5	08/24/17 15:39	08/22/17	
Lead	6020A	0.412	mg/Kg	0.020	5	08/24/17 15:39	08/22/17	
Selenium	6020A	7.39	mg/Kg	0.99	5	08/24/17 15:39	08/22/17	
Silver	6020A	0.079	mg/Kg	0.020	5	08/24/17 15:39	08/22/17	
Zinc	6020A	121	mg/Kg	0.50	5	08/24/17 15:39	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017TC9DV6
Lab Code: K1707898-006

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	3.68	mg/Kg	0.020	5	08/24/17 15:42	08/22/17	
Copper	6020A	3.21	mg/Kg	0.099	5	08/24/17 15:42	08/22/17	
Lead	6020A	1.72	mg/Kg	0.020	5	08/24/17 15:42	08/22/17	
Selenium	6020A	9.25	mg/Kg	0.99	5	08/24/17 15:42	08/22/17	
Silver	6020A	0.288	mg/Kg	0.020	5	08/24/17 15:42	08/22/17	
Zinc	6020A	148	mg/Kg	0.50	5	08/24/17 15:42	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017TC9DV7
Lab Code: K1707898-007

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	2.02	mg/Kg	0.020	5	08/24/17 15:45	08/22/17	
Copper	6020A	4.01	mg/Kg	0.10	5	08/24/17 15:45	08/22/17	
Lead	6020A	1.30	mg/Kg	0.020	5	08/24/17 15:45	08/22/17	
Selenium	6020A	8.6	mg/Kg	1.0	5	08/24/17 15:45	08/22/17	
Silver	6020A	0.191	mg/Kg	0.020	5	08/24/17 15:45	08/22/17	
Zinc	6020A	126	mg/Kg	0.50	5	08/24/17 15:45	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017TC9DV8
Lab Code: K1707898-008

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.292	mg/Kg	0.020	5	08/24/17 15:47	08/22/17	
Copper	6020A	3.55	mg/Kg	0.10	5	08/24/17 15:47	08/22/17	
Lead	6020A	0.183	mg/Kg	0.020	5	08/24/17 15:47	08/22/17	
Selenium	6020A	3.2	mg/Kg	1.0	5	08/24/17 15:47	08/22/17	
Silver	6020A	0.068	mg/Kg	0.020	5	08/24/17 15:47	08/22/17	
Zinc	6020A	163	mg/Kg	0.50	5	08/24/17 15:47	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017TC9DV9
Lab Code: K1707898-009

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.817	mg/Kg	0.020	5	08/24/17 15:50	08/22/17	
Copper	6020A	3.85	mg/Kg	0.10	5	08/24/17 15:50	08/22/17	
Lead	6020A	0.988	mg/Kg	0.020	5	08/24/17 15:50	08/22/17	
Selenium	6020A	5.5	mg/Kg	1.0	5	08/24/17 15:50	08/22/17	
Silver	6020A	0.062	mg/Kg	0.020	5	08/24/17 15:50	08/22/17	
Zinc	6020A	172	mg/Kg	0.50	5	08/24/17 15:50	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017TC9DV10
Lab Code: K1707898-010

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	1.33	mg/Kg	0.020	5	08/24/17 15:53	08/22/17	
Copper	6020A	3.44	mg/Kg	0.100	5	08/24/17 15:53	08/22/17	
Lead	6020A	1.80	mg/Kg	0.020	5	08/24/17 15:53	08/22/17	
Selenium	6020A	8.25	mg/Kg	1.00	5	08/24/17 15:53	08/22/17	
Silver	6020A	0.096	mg/Kg	0.020	5	08/24/17 15:53	08/22/17	
Zinc	6020A	118	mg/Kg	0.50	5	08/24/17 15:53	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC54DV1
Lab Code: K1707898-011

Service Request: K1707898
Date Collected: 07/12/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.745	mg/Kg	0.020	5	08/24/17 15:56	08/22/17	
Copper	6020A	3.39	mg/Kg	0.100	5	08/24/17 15:56	08/22/17	
Lead	6020A	0.189	mg/Kg	0.020	5	08/24/17 15:56	08/22/17	
Selenium	6020A	6.36	mg/Kg	1.00	5	08/24/17 15:56	08/22/17	
Silver	6020A	0.028	mg/Kg	0.020	5	08/24/17 15:56	08/22/17	
Zinc	6020A	173	mg/Kg	0.50	5	08/24/17 15:56	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC54DV2
Lab Code: K1707898-012

Service Request: K1707898
Date Collected: 07/12/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.771	mg/Kg	0.020	5	08/24/17 16:08	08/22/17	
Copper	6020A	3.69	mg/Kg	0.10	5	08/24/17 16:08	08/22/17	
Lead	6020A	0.327	mg/Kg	0.020	5	08/24/17 16:08	08/22/17	
Selenium	6020A	5.9	mg/Kg	1.0	5	08/24/17 16:08	08/22/17	
Silver	6020A	0.030	mg/Kg	0.020	5	08/24/17 16:08	08/22/17	
Zinc	6020A	160	mg/Kg	0.50	5	08/24/17 16:08	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC54DV3
Lab Code: K1707898-013

Service Request: K1707898
Date Collected: 07/12/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.487	mg/Kg	0.020	5	08/24/17 16:11	08/22/17	
Copper	6020A	3.25	mg/Kg	0.10	5	08/24/17 16:11	08/22/17	
Lead	6020A	0.468	mg/Kg	0.020	5	08/24/17 16:11	08/22/17	
Selenium	6020A	5.1	mg/Kg	1.0	5	08/24/17 16:11	08/22/17	
Silver	6020A	0.039	mg/Kg	0.020	5	08/24/17 16:11	08/22/17	
Zinc	6020A	133	mg/Kg	0.50	5	08/24/17 16:11	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC54DV4
Lab Code: K1707898-014

Service Request: K1707898
Date Collected: 07/12/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.674	mg/Kg	0.020	5	08/24/17 16:14	08/22/17	
Copper	6020A	3.30	mg/Kg	0.10	5	08/24/17 16:14	08/22/17	
Lead	6020A	0.173	mg/Kg	0.020	5	08/24/17 16:14	08/22/17	
Selenium	6020A	5.7	mg/Kg	1.0	5	08/24/17 16:14	08/22/17	
Silver	6020A	0.020	mg/Kg	0.020	5	08/24/17 16:14	08/22/17	
Zinc	6020A	177	mg/Kg	0.50	5	08/24/17 16:14	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC54DV5
Lab Code: K1707898-015

Service Request: K1707898
Date Collected: 07/12/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.724	mg/Kg	0.020	5	08/24/17 16:17	08/22/17	
Copper	6020A	3.72	mg/Kg	0.100	5	08/24/17 16:17	08/22/17	
Lead	6020A	0.403	mg/Kg	0.020	5	08/24/17 16:17	08/22/17	
Selenium	6020A	5.18	mg/Kg	1.00	5	08/24/17 16:17	08/22/17	
Silver	6020A	0.028	mg/Kg	0.020	5	08/24/17 16:17	08/22/17	
Zinc	6020A	192	mg/Kg	0.50	5	08/24/17 16:17	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC54DV6
Lab Code: K1707898-016

Service Request: K1707898
Date Collected: 07/12/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.454	mg/Kg	0.020	5	08/24/17 16:19	08/22/17	
Copper	6020A	3.29	mg/Kg	0.099	5	08/24/17 16:19	08/22/17	
Lead	6020A	0.212	mg/Kg	0.020	5	08/24/17 16:19	08/22/17	
Selenium	6020A	5.05	mg/Kg	0.99	5	08/24/17 16:19	08/22/17	
Silver	6020A	0.033	mg/Kg	0.020	5	08/24/17 16:19	08/22/17	
Zinc	6020A	150	mg/Kg	0.50	5	08/24/17 16:19	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC54DV7
Lab Code: K1707898-017

Service Request: K1707898
Date Collected: 07/12/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	1.30	mg/Kg	0.020	5	08/24/17 16:22	08/22/17	
Copper	6020A	5.34	mg/Kg	0.100	5	08/24/17 16:22	08/22/17	
Lead	6020A	0.281	mg/Kg	0.020	5	08/24/17 16:22	08/22/17	
Selenium	6020A	7.16	mg/Kg	1.00	5	08/24/17 16:22	08/22/17	
Silver	6020A	0.035	mg/Kg	0.020	5	08/24/17 16:22	08/22/17	
Zinc	6020A	227	mg/Kg	0.50	5	08/24/17 16:22	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC54DV8
Lab Code: K1707898-018

Service Request: K1707898
Date Collected: 07/12/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.893	mg/Kg	0.020	5	08/24/17 16:25	08/22/17	
Copper	6020A	3.79	mg/Kg	0.10	5	08/24/17 16:25	08/22/17	
Lead	6020A	0.246	mg/Kg	0.020	5	08/24/17 16:25	08/22/17	
Selenium	6020A	6.3	mg/Kg	1.0	5	08/24/17 16:25	08/22/17	
Silver	6020A	0.029	mg/Kg	0.020	5	08/24/17 16:25	08/22/17	
Zinc	6020A	178	mg/Kg	0.50	5	08/24/17 16:25	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC54DV9
Lab Code: K1707898-019

Service Request: K1707898
Date Collected: 07/12/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.869	mg/Kg	0.020	5	08/24/17 16:28	08/22/17	
Copper	6020A	4.27	mg/Kg	0.10	5	08/24/17 16:28	08/22/17	
Lead	6020A	0.222	mg/Kg	0.020	5	08/24/17 16:28	08/22/17	
Selenium	6020A	6.4	mg/Kg	1.0	5	08/24/17 16:28	08/22/17	
Silver	6020A	0.031	mg/Kg	0.020	5	08/24/17 16:28	08/22/17	
Zinc	6020A	167	mg/Kg	0.50	5	08/24/17 16:28	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC54DV10
Lab Code: K1707898-020

Service Request: K1707898
Date Collected: 07/12/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	1.20	mg/Kg	0.020	5	08/24/17 16:31	08/22/17	
Copper	6020A	22.2	mg/Kg	0.10	5	08/24/17 16:31	08/22/17	
Lead	6020A	0.444	mg/Kg	0.020	5	08/24/17 16:31	08/22/17	
Selenium	6020A	5.9	mg/Kg	1.0	5	08/24/17 16:31	08/22/17	
Silver	6020A	0.039	mg/Kg	0.020	5	08/24/17 16:31	08/22/17	
Zinc	6020A	191	mg/Kg	0.50	5	08/24/17 16:31	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC48DV1
Lab Code: K1707898-021

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.622	mg/Kg	0.020	5	08/24/17 16:51	08/22/17	
Copper	6020A	3.65	mg/Kg	0.100	5	08/24/17 16:51	08/22/17	
Lead	6020A	0.182	mg/Kg	0.020	5	08/24/17 16:51	08/22/17	
Selenium	6020A	5.76	mg/Kg	1.00	5	08/24/17 16:51	08/22/17	
Silver	6020A	0.054	mg/Kg	0.020	5	08/24/17 16:51	08/22/17	
Zinc	6020A	167	mg/Kg	0.50	5	08/24/17 16:51	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC48DV2
Lab Code: K1707898-022

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	1.51	mg/Kg	0.020	5	08/24/17 17:06	08/22/17	
Copper	6020A	3.86	mg/Kg	0.099	5	08/24/17 17:06	08/22/17	
Lead	6020A	0.417	mg/Kg	0.020	5	08/24/17 17:06	08/22/17	
Selenium	6020A	5.98	mg/Kg	0.99	5	08/24/17 17:06	08/22/17	
Silver	6020A	0.097	mg/Kg	0.020	5	08/24/17 17:06	08/22/17	
Zinc	6020A	169	mg/Kg	0.50	5	08/24/17 17:06	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC48DV3
Lab Code: K1707898-023

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.746	mg/Kg	0.020	5	08/24/17 17:09	08/22/17	
Copper	6020A	3.92	mg/Kg	0.100	5	08/24/17 17:09	08/22/17	
Lead	6020A	0.089	mg/Kg	0.020	5	08/24/17 17:09	08/22/17	
Selenium	6020A	5.37	mg/Kg	1.00	5	08/24/17 17:09	08/22/17	
Silver	6020A	0.024	mg/Kg	0.020	5	08/24/17 17:09	08/22/17	
Zinc	6020A	168	mg/Kg	0.50	5	08/24/17 17:09	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC48DV4
Lab Code: K1707898-024

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	1.00	mg/Kg	0.020	5	08/24/17 17:20	08/22/17	
Copper	6020A	4.98	mg/Kg	0.100	5	08/24/17 17:20	08/22/17	
Lead	6020A	0.237	mg/Kg	0.020	5	08/24/17 17:20	08/22/17	
Selenium	6020A	6.78	mg/Kg	1.00	5	08/24/17 17:20	08/22/17	
Silver	6020A	0.022	mg/Kg	0.020	5	08/24/17 17:20	08/22/17	
Zinc	6020A	194	mg/Kg	0.50	5	08/24/17 17:20	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC48DV5
Lab Code: K1707898-025

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.456	mg/Kg	0.020	5	08/24/17 17:23	08/22/17	
Copper	6020A	2.81	mg/Kg	0.10	5	08/24/17 17:23	08/22/17	
Lead	6020A	0.064	mg/Kg	0.020	5	08/24/17 17:23	08/22/17	
Selenium	6020A	4.5	mg/Kg	1.0	5	08/24/17 17:23	08/22/17	
Silver	6020A	ND U	mg/Kg	0.020	5	08/24/17 17:23	08/22/17	
Zinc	6020A	166	mg/Kg	0.50	5	08/24/17 17:23	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC48DV6
Lab Code: K1707898-026

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	1.03	mg/Kg	0.020	5	08/24/17 17:26	08/22/17	
Copper	6020A	3.93	mg/Kg	0.099	5	08/24/17 17:26	08/22/17	
Lead	6020A	0.087	mg/Kg	0.020	5	08/24/17 17:26	08/22/17	
Selenium	6020A	5.39	mg/Kg	0.99	5	08/24/17 17:26	08/22/17	
Silver	6020A	0.023	mg/Kg	0.020	5	08/24/17 17:26	08/22/17	
Zinc	6020A	200	mg/Kg	0.50	5	08/24/17 17:26	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC48DV7
Lab Code: K1707898-027

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.462	mg/Kg	0.020	5	08/24/17 17:29	08/22/17	
Copper	6020A	2.68	mg/Kg	0.10	5	08/24/17 17:29	08/22/17	
Lead	6020A	0.064	mg/Kg	0.020	5	08/24/17 17:29	08/22/17	
Selenium	6020A	4.4	mg/Kg	1.0	5	08/24/17 17:29	08/22/17	
Silver	6020A	0.022	mg/Kg	0.020	5	08/24/17 17:29	08/22/17	
Zinc	6020A	168	mg/Kg	0.50	5	08/24/17 17:29	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC48DV8
Lab Code: K1707898-028

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.655	mg/Kg	0.020	5	08/24/17 17:32	08/22/17	
Copper	6020A	3.77	mg/Kg	0.100	5	08/24/17 17:32	08/22/17	
Lead	6020A	0.087	mg/Kg	0.020	5	08/24/17 17:32	08/22/17	
Selenium	6020A	5.02	mg/Kg	1.00	5	08/24/17 17:32	08/22/17	
Silver	6020A	0.034	mg/Kg	0.020	5	08/24/17 17:32	08/22/17	
Zinc	6020A	154	mg/Kg	0.50	5	08/24/17 17:32	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC48DV9
Lab Code: K1707898-029

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.673	mg/Kg	0.020	5	08/24/17 17:35	08/22/17	
Copper	6020A	3.48	mg/Kg	0.100	5	08/24/17 17:35	08/22/17	
Lead	6020A	0.067	mg/Kg	0.020	5	08/24/17 17:35	08/22/17	
Selenium	6020A	4.69	mg/Kg	1.00	5	08/24/17 17:35	08/22/17	
Silver	6020A	ND U	mg/Kg	0.020	5	08/24/17 17:35	08/22/17	
Zinc	6020A	165	mg/Kg	0.50	5	08/24/17 17:35	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: 2017GC48DV10
Lab Code: K1707898-030

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17 09:40

Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	0.305	mg/Kg	0.020	5	08/24/17 17:38	08/22/17	
Copper	6020A	3.18	mg/Kg	0.100	5	08/24/17 17:38	08/22/17	
Lead	6020A	0.126	mg/Kg	0.020	5	08/24/17 17:38	08/22/17	
Selenium	6020A	4.73	mg/Kg	1.00	5	08/24/17 17:38	08/22/17	
Silver	6020A	0.044	mg/Kg	0.020	5	08/24/17 17:38	08/22/17	
Zinc	6020A	159	mg/Kg	0.50	5	08/24/17 17:38	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: Method Blank
Lab Code: KQ1711796-01

Service Request: K1707898
Date Collected: NA
Date Received: NA
Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	ND U	mg/Kg	0.020	5	08/24/17 14:55	08/22/17	
Copper	6020A	ND U	mg/Kg	0.10	5	08/24/17 14:55	08/22/17	
Lead	6020A	ND U	mg/Kg	0.020	5	08/24/17 14:55	08/22/17	
Selenium	6020A	ND U	mg/Kg	1.0	5	08/24/17 14:55	08/22/17	
Silver	6020A	ND U	mg/Kg	0.020	5	08/24/17 14:55	08/22/17	
Zinc	6020A	ND U	mg/Kg	0.50	5	08/24/17 14:55	08/22/17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue
Sample Name: Method Blank
Lab Code: KQ1711797-01

Service Request: K1707898
Date Collected: NA
Date Received: NA
Basis: Dry

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Cadmium	6020A	ND U	mg/Kg	0.020	5	08/24/17 16:34	08/22/17	
Copper	6020A	ND U	mg/Kg	0.10	5	08/24/17 16:34	08/22/17	
Lead	6020A	ND U	mg/Kg	0.020	5	08/24/17 16:34	08/22/17	
Selenium	6020A	ND U	mg/Kg	1.0	5	08/24/17 16:34	08/22/17	
Silver	6020A	ND U	mg/Kg	0.020	5	08/24/17 16:34	08/22/17	
Zinc	6020A	ND U	mg/Kg	0.50	5	08/24/17 16:34	08/22/17	

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17
Date Analyzed: 08/24/17

Replicate Sample Summary

Total Metals

Sample Name: 2017TC9DV1
Lab Code: K1707898-001

Units: mg/Kg
Basis: Dry

Analyte Name	Analysis Method	MRL	Sample Result	Duplicate Sample		Average	RPD	RPD Limit
				KQ1711796-05				
				Result	Result			
Cadmium	6020A	0.020	1.18	1.12	1.15	6	20	
Copper	6020A	0.10	2.80	2.72	2.76	3	20	
Lead	6020A	0.020	0.587	0.380	0.484	43 *	20	
Selenium	6020A	1.0	9.9	10.1	10.0	3	20	
Silver	6020A	0.020	0.083	0.076	0.080	8	20	
Zinc	6020A	0.50	109	119	114	8	20	

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17
Date Analyzed: 08/24/17

Replicate Sample Summary
Total Metals

Sample Name: 2017GC48DV1
Lab Code: K1707898-021

Units: mg/Kg
Basis: Dry

Table with 8 columns: Analyte Name, Analysis Method, MRL, Sample Result, Duplicate Sample Result (KQ1711797-05), Average, RPD, RPD Limit. Rows include Cadmium, Copper, Lead, Selenium, Silver, and Zinc.

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue

Service Request: K1707898
Date Collected: 07/11/17
Date Received: 07/27/17
Date Analyzed: 08/24/17
Date Extracted: 08/22/17

Matrix Spike Summary
Total Metals

Sample Name: 2017TC9DV1
Lab Code: K1707898-001
Analysis Method: 6020A
Prep Method: PSEP Metals

Units: mg/Kg
Basis: Dry

Matrix Spike
KQ1711796-06

Analyte Name	Sample Result	Result	Spike Amount	% Rec	% Rec Limits
Cadmium	1.18	6.41	5.00	105	75-125
Copper	2.80	25.8	25.0	92	75-125
Lead	0.587	47.6	50.0	94	75-125
Selenium	9.9	30.5	16.7	124	75-125
Silver	0.083	5.01	5.00	98	75-125
Zinc	109	161	50.0	103	75-125

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue

Service Request: K1707898
Date Collected: 07/13/17
Date Received: 07/27/17
Date Analyzed: 08/24/17
Date Extracted: 08/22/17

Matrix Spike Summary
Total Metals

Sample Name: 2017GC48DV1
Lab Code: K1707898-021
Analysis Method: 6020A
Prep Method: PSEP Metals

Units: mg/Kg
Basis: Dry

Matrix Spike
KQ1711797-06

Analyte Name	Sample Result	Result	Spike Amount	% Rec	% Rec Limits
Cadmium	0.622	5.95	5.00	107	75-125
Copper	3.65	26.3	25.0	90	75-125
Lead	0.182	45.6	50.0	91	75-125
Selenium	5.8	26.3	16.7	123	75-125
Silver	0.054	4.89	5.00	97	75-125
Zinc	167	215	50.0	95	75-125

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue

Service Request: K1707898
Date Analyzed: 08/24/17

Lab Control Sample Summary
Total Metals

Units:mg/Kg
Basis:Dry

Lab Control Sample
KQ1711796-02

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Cadmium	6020A	5.07	5.00	101	80-120
Copper	6020A	24.7	25.0	99	80-120
Lead	6020A	51.0	50.0	102	80-120
Selenium	6020A	18.2	16.7	109	80-120
Silver	6020A	5.02	5.00	100	80-120
Zinc	6020A	50.2	50.0	100	80-120

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine Biomonitoring/160004158
Sample Matrix: Animal Tissue

Service Request: K1707898
Date Analyzed: 08/24/17

Lab Control Sample Summary
Total Metals

Units:mg/Kg
Basis:Dry

Lab Control Sample
KQ1711797-02

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Cadmium	6020A	5.12	5.00	102	80-120
Copper	6020A	24.6	25.0	98	80-120
Lead	6020A	49.6	50.0	99	80-120
Selenium	6020A	18.5	16.7	111	80-120
Silver	6020A	4.94	5.00	99	80-120
Zinc	6020A	50.8	50.0	102	80-120

ALS Group USA, Corp.
 dba ALS Environmental
 QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine/Biomonitoring/160004158
LCS Matrix: Tissue

Service Request: K1707898
Date Collected: NA
Date Received: NA
Date Extracted: 08/22/17
Date Analyzed: 08/24/17

Standard Reference Material Summary
 Total Metals

Sample Name: Standard Reference Material Units: mg/Kg (ppm)
 Lab Code: KQ1711796-03SRM1 Basis: Dry
 Test Notes: Dorm-4 Solids = 94.5%
 Source: N.R.C.C. Dorm-4

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	Control Limits	Result Notes
Cadmium	PSEP Tissue	6020A	0.306	0.333	109	0.233 - 0.385	
Copper	PSEP Tissue	6020A	15.9	14.1	89	12.0 - 20.2	
Lead	PSEP Tissue	6020A	0.416	0.371	89	0.290 - 0.563	
Selenium	PSEP Tissue	6020A	3.56	4.32	121	2.58 - 4.68	
Zinc	PSEP Tissue	6020A	52.20	50.9	98	39.2 - 66.5	

ALS Group USA, Corp.
 dba ALS Environmental
 QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine/Biomonitoring/160004158
LCS Matrix: Tissue

Service Request: K1707898
Date Collected: NA
Date Received: NA
Date Extracted: 08/22/17
Date Analyzed: 08/24/17

Standard Reference Material Summary
 Total Metals

Sample Name: Standard Reference Material Units: mg/Kg (ppm)
 Lab Code: KQ1711796-04SRM2 Basis: Dry
 Test Notes: Tort-3 Solids = 99.1%

Source: N.R.C.C. Tort-3

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	Control Limits	Result Notes
Cadmium	PSEP Tissue	6020A	42.3	41.6	98	32.4-52.9	
Copper	PSEP Tissue	6020A	497	432	87	380-623	
Lead	PSEP Tissue	6020A	0.225	0.191	85	0.166-0.292	
Selenium	PSEP Tissue	6020A	10.9	12.6	116	7.9-14.3	
Zinc	PSEP Tissue	6020A	136	136	100	104-170	

ALS Group USA, Corp.
 dba ALS Environmental
 QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine/Biomonitoring/160004158
LCS Matrix: Tissue

Service Request: K1707898
Date Collected: NA
Date Received: NA
Date Extracted: 08/22/17
Date Analyzed: 08/24/17

Standard Reference Material Summary
 Total Metals

Sample Name: Standard Reference Material Units: mg/Kg (ppm)
 Lab Code: KQ1711797-03SRM3 Basis: Dry
 Test Notes: Dorm-4 Solids = 94.5%
 Source: N.R.C.C. Dorm-4

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	Control Limits	Result Notes
Cadmium	PSEP Tissue	6020A	0.306	0.325	106	0.233 - 0.385	
Copper	PSEP Tissue	6020A	15.9	14.9	94	12.0 - 20.2	
Lead	PSEP Tissue	6020A	0.416	0.370	89	0.290 - 0.563	
Selenium	PSEP Tissue	6020A	3.56	4.42	124	2.58 - 4.68	
Zinc	PSEP Tissue	6020A	52.20	52.8	101	39.2 - 66.5	

ALS Group USA, Corp.
dba ALS Environmental
QA/QC Report

Client: Alaska Department of Fish and Game
Project: 2017 Greens Creek Mine/Biomonitoring/160004158
LCS Matrix: Tissue

Service Request: K1707898
Date Collected: NA
Date Received: NA
Date Extracted: 08/22/17
Date Analyzed: 08/24/17

Standard Reference Material Summary
 Total Metals

Sample Name: Standard Reference Material Units: mg/Kg (ppm)
 Lab Code: KQ1711797-04SRM4 Basis: Dry
 Test Notes: Tort-3 Solids = 99.1%

Source: N.R.C.C. Tort-3

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	Control Limits	Result Notes
Cadmium	PSEP Tissue	6020A	42.3	42.3	100	32.4-52.9	
Copper	PSEP Tissue	6020A	497	432	87	380-623	
Lead	PSEP Tissue	6020A	0.225	0.194	86	0.166-0.292	
Selenium	PSEP Tissue	6020A	10.9	12.8	117	7.9-14.3	
Zinc	PSEP Tissue	6020A	136	136	100	104-170	