

LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

LANDFIRE 2010 (LFI 2.0) Existing Vegetation System Group¹

Tree Canopy	Sparse Tundra
Alder/Willow/Balsam Shrubland	Freshwater Marsh
Herbaceous Meadow/Shrub and Herbaceous Peatlands	Tidal Marsh
Shrub Tundra	Developed
Tussock Tundra	Barren/Ice/Snow/No Data
Wet Meadow	Open Water

All legend items may not appear on each map tile

NOTES


¹LANDFIRE is a collaborative partnership involving the U.S. Forest Service, Department of the Interior USGS, and the Nature Conservancy. The project generates landscape scale maps and data describing vegetation, fire, and fuel characteristics. Vegetation is mapped using predictive landscape models based on extensive field reference data, satellite imagery, biophysical gradient layers, and classification and regression trees.

For representation purposes at the scales shown here, some vegetation system groups have been combined.

Alder/Willow/Balsam Shrubland includes: Alder Shrubland, Willow Shrubland, Floodplain Forest and Shrubland, and Dwarf Shrubland.

Developed includes: Developed-Low Intensity, and Developed-Medium Intensity.

Tree Canopy includes: White Spruce Forest and Woodland, Black Spruce Forest and Woodland, Birch-Aspen Forest, White Spruce-Hardwood Forest and Woodland, Spruce-Lichen Woodland, Balsam Poplar-Aspen Woodland, Peatland Forest, Floodplain Forest and Shrubland, and Riparian Stringer Forest and Shrubland. Boreal Grassland was also included in this group as its occurrence is limited and located within other Tree Canopy areas.



DISCLAIMER

This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska Makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential, or other damages suffered by the user or any other person or entity from use of this atlas.



LOCATION

Map Projection: NAD 1983 Alaska Albers
 Map Scale: 1:445,000
 Contour Interval = 200'


Alaska Department of Natural Resources
 North Slope Planning Area

LANDCOVER

May 2014

Tiles 1, 2, and 3

Page 2.0



LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

LANDFIRE 2010 (LFI 2.0) Existing Vegetation System Group¹

 Tree Canopy	 Sparse Tundra
 Alder/Willow/Balsam Shrubland	 Freshwater Marsh
 Herbaceous Meadow/Shrub and Herbaceous Peatlands	 Tidal Marsh
 Shrub Tundra	 Developed
 Tussock Tundra	 Barren/Ice/Snow/No Data
 Wet Meadow	 Open Water

All legend items may not appear on each map tile

NOTES

¹LANDFIRE is a collaborative partnership involving the U.S. Forest Service, Department of the Interior USGS, and the Nature Conservancy. The project generates landscape scale maps and data describing vegetation, fire, and fuel characteristics. Vegetation is mapped using predictive landscape models based on extensive field reference data, satellite imagery, biophysical gradient layers, and classification and regression trees.

For representation purposes at the scales shown here, some vegetation system groups have been combined.


Alder/Willow/Balsam Shrubland includes: Alder Shrubland, Willow Shrubland, Floodplain Forest and Shrubland, and Dwarf Shrubland.

Developed includes: Developed-Low Intensity, and Developed-Medium Intensity.

Tree Canopy includes: White Spruce Forest and Woodland, Black Spruce Forest and Woodland, Birch-Aspen Forest, White Spruce-Hardwood Forest and Woodland, Spruce-Lichen Woodland, Balsam Poplar-Aspen Woodland, Peatland Forest, Floodplain Forest and Shrubland, and Riparian Stringer Forest and Shrubland. Boreal Grassland was also included in this group as its occurrence is limited and located within other Tree Canopy areas.

DISCLAIMER


This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska Makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential, or other damages suffered by the user or any other person or entity from use of this atlas.



Map Projection: NAD 1983 Alaska Albers
 Map Scale: 1:250,000
 Contour Interval = 200'

Alaska Department of Natural Resources
 North Slope Planning Area

LANDCOVER



LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

LANDFIRE 2010 (LFI 2.0) Existing Vegetation System Group¹

 Tree Canopy	 Sparse Tundra
 Alder/Willow/Balsam Shrubland	 Freshwater Marsh
 Herbaceous Meadow/Shrub and Herbaceous Peatlands	 Tidal Marsh
 Shrub Tundra	 Developed
 Tussock Tundra	 Barren/Ice/Snow/No Data
 Wet Meadow	 Open Water

All legend items may not appear on each map tile

NOTES

¹LANDFIRE is a collaborative partnership involving the U.S. Forest Service, Department of the Interior USGS, and the Nature Conservancy. The project generates landscape scale maps and data describing vegetation, fire, and fuel characteristics. Vegetation is mapped using predictive landscape models based on extensive field reference data, satellite imagery, biophysical gradient layers, and classification and regression trees.

For representation purposes at the scales shown here, some vegetation system groups have been combined.



Alder/Willow/Balsam Shrubland includes: Alder Shrubland, Willow Shrubland, Floodplain Forest and Shrubland, and Dwarf Shrubland.

Developed includes: Developed-Low Intensity, and Developed-Medium Intensity.

Tree Canopy includes: White Spruce Forest and Woodland, Black Spruce Forest and Woodland, Birch-Aspen Forest, White Spruce-Hardwood Forest and Woodland, Spruce-Lichen Woodland, Balsam Poplar-Aspen Woodland, Peatland Forest, Floodplain Forest and Shrubland, and Riparian Stringer Forest and Shrubland. Boreal Grassland was also included in this group as its occurrence is limited and located within other Tree Canopy areas.

DISCLAIMER


This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska Makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential, or other damages suffered by the user or any other person or entity from use of this atlas.



Alaska Department of Natural Resources
North Slope Planning Area

LANDCOVER

	May 2014	Tile B
		Page 2.2



LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

LANDFIRE 2010 (LFI 2.0) Existing Vegetation System Group¹

Tree Canopy	Sparse Tundra
Alder/Willow/Balsam Shrubland	Freshwater Marsh
Herbaceous Meadow/Shrub and Herbaceous Peatlands	Tidal Marsh
Shrub Tundra	Developed
Tussock Tundra	Barren/Ice/Snow/No Data
Wet Meadow	Open Water

All legend items may not appear on each map tile

NOTES

¹LANDFIRE is a collaborative partnership involving the U.S. Forest Service, Department of the Interior USGS, and the Nature Conservancy. The project generates landscape scale maps and data describing vegetation, fire, and fuel characteristics. Vegetation is mapped using predictive landscape models based on extensive field reference data, satellite imagery, biophysical gradient layers, and classification and regression trees.

For representation purposes at the scales shown here, some vegetation system groups have been combined.


Alder/Willow/Balsam Shrubland includes: Alder Shrubland, Willow Shrubland, Floodplain Forest and Shrubland, and Dwarf Shrubland.

Developed includes: Developed-Low Intensity, and Developed-Medium Intensity.

Tree Canopy includes: White Spruce Forest and Woodland, Black Spruce Forest and Woodland, Birch-Aspen Forest, White Spruce-Hardwood Forest and Woodland, Spruce-Lichen Woodland, Balsam Poplar-Aspen Woodland, Peatland Forest, Floodplain Forest and Shrubland, and Riparian Stringer Forest and Shrubland. Boreal Grassland was also included in this group as its occurrence is limited and located within other Tree Canopy areas.

DISCLAIMER

This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska Makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential, or other damages suffered by the user or any other person or entity from use of this atlas.




Map Projection: NAD 1983 Alaska Albers
 Map Scale: 1:250,000
 Contour Interval = 200'

Alaska Department of Natural Resources
 North Slope Planning Area

LANDCOVER

	May 2014	Tile C
		Page 2.3



LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

LANDFIRE 2010 (LFI 2.0) Existing Vegetation System Group¹

Tree Canopy	Sparse Tundra
Alder/Willow/Balsam Shrubland	Freshwater Marsh
Herbaceous Meadow/Shrub and Herbaceous Peatlands	Tidal Marsh
Shrub Tundra	Developed
Tussock Tundra	Barren/Ice/Snow/No Data
Wet Meadow	Open Water

All legend items may not appear on each map tile

NOTES

¹LANDFIRE is a collaborative partnership involving the U.S. Forest Service, Department of the Interior USGS, and the Nature Conservancy. The project generates landscape scale maps and data describing vegetation, fire, and fuel characteristics. Vegetation is mapped using predictive landscape models based on extensive field reference data, satellite imagery, biophysical gradient layers, and classification and regression trees.

For representation purposes at the scales shown here, some vegetation system groups have been combined.


Alder/Willow/Balsam Shrubland includes: Alder Shrubland, Willow Shrubland, Floodplain Forest and Shrubland, and Dwarf Shrubland.

Developed includes: Developed-Low Intensity, and Developed-Medium Intensity.

Tree Canopy includes: White Spruce Forest and Woodland, Black Spruce Forest and Woodland, Birch-Aspen Forest, White Spruce-Hardwood Forest and Woodland, Spruce-Lichen Woodland, Balsam Poplar-Aspen Woodland, Peatland Forest, Floodplain Forest and Shrubland, and Riparian Stringer Forest and Shrubland. Boreal Grassland was also included in this group as its occurrence is limited and located within other Tree Canopy areas.

DISCLAIMER

This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska Makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential, or other damages suffered by the user or any other person or entity from use of this atlas.




Map Projection: NAD 1983 Alaska Albers
 Map Scale: 1:250,000
 Contour Interval = 200'

Alaska Department of Natural Resources
 North Slope Planning Area

LANDCOVER

	May 2014	Tile D
		Page 2.4



LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

LANDFIRE 2010 (LFI 2.0) Existing Vegetation System Group¹

 Tree Canopy	 Sparse Tundra
 Alder/Willow/Balsam Shrubland	 Freshwater Marsh
 Herbaceous Meadow/Shrub and Herbaceous Peatlands	 Tidal Marsh
 Shrub Tundra	 Developed
 Tussock Tundra	 Barren/Ice/Snow/No Data
 Wet Meadow	 Open Water

All legend items may not appear on each map tile

NOTES

¹LANDFIRE is a collaborative partnership involving the U.S. Forest Service, Department of the Interior USGS, and the Nature Conservancy. The project generates landscape scale maps and data describing vegetation, fire, and fuel characteristics. Vegetation is mapped using predictive landscape models based on extensive field reference data, satellite imagery, biophysical gradient layers, and classification and regression trees.

For representation purposes at the scales shown here, some vegetation system groups have been combined.



Alder/Willow/Balsam Shrubland includes: Alder Shrubland, Willow Shrubland, Floodplain Forest and Shrubland, and Dwarf Shrubland.

Developed includes: Developed-Low Intensity, and Developed-Medium Intensity.

Tree Canopy includes: White Spruce Forest and Woodland, Black Spruce Forest and Woodland, Birch-Aspen Forest, White Spruce-Hardwood Forest and Woodland, Spruce-Lichen Woodland, Balsam Poplar-Aspen Woodland, Peatland Forest, Floodplain Forest and Shrubland, and Riparian Stringer Forest and Shrubland. Boreal Grassland was also included in this group as its occurrence is limited and located within other Tree Canopy areas.

DISCLAIMER

This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska Makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential, or other damages suffered by the user or any other person or entity from use of this atlas.



Alaska Department of Natural Resources
North Slope Planning Area

LANDCOVER

	May 2014	Tile E
		Page 2.5