

LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

National Wetlands Inventory Classifications (USFWS)¹

Estuarine and Marine Deepwater	Freshwater Pond
Estuarine and Marine Wetland	Lake
Freshwater Emergent Wetland	Other
Freshwater Forested/ShrubWetland	Riverine

Division Between NWI and NASA Datasets

All legend items may not appear on each map tile

NOTES


U.S. Fish & Wildlife NWI wetlands are only mapped and verified for portions of Alaska, making a discontinuous coverage as shown in the inventory coverage figure below.

Where USFWS NWI data are not available, wetlands classifications are shown as mapped by the National Aeronautics and Space Administration's (NASA) Jet Propulsion Laboratory. The classifications were developed by analyzing summer and winter layers of Synthetic Aperture Radar (SAR) imagery collected by the Japanese Earth Resources Satellite, operational between 1993 and 1998. Using the SAR imagery, the Random Forest classification algorithm was applied. Digital elevation data (National Elevation Dataset published by USGS) were used to calculate slope then combined to distinguish low-elevation wetland types and mask out slopes where terrain with higher slopes would be unable to retain enough water to act as wetlands. Ground reference data from the NWI were used to train the classification algorithm and evaluate its performance. The raster model was ground truthed against published NWI data (Whitcomb, J. M., Moghaddam, K., McDonald, J., Kellndorfer, and E. Podest, "Mapping wetlands of Alaska from L-band SAR imagery," C.J. Remote Sensing, vol. 35, no. 1, pp. 54-72, February 2009.)




DISCLAIMER

This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska Makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential or other damages suffered by the user or any other person or entity from use of this atlas.



Map Projection: NAD 1983 Alaska Albers
 Map Scale: 1:445,000
 Contour Interval = 200'

Alaska Department of Natural Resources
 North Slope Planning Area
WETLANDS



LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

National Wetlands Inventory Classifications (USFWS)¹

Estuarine and Marine Deepwater	Freshwater Pond
Estuarine and Marine Wetland	Lake
Freshwater Emergent Wetland	Other
Freshwater Forested/Shrub Wetland	Riverine


Division Between NWI and NASA Datasets

All legend items may not appear on each map tile

NOTES


U.S. Fish & Wildlife NWI wetlands are only mapped and verified for portions of Alaska, making a discontinuous coverage as shown in the inventory coverage figure below.

Where USFWS NWI data are not available, wetlands classifications are shown as mapped by the National Aeronautics and Space Administration's (NASA) Jet Propulsion Laboratory. The classifications were developed by analyzing summer and winter layers of Synthetic Aperture Radar (SAR) imagery collected by the Japanese Earth Resources Satellite, operational between 1993 and 1998. Using the SAR imagery, the Random Forest classification algorithm was applied. Digital elevation data (National Elevation Dataset published by USGS) were used to calculate slope then combined to distinguish low-elevation wetland types and mask out slopes where terrain with higher slopes would be unable to retain enough water to act as wetlands. Ground reference data from the NWI were used to train the classification algorithm and evaluate its performance. The raster model was ground truthed against published NWI data <ITA> (Whitcomb, J., M. Moqhaddam, K. McDonald, J. Kellendorfer, and E. Podest. "Mapping wetlands of Alaska from L-band SAR imagery." C.J. Remote Sensing, vol. 35, no. 1, pp. 54-72, February 2009).</ITA>



DISCLAIMER


This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential, or other damages suffered by the user or any other person or entity from use of this atlas.



Map Projection: NAD 1983 Alaska Albers
 Map Scale: 1:250,000
 Contour Interval = 200'

Alaska Department of Natural Resources
 North Slope Planning Area

WETLANDS



LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

National Wetlands Inventory Classifications (USFWS)

 Estuarine and Marine Deepwater	 Freshwater Pond
 Estuarine and Marine Wetland	 Lake
 Freshwater Emergent Wetland	 Other
 Freshwater Forested/ShrubWetland	 Riverine

Division Between NWI and NASA Datasets

All legend items may not appear on each map tile

NOTES


U.S. Fish & Wildlife NWI wetlands are only mapped and verified for portions of Alaska, making a discontinuous coverage as shown in the inventory coverage figure below.

Where USFWS NWI data are not available, wetlands classifications are shown as mapped by the National Aeronautics and Space Administration's (NASA) Jet Propulsion Laboratory. The classifications were developed by analyzing summer and winter layers of Synthetic Aperture Radar (SAR) imagery collected by the Japanese Earth Resources Satellite, operational between 1993 and 1998. Using the SAR imagery, the Random Forest classification algorithm was applied. Digital elevation data (National Elevation Dataset published by USGS) were used to calculate slope then combined to distinguish low-elevation wetland types and mask out slopes where terrain with higher slopes would be unable to retain enough water to act as wetlands. Ground reference data from the NWI were used to train the classification algorithm and evaluate its performance. The raster model was ground truthed against published NWI data (Whitcomb, J., M. Moghaddam, K. McDonald, J. Kellendorfer, and E. Podest. "Mapping wetlands of Alaska from L-band SAR imagery." C.J. Remote Sensing, vol. 35, no. 1, pp. 54-72, February 2009.)



DISCLAIMER

This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential, or other damages suffered by the user or any other person or entity from use of this atlas.




Map Projection: NAD 1983 Alaska Albers
 Map Scale: 1:250,000
 Contour Interval = 200'

Alaska Department of Natural Resources
North Slope Planning Area

WETLANDS

 May 2014	Tile B
	Page 1.2



LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

National Wetlands Inventory Classifications (USFWS)¹

 Estuarine and Marine Deepwater	 Freshwater Pond
 Estuarine and Marine Wetland	 Lake
 Freshwater Emergent Wetland	 Other
 Freshwater Forested/ShrubWetland	 Riverine

Division Between NWI and NASA Datasets

All legend items may not appear on each map tile

NOTES


U.S. Fish & Wildlife NWI wetlands are only mapped and verified for portions of Alaska, making a discontinuous coverage as shown in the inventory coverage figure below.

Where USFWS NWI data are not available, wetlands classifications are shown as mapped by the National Aeronautics and Space Administration's (NASA) Jet Propulsion Laboratory. The classifications were developed by analyzing summer and winter layers of Synthetic Aperture Radar (SAR) imagery collected by the Japanese Earth Resources Satellite, operational between 1993 and 1998. Using the SAR imagery, the Random Forest classification algorithm was applied. Digital elevation data (National Elevation Dataset published by USGS) were used to calculate slope then combined to distinguish low-elevation wetland types and mask out slopes where terrain with higher slopes would be unable to retain enough water to act as wetlands. Ground reference data from the NWI were used to train the classification algorithm and evaluate its performance. The raster model was ground truthed against published NWI data <ITA> (Whitcomb, J. M. Moqhaddam, K. McDonald, J. Kellendorfer, and E. Podest. "Mapping wetlands of Alaska from L-band SAR imagery." C.J. Remote Sensing, vol. 35, no. 1, pp. 54-72, February 2009).</ITA>



DISCLAIMER

This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential, or other damages suffered by the user or any other person or entity from use of this atlas.



Map Projection: NAD 1983 Alaska Albers
 Map Scale: 1:250,000
 Contour Interval = 200'


**Alaska Department of Natural Resources
North Slope Planning Area**

WETLANDS

May 2014

Tile C

Page 1.3



LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

National Wetlands Inventory Classifications (USFWS)¹

 Estuarine and Marine Deepwater	 Freshwater Pond
 Estuarine and Marine Wetland	 Lake
 Freshwater Emergent Wetland	 Other
 Freshwater Forested/Shrub/Wetland	 Riverine


Division Between NWI and NASA Datasets

All legend items may not appear on each map tile

NOTES


U.S. Fish & Wildlife NWI wetlands are only mapped and verified for portions of Alaska, making a discontinuous coverage as shown in the inventory coverage figure below.

Where USFWS NWI data are not available, wetlands classifications are shown as mapped by the National Aeronautics and Space Administration's (NASA) Jet Propulsion Laboratory. The classifications were developed by analyzing summer and winter layers of Synthetic Aperture Radar (SAR) imagery collected by the Japanese Earth Resources Satellite, operational between 1993 and 1998. Using the SAR imagery, the Random Forest classification algorithm was applied. Digital elevation data (National Elevation Dataset published by USGS) were used to calculate slope then combined to distinguish low-elevation wetland types and mask out slopes where terrain with higher slopes would be unable to retain enough water to act as wetlands. Ground reference data from the NWI were used to train the classification algorithm and evaluate its performance. The raster model was ground truthed against published NWI data <ITA> (Whitcomb, J. M. Moynihan, K. McDonald, J. Kellender, and E. Podest. "Mapping wetlands of Alaska from L-band SAR imagery." C.J. Remote Sensing, vol. 35, no. 1, pp. 54-72, February 2009).</ITA>



DISCLAIMER

This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska Makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential, or other damages suffered by the user or any other person or entity from use of this atlas.




Map Projection: NAD 1983 Alaska Albers
 Map Scale: 1:250,000
 Contour Interval = 200'

**Alaska Department of Natural Resources
North Slope Planning Area**

WETLANDS

 May 2014	Tile D
	Page 1.4



LEGEND

- North Slope Planning Area
- Conservation System Unit (Offset for display)
- USGS 250k Quad Boundaries
- Township Boundaries
- Trans-Alaska Pipeline
- Secondary Roads (unpaved)

National Wetlands Inventory Classifications (USFWS)¹

 Estuarine and Marine Deepwater	 Freshwater Pond
 Estuarine and Marine Wetland	 Lake
 Freshwater Emergent Wetland	 Other
 Freshwater Forested/ShrubWetland	 Riverine

Division Between NWI and NASA Datasets

All legend items may not appear on each map tile

NOTES


U.S. Fish & Wildlife NWI wetlands are only mapped and verified for portions of Alaska, making a discontinuous coverage as shown in the inventory coverage figure below.

Where USFWS NWI data are not available, wetlands classifications are shown as mapped by the National Aeronautics and Space Administration's (NASA) Jet Propulsion Laboratory. The classifications were developed by analyzing summer and winter layers of Synthetic Aperture Radar (SAR) imagery collected by the Japanese Earth Resources Satellite, operational between 1993 and 1998. Using the SAR imagery, the Random Forest classification algorithm was applied. Digital elevation data (National Elevation Dataset published by USGS) were used to calculate slope then combined to distinguish low-elevation wetland types and mask out slopes where terrain with higher slopes would be unable to retain enough water to act as wetlands. Ground reference data from the NWI were used to train the classification algorithm and evaluate its performance. The raster model was ground truthed against published NWI data <ITA> (Whitcomb, J. M. Moqhaddam, K. McDonald, J. Kellendorfer, and E. Podest. "Mapping wetlands of Alaska from L-band SAR imagery," C.J. Remote Sensing, vol. 35, no. 1, pp. 54-72, February 2009.)</ITA>



DISCLAIMER

This atlas is a graphical representation of digital data from multiple sources. Not all features indicated on this map have been constructed or physically located. This atlas is a reference document only and is not intended to be used for navigation. The State of Alaska makes no expressed or implied warranties with respect to the character, function, accuracy, or capabilities of this product or its appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential, or other damages suffered by the user or any other person or entity from use of this atlas.



Map Projection: NAD 1983 Alaska Albers
 Map Scale: 1:445,000
 Contour Interval = 200'

Alaska Department of Natural Resources
 North Slope Planning Area

WETLANDS

May 2014	Tile E
Page 1.5	