


VICINITY MAP 1" = 1 MILE
SOURCE: USGS QUAD FAIRBANKS B-2



STATE OF ALASKA

STATE OF ALASKA

APPLICANT CERTIFICATE

I, THE UNDERSIGNED, HEREBY CERTIFY THAT I AM THE APPLICANT AS SHOWN HEREON. I HEREBY APPROVE THIS SURVEY AND PLAT. TRACT A, ADL 416835

BY: Duane Dahl DATE: 9-18-06
DUANE DAHL
PO BOX 55355
NORTH POLE, AK 99705

NOTARY'S ACKNOWLEDGMENT

SUBSCRIBED AND SWORN TO BEFORE ME THIS 18th DAY OF September, 2006 FOR: Duane A. Dahl

Duane A. Dahl
NOTARY PUBLIC FOR ALASKA
MY COMMISSION EXPIRES With Office




TRACT A MONUMENTS AND ACCESSORIES

	ASLS 2003-17	4" SPRUCE	S 07°00' W	88.2'
		4" SPRUCE	S 60°00' W	50.2'
		6" SPRUCE	N 65°00' W	70.1'
	ASLS 2003-17	RM #1	S 02°38' E	25.0'
		RM #2	N 02°38' W	25.0'
	ASLS 2003-17	4" SPRUCE	N 54°30' E	22.0'
		5" SPRUCE	S 51°30' W	8.5'
		4" SPRUCE	N 48°00' W	18.0'
	ASLS 2003-17	10" SPRUCE	N 18°30' E	24.8'
		6" SPRUCE	S 20°30' W	26.4'
		8" SPRUCE	N 84°00' W	21.5'

BASIS OF COORDINATES
WCMC 1, TRACT C, ASLS 87-78
(PLAT NO. 88-9, N.R.D., AK)
LAT: 64° 14' 11.72" N
LONG: 147° 41' 54.27" W
NAD 1927

AIRSTRIPE BUILDING SETBACK LINE NOTE:
AIRSTRIPE BUILDING SETBACK LINES AS DEPICTED WITHIN TRACT A, ASLS 2003-17, ARE RESERVED BY THIS SHEET. ANY AIRSTRIPE BUILDING SETBACK LINES DEPICTED OUTSIDE THE BOUNDARY OF TRACT A, ASLS 2003-17, ARE NOT RESERVED BY THIS SHEET AND ARE FOR INFORMATIONAL PURPOSES ONLY.



1 METER = 3.280833 U.S. SURVEY FEET AND 1 U.S. ACRE = 0.4047 HECTARE

DATE OF SURVEY: Beginning <u>7-02-04</u> Ending <u>6-21-06</u>	NAME OF SURVEYOR: <u>DESIGN ALASKA, INC.</u> 601 College Road Fairbanks, Alaska 99701
--	--


STATE OF ALASKA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF MINING, LAND AND WATER
ANCHORAGE, ALASKA

ALASKA STATE LAND SURVEY No. 2003-17

WOOD RIVER RRCS
CREATING TRACTS A THROUGH I WITHIN
UNSURVEYED SECTIONS 19, 30, 32, AND 33
T. 7 S., R. 1 W., F.M., ALASKA
AND UNSURVEYED SECTIONS 11 AND 14
T. 7 S., R. 2 W., F.M., ALASKA
NENANA RECORDING DISTRICT



DRAWN BY: ELG/MLV	APPROVAL RECOMMENDED <u>Duane Dahl</u> <u>Nov 17, 2006</u>
DATE: 6/28/06	Statewide Platting Supervisor Date
SCALE: 1" = 100'	CHECKED: ELG FILE NO. ASLS 20030017

NENANA 2006-11 SHEET 2 OF 8



LINE	BEARING	LENGTH
B1	N 84°43'29" W	59.59'
B2	N 60°21'20" W	91.34'
B3	N 47°48'37" W	78.92'
B4	N 61°49'56" W	98.07'
B5	N 79°45'10" W	34.69'

LINE	BEARING	LENGTH
T1	N 60°31'53" W	39.12'
T2	S 69°04'07" E	225.52'
T3	S 32°56'57" E	30.29'
T4	S 32°56'57" E	36.53'



AIRSTRIP BUILDING SETBACK LINE NOTE:
AIRSTRIP BUILDING SETBACK LINES AS DEPICTED WITHIN TRACT B, ASLS 2003-17 ARE RESERVED BY THIS SHEET. ANY AIRSTRIP BUILDING SETBACK LINES DEPICTED OUTSIDE THE BOUNDARY OF TRACT B, ASLS 2003-17 ARE NOT RESERVED BY THIS SHEET AND ARE FOR INFORMATIONAL PURPOSES ONLY.

TRACT B MONUMENTS AND ACCESSORIES

- ASLS 2003-17 TR. B WC C.1 C.2 MC LS 9327 2004 RM #1 N 45°25' E 10.0' RM #2 N 09°00' W 10.0'
- ASLS 2003-17 WC C.2 TR. B MC LS 9327 2004 18" SPRUCE N 09°00' E 31.5' 8" SPRUCE S 64°00' W 20.3' 10" SPRUCE N 11°00' W 36.2'
- ASLS 2003-17 C.3 TR. B MC LS 9327 2004 RM #1 S 43°30' E 10.0' RM #2 S 65°00' W 10.0'
- ASLS 2003-17 C.4 TR. B MC LS 9327 2004 8" SPRUCE N 51°30' E 32.3' 8" SPRUCE S 69°00' W 37.7' 12" SPRUCE N 31°00' W 27.7'
- 1822-S C.3 ASLS xx 1988 24" SPRUCE N 05°00' E 63.1' 24" SPRUCE N 63°00' E 17.4' 10" SPRUCE N 87°00' W 65.1'


WCMC1 TRACT B MONUMENT NOTE:
THE ORIGINAL MONUMENT AND ACCESSORIES FOR WCMC2 OF ASLS 93-167 WERE DESTROYED DUE TO BANK EROSION. WCMC1 FOR TRACT B OF ASLS 2003-17 WAS REESTABLISHED ALONG THE RECORD LINE OF CORNERS 2-3 OF ASLS 93-167.

APPLICANT CERTIFICATE
I, THE UNDERSIGNED, HEREBY CERTIFY THAT I AM THE APPLICANT AS SHOWN HEREON. I HEREBY APPROVE THIS SURVEY AND PLAT. TRACT B, ADL 416910
BY: Gina Graham DATE: 9/21/2006
GINA GRAHAM
2575 CRESSBARD CT.
FAIRBANKS, AK 99709

NOTARY'S ACKNOWLEDGMENT
SUBSCRIBED AND SWORN TO BEFORE ME THIS 21 DAY OF September, 2006 FOR: Gina Graham
Mark Muel
NOTARY PUBLIC FOR ALASKA
MY COMMISSION EXPIRES June 9, 2008


BASIS OF COORDINATES
WCMC 1, TRACT C, ASLS 87-78 (PLAT NO. 88-9, N.R.D., AK)
LAT: 64° 14' 11.72" N
LONG: 147° 41' 54.27" W
NAD 1927

FLOOD ZONE A BASE FLOOD ELEVATION NOTE:
THIS PARCEL LIES, IN WHOLE OR IN PART, WITHIN FLOOD ZONE A, WITH A BASE FLOOD ELEVATION OF 828 FEET. THE BASE FLOOD ELEVATION WAS CALCULATED BY ADDING 3 FEET TO THE AVERAGE HEIGHT OF THE TOP OF BANK. ELEVATIONS REFERENCED THIS SHEET ARE ELLIPSOIDAL, NAD83, FEET.




1 METER = 3.280833 U.S. SURVEY FEET AND 1 U.S. ACRE = 0.4047 HECTARE


DATE OF SURVEY: Beginning <u>7-02-04</u> Ending <u>6-21-06</u>	NAME OF SURVEYOR: DESIGN ALASKA, INC. 601 College Road Fairbanks, Alaska 99701
STATE OF ALASKA DEPARTMENT OF NATURAL RESOURCES DIVISION OF MINING, LAND AND WATER ANCHORAGE, ALASKA	
ALASKA STATE LAND SURVEY No. 2003-17	
WOOD RIVER RRCS CREATING TRACTS A THROUGH I WITHIN UNSURVEYED SECTIONS 19, 30, 32, AND 33 T. 7 S., R. 1 W., F.M., ALASKA AND UNSURVEYED SECTIONS 11 AND 14 T. 7 S., R. 2 W., F.M., ALASKA NENANA RECORDING DISTRICT	
DRAWN BY: ELG/MLV DATE: <u>6/28/06</u> SCALE: 1" = 100'	APPROVAL RECOMMENDED <u>Shelley</u> <u>Nov 17, 2006</u> Statewide Platting Supervisor CHECKED: ELG FILE NO. ASLS 20030017



VICINITY MAP
SOURCE: USGS QUAD FAIRBANKS B-2



STATE OF ALASKA



STATE OF ALASKA

ASLS 2003-17
TRACT C
19.76 Acres

C1 TRACT C
LAT: 64° 17' 36.586" N
LONG: 147° 49' 22.541" W
NAD 1927

PROTRACTED POSITION
C. 1/4, SECTION 19

WOOD RIVER RRCS
STAKING BOUNDARY

1/4 SECTION LINE
SECTION 19

STATE OF ALASKA

TRACT C MONUMENTS AND ACCESSORIES

	5" BIRCH	S 45°00' E	10.7'
	5" BIRCH	S 2°00' W	15.2'
	4" SPRUCE	N 40°00' W	7.0'
	10" SPRUCE	N 04°30' E	25.4'
	8" SPRUCE	S 33°00' E	18.6'
	8" SPRUCE	N 40°00' W	17.1'
	6" SPRUCE	N 06°00' E	16.0'
	8" SPRUCE	S 15°00' E	21.7'
	10" SPRUCE	N 29°00' W	13.4'
	6" SPRUCE	N 13°40' E	63.3'
	10" SPRUCE	S 33°30' W	19.0'
	6" SPRUCE	N 86°00' W	15.7'

BASIS OF COORDINATES
WCMC 1, TRACT C, ASLS 87-78
(PLAT NO. 88-9, N.R.D., AK)
LAT: 64° 14' 11.72" N
LONG: 147° 41' 54.27" W
NAD 1927

APPLICANT CERTIFICATE


I, THE UNDERSIGNED, HEREBY CERTIFY THAT I AM THE APPLICANT AS SHOWN HEREON. I HEREBY APPROVE THIS SURVEY AND PLAT. TRACT C, ADL 416867

BY: Erik Hursh DATE: 18 Sep 2006
ERIK HURSH
PO BOX 55693
NORTH POLE, AK 99705

NOTARY'S ACKNOWLEDGMENT

SUBSCRIBED AND SWORN TO BEFORE ME THIS 18th DAY OF September, 20 06 FOR: Erik F. Hursh

Owen A. Cobey
NOTARY PUBLIC FOR ALASKA
MY COMMISSION EXPIRES With Office



1 METER = 3.280833 U.S. SURVEY FEET AND 1 U.S. ACRE = 0.4047 HECTARE

DATE OF SURVEY: Beginning <u>7-02-04</u> Ending <u>6-21-06</u>	NAME OF SURVEYOR: <u>DESIGN ALASKA, INC.</u> 601 College Road Fairbanks, Alaska 99701
--	--


STATE OF ALASKA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF MINING, LAND AND WATER
ANCHORAGE, ALASKA

ALASKA STATE LAND SURVEY No. 2003-17


WOOD RIVER RRCS
CREATING TRACTS A THROUGH I WITHIN
UNSURVEYED SECTIONS 19, 30, 32, AND 33
T. 7 S., R. 1 W., F.M., ALASKA
AND UNSURVEYED SECTIONS 11 AND 14
T. 7 S., R. 2 W., F.M., ALASKA
NENANA RECORDING DISTRICT

DRAWN BY: ELG/MLV	APPROVAL RECOMMENDED <u>[Signature]</u> <u>Nov 17, 2006</u>
DATE <u>6/28/06</u>	Statewide Plotting Supervisor Date
SCALE: 1" = 100'	CHECKED: ELG FILE NO. ASLS 20030017


NENANA 2006-14



Approximate Mean Magnetic Declination, USGS Fairbanks A-2 1972



VICINITY MAP 1" = 1 MILE
SOURCE: USGS QUAD FAIRBANKS B-2



LINE	BEARING	LENGTH
D1	N 82°27'33" W	83.02'
D2	N 84°23'30" W	157.41'
D3	N 83°17'42" W	142.82'
D4	N 65°24'46" W	358.20'
D5	N 76°57'42" W	194.95'
D6	N 76°57'42" W	56.88'
D7	N 58°57'27" W	160.28'
D8	N 67°30'12" W	124.50'
D9	N 74°58'47" W	161.82'
D10	N 72°31'59" W	197.06'

TRACT D MONUMENTS AND ACCESSORIES

- ASLS 2003-17 TR. D WC C.1 / TR. E C.1 MC LS 9327 2004: 10" SPRUCE N 20°00' E 6.5', 10" SPRUCE N 82°00' E 15.7', 12" SPRUCE S 64°00' W 26.6'
- ASLS 2003-17 TR. D C.2 / TR. E C.2 MC LS 9327 2003: 8" SPRUCE S 80°00' E 8.3', 6" SPRUCE S 74°00' W 20.3', 8" SPRUCE N 80°00' W 14.3'
- ASLS 2003-17 TR. D C.3 / TR. E C.3 MC LS 9327 2004: 8" SPRUCE N 53°50' E 7.3', 10" SPRUCE S 10°30' E 14.3', 8" SPRUCE S 60°00' W 23.2'
- ASLS 2003-17 TR. D C.4 / TR. E C.4 MC LS 9327 2004: 24" SPRUCE S 42°00' E 18.3', 18" SPRUCE S 41°40' W 7.1', 18" SPRUCE N 72°30' W 14.1'

APPLICANT CERTIFICATE

I, THE UNDERSIGNED, HEREBY CERTIFY THAT I AM THE APPLICANT AS SHOWN HEREON. I HEREBY APPROVE THIS SURVEY AND PLAT. TRACT D, ADL 416911

BY: Gaylin Stiner DATE: 10/2/06
GAYLIN STINER
10820 KLUTINA CIRCLE
EAGLE RIVER, AK 99577

NOTARY'S ACKNOWLEDGMENT

SUBSCRIBED AND SWORN TO BEFORE ME THIS 2nd DAY OF OCTOBER, 2006 FOR: Gaylin Stiner
NOTARY PUBLIC FOR ALASKA
MY COMMISSION EXPIRES 1-9-09



BASIS OF COORDINATES
WCMC 1, TRACT C, ASLS 87-78 (PLAT NO. 88-9, N.R.D., AK)
LAT: 64° 14' 11.72" N
LONG: 147° 41' 54.27" W
NAD 1927

APPLICANT CERTIFICATE

I, THE UNDERSIGNED, HEREBY CERTIFY THAT I AM THE APPLICANT AS SHOWN HEREON. I HEREBY APPROVE THIS SURVEY AND PLAT. TRACT E, ADL 416850

BY: Thomas Zuccaro DATE: 15 SEPTEMBER 2006
THOMAS ZUCCARO
2149 VOYAGER ST.
NORTH POLE, AK 99705

NOTARY'S ACKNOWLEDGMENT

SUBSCRIBED AND SWORN TO BEFORE ME THIS 15th DAY OF September, 2006 FOR: Thomas Zuccaro
NOTARY PUBLIC FOR ALASKA
MY COMMISSION EXPIRES With Office




TRACT E MONUMENTS AND ACCESSORIES

- ASLS 2003-17 TR. D WC C.1 / TR. E C.1 MC LS 9327 2004: 10" SPRUCE N 20°00' E 6.5', 10" SPRUCE N 82°00' E 15.7', 12" SPRUCE S 64°00' W 26.6'
- ASLS 2003-17 TR. D C.2 / TR. E C.2 MC LS 9327 2003: 8" SPRUCE S 80°00' E 8.3', 6" SPRUCE S 74°00' W 20.3', 8" SPRUCE N 80°00' W 14.3'
- ASLS 2003-17 TR. E C.3 / TR. D C.3 MC LS 9327 2004: 4" SPRUCE N 50°00' E 63.2', 6" SPRUCE S 10°00' E 77.8', 6" SPRUCE N 21°00' W 91.4'
- ASLS 2003-17 TR. E C.4 / TR. D C.4 MC LS 9327 2004: 8" SPRUCE N 39°00' E 46.5', 6" SPRUCE S 36°00' W 9.8', 10" SPRUCE S 67°40' W 24.5'

FLOOD ZONE A BASE FLOOD ELEVATION NOTE:
THESE PARCELS LIE, IN WHOLE OR IN PART, WITHIN FLOOD ZONE A, WITH A BASE FLOOD ELEVATION OF 930.3 FEET. THE BASE FLOOD ELEVATION WAS CALCULATED BY ADDING 3 FEET TO THE AVERAGE HEIGHT OF THE TOP OF BANK. ELEVATIONS REFERENCED THIS SHEET ARE ELLIPSOIDAL, NAD83, FEET.

CONTROL MONUMENT NOTE:
EASEMENTS FOR CONTROL MONUMENT 11 (CM-11) EXIST AS PER THE CADASTRAL SURVEY CONTROL PLAT FOR T7S, R1W, F.M., ALASKA, RECORDED AS PLAT NUMBER 79-39, AS FOLLOWS:
"...EASEMENTS ARE CREATED FOR ACCESS TO THESE CONTROL STATIONS FROM THE NEAREST PRACTICAL PROPERTY BOUNDARY. THERE IS AN EASEMENT WITH A RADIUS OF FIVE FEET AROUND THE CONTROL STATION, A PEDESTRIAN ACCESS EASEMENT FIVE FEET WIDE FROM THE NEAREST PRACTICAL PROPERTY BOUNDARY TO THE CONTROL STATION AND, WHERE APPLICABLE, A FIVE FOOT WIDE DIRECT LINE-OF-SITE EASEMENT FROM THE CONTROL STATION TO OTHER EXISTING CONTROL STATIONS."



1 METER = 3.280833 U.S. SURVEY FEET AND 1 U.S. ACRE = 0.4047 HECTARE

DATE OF SURVEY: Beginning <u>7-02-04</u> Ending <u>6-21-06</u>	NAME OF SURVEYOR: <u>DESIGN ALASKA, INC.</u> 601 College Road Fairbanks, Alaska 99701
--	--


STATE OF ALASKA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF MINING, LAND AND WATER
ANCHORAGE, ALASKA

ALASKA STATE LAND SURVEY No. 2003-17


WOOD RIVER RRCs
CREATING TRACTS A THROUGH I WITHIN
UNSURVEYED SECTIONS 19, 30, 32, AND 33
T. 7 S., R. 1 W., F.M., ALASKA
AND UNSURVEYED SECTIONS 11 AND 14
T. 7 S., R. 2 W., F.M., ALASKA
NENANA RECORDING DISTRICT

DRAWN BY: ELG/MLV	APPROVAL RECOMMENDED <u>Richard Jennings</u> Nov 17, 2006
DATE: 6/28/06	Statewide Planning Supervisor Date
SCALE: 1" = 100'	CHECKED: ELG FILE NO. ASLS 20030017

NENANA 2006-14



CONTROL MONUMENT NOTE:
 EASEMENTS FOR CONTROL MONUMENT 9 (CM-9) EXIST AS PER THE CADASTRAL SURVEY CONTROL PLAT FOR T7S, R1W, F.M., ALASKA, RECORDED AS PLAT NUMBER 79-39, AS FOLLOWS:
 "...EASEMENTS ARE CREATED FOR ACCESS TO THESE CONTROL STATIONS FROM THE NEAREST PRACTICAL PROPERTY BOUNDARY. THERE IS AN EASEMENT WITH A RADIUS OF FIVE FEET AROUND THE CONTROL STATION, A PEDESTRIAN ACCESS EASEMENT FIVE FEET WIDE FROM THE NEAREST PRACTICAL PROPERTY BOUNDARY TO THE CONTROL STATION AND, WHERE APPLICABLE, A FIVE FOOT WIDE DIRECT LINE-OF-SITE EASEMENT FROM THE CONTROL STATION TO OTHER EXISTING CONTROL STATIONS."



APPLICANT CERTIFICATE

I, THE UNDERSIGNED, HEREBY CERTIFY THAT I AM THE APPLICANT AS SHOWN HEREON. I HEREBY APPROVE THIS SURVEY AND PLAT. TRACT F, ADL 416903

BY: Stephen Vogler DATE: 10/4/06
 STEPHEN VOGLER
 4347 RENDEZVOUS CIRCLE
 ANCHORAGE, AK 99504

NOTARY'S ACKNOWLEDGMENT

SUBSCRIBED AND SWORN TO BEFORE ME THIS 4th DAY OF October, 2006 FOR: Stephen Vogler

Charles A. Pinkney
 NOTARY PUBLIC FOR ALASKA
 MY COMMISSION EXPIRES WITH OFFICE



TRACT F MONUMENTS AND ACCESSORIES


ASLS 92-166 WCMC / TR. F C.3 / C.1 5880-S 1992	22" SPRUCE	N 72°00' E	14.5'
	20" SPRUCE	S 10°00' E	11.5'
	20" SPRUCE	S 86°00' W	13.6'
ASLS 92-166 COR / 2 5880-S 1992	12" SPRUCE	N 58°00' E	8.4'
	10" SPRUCE	S 86°00' W	5.2'
	11" SPRUCE	N 50°00' W	9.1'
ASLS 2003-17 C.2 TR. F LS 9327 2004	10" SPRUCE	N 86°00' E	17.1'
	6" SPRUCE	S 12°00' E	14.1'
	10" SPRUCE	N 27°00' W	14.9'
DESIGN ALASKA ASLS 91-248 1992 LS 6945	9" SPRUCE	S 84°00' E	31.8'
	8" SPRUCE	S 24°00' E	32.3'
	8" SPRUCE	N 67°00' W	19.3'
DESIGN ALASKA WC ASLS 91-248 MC 1992 LS 6945	10" SPRUCE	N 16°00' E	50.8'
	9" SPRUCE	N 55°00' E	44.3'
	14" SPRUCE	N 65°00' W	53.5'

MEANDER LINE TABLE

LINE	BEARING	LENGTH
F1	S 75°45'34" W	139.31'
F2	N 69°00'46" W	112.81'
F3	N 58°23'08" W	243.33'
F4	N 47°01'58" W	242.52'

FLOOD ZONE A BASE FLOOD ELEVATION NOTE:
 THIS PARCEL LIES, IN WHOLE OR IN PART, WITHIN FLOOD ZONE A, WITH A BASE FLOOD ELEVATION OF 1007.0 FEET. THE BASE FLOOD ELEVATION WAS CALCULATED BY ADDING 3 FEET TO THE AVERAGE HEIGHT OF THE TOP OF BANK. ELEVATIONS REFERENCED THIS SHEET ARE ELLIPSOIDAL, NAD83, FEET.

BASIS OF COORDINATES
 WCMC 1, TRACT C, ASLS 87-78 (PLAT NO. 88-9, N.R.D., AK)
 LAT: 64° 14' 11.72" N
 LONG: 147° 41' 54.27" W
 NAD 1927



STATE OF ALASKA
 DEPARTMENT OF NATURAL RESOURCES
 DIVISION OF MINING, LAND AND WATER
 ANCHORAGE, ALASKA


ALASKA STATE LAND SURVEY No. 2003-17

WOOD RIVER RRCS
 CREATING TRACTS A THROUGH I WITHIN
**UNSURVEYED SECTIONS 19, 30, 32, AND 33
 T. 7 S., R. 1 W., F.M., ALASKA
 AND UNSURVEYED SECTIONS 11 AND 14
 T. 7 S., R. 2 W., F.M., ALASKA**
 NENANA RECORDING DISTRICT

DATE OF SURVEY: Beginning 7-02-04 Ending 6-21-06
 NAME OF SURVEYOR: DESIGN ALASKA, INC.
 601 College Road
 Fairbanks, Alaska 99701

DRAWN BY: ELG/MLV
 DATE: 6/28/06
 SCALE: 1" = 100'

APPROVAL RECOMMENDED
Statewide Platting Supervisor Date: Nov 17, 2006
 FILE NO. ASLS 20030017



APPLICANT CERTIFICATE

I, THE UNDERSIGNED, HEREBY CERTIFY THAT I AM THE APPLICANT AS SHOWN HEREON. I HEREBY APPROVE THIS SURVEY AND PLAT. TRACT G, ADL 416866

BY: John Markel DATE: Nov 2, 06
 JOHN MARKEL
 PO BOX 891
 GIRDWOOD, AK 99587


NOTARY'S ACKNOWLEDGMENT

SUBSCRIBED AND SWORN TO BEFORE ME THIS 2nd DAY OF November, 2006 FOR: John Markel

Charles A. Pirkmeier
 NOTARY PUBLIC FOR ALASKA
 MY COMMISSION EXPIRES with office



THERE IS NO APPLICANT FOR TRACT I



1 METER = 3.280833 U.S. SURVEY FEET AND 1 U.S. ACRE = 0.4047 HECTARE

DATE OF SURVEY: Beginning 7-02-04 Ending 6-21-06 NAME OF SURVEYOR: DESIGN ALASKA, INC. 601 College Road Fairbanks, Alaska 99701

STATE OF ALASKA
 DEPARTMENT OF NATURAL RESOURCES
 DIVISION OF MINING, LAND AND WATER
 ANCHORAGE, ALASKA

ALASKA STATE LAND SURVEY No. 2003-17

WOOD RIVER RRCS
 CREATING TRACTS A THROUGH I WITHIN
UNSURVEYED SECTIONS 19, 30, 32, AND 33
T. 7 S., R. 1 W., F.M. ALASKA
AND UNSURVEYED SECTIONS 11 AND 14
T. 7 S., R. 2 W., F.M. ALASKA
 NENANA RECORDING DISTRICT

DRAWN BY: ELG/MLV APPROVAL RECOMMENDED: Nov 17, 2006
 DATE: 6/28/06 Statewide Plotting Supervisor Date
 SCALE: 1" = 100' CHECKED: ELG FILE NO. ASLS 20030017

TRACT I MONUMENTS AND ACCESSORIES

- ASLS 2003-17
C.4 TR-G TR-I
WC MC
2004 LS 9327
10" SPRUCE N 70°00' E 13.4'
9" SPRUCE S 46°00' E 18.8'
7" SPRUCE S 40°00' W 7.5'
- ASLS 2003-17
C.3 TR-G TR-I
WC MC
2004 LS 9327
6" SPRUCE N 38°00' E 6.0'
6" SPRUCE S 81°00' E 18.9'
8" SPRUCE N 51°00' W 9.7'
- ASLS 2003-17
TR-I TR-G
WC MC
2006 LS 9327
10" SPRUCE N 39°00' E 27.5'
10" SPRUCE S 51°00' E 28.3'
8" SPRUCE N 80°00' W 27.7'
- ASLS 2003-17
TR-I TR-G
WC MC
2006 LS 9327
8" SPRUCE N 22°00' E 14.7'
10" SPRUCE S 81°00' E 25.6'
7" SPRUCE S 22°00' E 18.7'

TRACT G MONUMENTS AND ACCESSORIES



- DESIGN ALASKA
ASLS WC
92-248 TR-G
C4 TR-G
MC
1992 LS 6945
16" CTNWOOD N 12°00' E 41.9'
18" CTNWOOD S 30°00' E 40.4'
16" CTNWOOD N 59°00' W 12.3'
- DESIGN ALASKA
C3 TR-G
C2 TR-G
91-248 TR-G
C3 TR-G
1992 LS 6945
8" SPRUCE S 69°00' E 33.4'
12" SPRUCE S 74°00' W 33.9'
10" SPRUCE N 39°00' W 30.3'
- ASLS 2003-17
C.3 TR-G TR-I
WC MC
2004 LS 9327
6" SPRUCE N 38°00' E 6.0'
6" SPRUCE S 81°00' E 18.9'
8" SPRUCE N 51°00' W 9.7'
- ASLS 2003-17
C.4 TR-G TR-I
WC MC
2004 LS 9327
10" SPRUCE N 70°00' E 13.4'
9" SPRUCE S 46°00' E 18.8'
7" SPRUCE S 40°00' W 7.5'

LINE	BEARING	LENGTH
G1	N 35°10'47" W	57.70'
G2	N 42°20'35" W	368.10'
G3	S 85°56'31" W	197.17'
G4	N 62°06'47" W	261.41'
G5	N 58°47'13" W	188.52'
G6	N 83°10'56" W	179.94'
G7	N 51°25'19" W	11.81'

LINE	BEARING	LENGTH
I1	N 51°25'19" W	251.88'
I2	N 52°15'39" W	176.34'
I3	N 73°49'45" W	194.53'
I4	N 79°40'01" W	164.28'
I5	S 58°10'51" W	86.07'
I6	N 86°50'10" W	84.40'

FLOOD ZONE A BASE FLOOD ELEVATION NOTE:
 THESE PARCELS LIE, IN WHOLE OR IN PART, WITHIN FLOOD ZONE A, WITH A BASE FLOOD ELEVATION OF 1024.8 FEET. THE BASE FLOOD ELEVATION WAS CALCULATED BY ADDING 3 FEET TO THE AVERAGE HEIGHT OF THE TOP OF BANK. ELEVATIONS REFERENCED THIS SHEET ARE ELLIPSOIDAL, NAD83, FEET.

BASIS OF COORDINATES
 WCMC 1, TRACT C, ASLS 87-78
 (PLAT NO. 88-9, N.R.D., AK)
 LAT: 64° 14' 11.72" N
 LONG: 147° 41' 54.27" W
 NAD 1927



TRACT H MONUMENTS AND ACCESSORIES


	6" SPRUCE	N 66°00' E	21.6'
	7" SPRUCE	S 10°00' E	10.8'
	8" SPRUCE	S 40°00' W	5.2'
	5" SPRUCE	N 70°00' E	35.0'
	6" SPRUCE	S 55°00' E	29.8'
	6" SPRUCE	S 16°00' W	33.9'
	8" SPRUCE	N 52°00' E	19.4'
	14" SPRUCE	S 30°00' E	19.4'
	12" SPRUCE	S 24°00' W	16.3'
	11" SPRUCE	N 00°00' E	34.5'
	12" SPRUCE	N 71°00' E	28.9'
	8" SPRUCE	S 50°00' E	14.2'

LINE	BEARING	LENGTH
H1	N 35°15'45" W	70.33'
H2	N 41°01'00" W	154.36'
H3	N 35°34'48" W	177.73'
H4	N 54°16'13" W	50.03'

BASIS OF COORDINATES
 WCMC 1, TRACT C, ASLS 87-78
 (PLAT NO. 88-9, N.R.D., AK)
 LAT: 64° 14' 11.72" N
 LONG: 147° 41' 54.27" W
 NAD 1927

THERE IS NO APPLICANT FOR TRACT H

FLOOD ZONE A BASE FLOOD ELEVATION NOTE:
 THIS PARCEL LIES, IN WHOLE OR IN PART, WITHIN FLOOD ZONE A, WITH A BASE FLOOD ELEVATION OF 837 FEET. THE BASE FLOOD ELEVATION WAS CALCULATED BY ADDING 3 FEET TO THE AVERAGE HEIGHT OF THE TOP OF BANK. ELEVATIONS REFERENCED THIS SHEET ARE ELLIPSOIDAL, NAD83, FEET.



2006-14
 NENANA REC DIST
 DATE 12-1-2006
 TIME 12:12 P.M.
 Requested By DJR/HLW
 Address

DATE OF SURVEY: Beginning 7-02-04 Ending 6-21-06	NAME OF SURVEYOR: DESIGN ALASKA, INC. 601 College Road Fairbanks, Alaska 99701
STATE OF ALASKA DEPARTMENT OF NATURAL RESOURCES DIVISION OF MINING, LAND AND WATER ANCHORAGE, ALASKA	
ALASKA STATE LAND SURVEY No. 2003-17	
WOOD RIVER RRCS CREATING TRACTS A THROUGH I WITHIN UNSURVEYED SECTIONS 19, 30, 32, AND 33 T. 7 S., R. 1 W., F.M., ALASKA AND UNSURVEYED SECTIONS 11 AND 14 T. 7 S., R. 2 W., F.M., ALASKA NENANA RECORDING DISTRICT	
DRAWN BY: ELG/MLV	APPROVAL RECOMMENDED <i>Sheld Framing Nov 17, 2006</i> Statewide Platting Supervisor Date
DATE 8/28/06	CHECKED: ELG FILE NO. ASLS 20030017
SCALE: 1" = 100'	