



21320

Boring Log and Well Construction Data for MW-1



Well Design
Completion Type - FLUSH
Reference Elev - 115.12
Construction - 2" PVC



1. Soil descriptions are interpretative and actual changes may be gradual.
2. Water level is for date indicated and may vary with time of year. (ATD-At Time of Drilling)
3. Refer to Figure A-1 for explanation of symbols.
4. EPA Test methods: EPH (3550/8015)

8277-277MW-1



HARTCROWSER

A-8277-00 5-9
FIGURE A-2

Ref. Source : Hart Crowser, 1992, Site Investigation Tustumena Elementary School. Prepared for Kenai Peninsula Borough. Report No. A-8277-00, May 1992.


SP3-11-31BDC2-1
601828151154301

MONITORING WELL AND BORING LOCATIONS TUSTUMENA ELEMENTARY SCHOOL KASILOF, ALASKA

STERLING HIGHWAY

PROPERTY LINE

POTABLE WATER SUPPLY WELL




LEGEND

- MW-4 MONITORING WELL
- B-2 VERTICAL BORING
- AB-2 ANGLE BORING

TBM - ELEV. 117.16'
SPIKE IN POWER POLE
WITH LAMP

KASILOF RIVER HEIGHTS



AD\8277\277ASITE

HARTCROWSER

A-8277-00 5-92
FIGURE 2

SB 3-11-31 BDC 2-1