



*Guide for Using the Hydrogeologic Classification System for Logging Water Well Boreholes by Thomas M. Hanna NGWA Press

21322

Boring Log and Well Construction Data for MW-3



Well Design
 Completion Type - FLUSH
 Reference Elev - 113.93
 Construction - 2" PVC



1. Soil descriptions are interpretative and actual changes may be gradual.
2. Water level is for date indicated and may vary with time of year. (ATD-At Time of Drilling)
3. Refer to Figure A-1 for explanation of symbols.
4. EPA Test methods: EPH (3550/8015)

BL8277\277W-3

HART CROWSER
 A-8277-00 5-92
 FIGURE A-4

Ref. Source: Hart Crowser, 1992, Site Investigation Tustumena Elementary School. Prepared for Kenai Peninsula Borough. Report No. A-8277-00, May 1992.

DRAINAGE WELL AND BORING LOCATIONS TUSTUMENA ELEMENTARY SCHOOL KASILOF, ALASKA

STERLING HIGHWAY

PROPERTY LINE

MW-3

AB-1

POTABLE WATER SUPPLY WELL

MW-4

MW-2

B-3

TUSTUMENA ELEMENTARY SCHOOL

B-2


MW-1

LEGEND

- MW-4 MONITORING WELL
- B-2 VERTICAL BORING
- AB-2 ANGLE BORING

TBM - ELEV. 117.16'
SPIKE IN POWER POLE
WITH LAMP

KASILOF RIVER HEIGHTS



A-8277-00 277ASITE

HARTCROWSER
A-8277-00 5-92
FIGURE 2

SB 3-11-31 BDCB-11