

Ray Peters

J. & O. DRILLING

1060 BIRCH ST.
FAIRBANKS, ALASKA 99701
452-4536

WELL LOG

OWNER:

MATERIAL

From

To

Name

Ray Peters

Address

Well location

Type of well

Rotary Driller

Proposed use

Domestic

Casing installed: threaded

weld

5 "dia. *0* ft. to *63* ft. Gauge

"dia. ft. to ft. Gauge

Perforated:

yes

no

size

4/8 x 8

3 perf. from *60* ft. to *63* ft.

perf. from ft. to ft.

perf. from ft. to ft.

Screen Installed:

No

Mfg.

Dia. slot from ft. to ft.

Water level from top of ground to water

static level Date

Well Test

pump test yield GPM ft.

drawdown. Hours pumped

Construction:

Well seal used depth size

Gravel pack from ft. to ft.

Drive shoe *Yes* depth well drilled *63*

Dia. of well below casing

Silt

0

2

Gravel

2

4

Frozen Gravel + Sand

4

54

Sand w/water

54

57

Gravel w/water

57

63

Work started *10/14/83* finished *10/14/83*

Pump installed *X* date *10-17-83*

brand *Couros* S/N. *L 004872*

model *7EH* hp *1/2* volt *230* depth *30'* ft.

Pitless *MASS* size *1"* depth *4* ft. below ground

well cap used *X* size *5"* brand *Whitewater*

This well was constructed under my direct supervision, materials used and information reported above are true to my best knowledge and belief.

Signed *Richard E. Lang* date *10/16/83*

