

KEN'S COMPANY

WATER WELL DRILLING

PUMP SALES & SERVICE

(907) 243-7893

KEN JOHNSON

MUNICIPALITY OF ANCHORAGE
DEPT. OF HEALTH & ENVIRONMENTAL PROTECTION
963 HINDEN DRIVE
ANCHORAGE, ALASKA 99502

JUN 22 1987 NOVEMBER 19, 1986

RECEIVED

MIKE PRATT
PRATT CONSTRUCTION
1809 CINDY LEE LANE
ANCHORAGE, ALASKA 99507

(562-5982 Pager 268-6314)

RE: LOT ONE BLOCK TWO CONIFER HEIGHTS SUBD.

WATER WELL LOG

0 ft to 8 ft	Dirt.. FILL ..
8 ft to 16 ft	Black Organics..Trace of fine grav
16 ft to 22 ft	Med. grav & brown silt
22 ft to 66 ft	Med. grav & gray silt
66 ft to 77 ft	Course grav & gray silt
77 ft to 80 ft	Same with finer grav
80 ft to 86 ft	Med grav & gray silt
86 ft to 99 ft	Courser grav & gray silt
99 ft to 102 ft	Clean Med grav & sand Water bearing..
	Overnite 15 ft head..Test bailed..
	100% drawdown & recovers at 3 GPM
102 ft to 112 ft	Med grav & light brown silt ..dry ..
112 ft to 113 ft	Over night weep in 17 ft head..recovers at 1 GPM
	Med. grav & sand
113 ft to 116 ft	Med grav & brn silt ..dry ..
116 ft to 118 ft	Same..Weeps H2O .. Tight..
118 ft to 130 ft	Med. grav & brn silt..drills open..dry..
130 ft to 135 ft	Fractured Bedrock..Weeps H2O.. 1 GPM..
	Casing refusal at 135 ft GL ..
135 ft to 153 ft	Firm rock with occasional fracture.. Yields
	Approx. 1.5 GPM. Overnight Static 90'-6".

PERFORATED CASING WITH STAR PERFORATOR AT
FOLLOWING DEPTHS FROM G.L. SAMPLE PERFORATIONS
ON TOP OF CASING..

98 ft to 102 ft	
112 ft to 113 ft	
116 ft to 118 ft	
130 ft to 133 ft	SURGED PERF. & TEST BAILED

STATIC WATER LEVEL 85 ft. (TOC)
Test bailed at 10 GPM Good recovery
14 ft Drawdown...TOTAL DEPTH 153 ft (TOC)
TOTAL CASING 136 ft 6 in.

KEN'S COMPANY

**WATER WELL DRILLING
PUMP SALES & SERVICE**

35 YEARS ALASKA DRILLING

(907) 243-2282
KEN JOHNSON

3163 LINDEN DRIVE
ANCHORAGE, ALASKA 99502

WATERWELL - TEST PUMP REPORT

Sheet 1 of 1
Date: 11/31/87

Owner: MIKE PRATT CONST. Address: 1809 CINDY LEE LANE ANCH. AK 99507 Date: 1/31/87
Well Location: DOWNHILL & BUDDY WARDER LOT ONE BLK 2 CONIFER HEIGHTS. SUBD.
Well Information: Ttl. Depth 153' Depth of Casing 136-6 Screen From — To —
Casing Size 6" Screen Diam — Screen Slot —
Remarks PERFORATED 98-102/112-113/116-118/130-133/STAR PERES.
Pump Information: Intake Depth 125 Pump Size FM MOD 307512 3/4 HP Air Line Depth ELECTRIC
Static Water Level 82-0 (TCC) Av. Discharge 15 GPM, Max. Drawdown 93-8"
Pump On: Time 1447 Date 1/31/87 Pump Off: — Time 1550 Date 1/31/87

FLUOR. - SAMPLE PERFORATIONS ON TOP OF CASING -

[illegible]