

29700

NOV-06-2003 THU 03:32 PM
OCT-15-03 THU 8:32 AM 3T
FROM: PENINSULA DRILLING

FAX NO.: 907 283 4294

FAX NO.
77660574

OCT. 09 2003 11:06AM P1

NEW WELL

P. 2
P. 03

DAILY DRILLING LOG



Peninsula Drilling

P.O. BOX 1283
KENNAK AK 99661
283-4294

OWNER OF LAND Trading Bay UNICAL DEPTH OF WELL 175
ADDRESS T Bay STATIC LEVEL OF WATER FT. 31
WELL SITE UPPER UTILITY WATER TANK DRAW DOWN FT. 59 AT 409pm
DATE STARTED 09-18-03 GALS. PER HR.
DATE ENDED 09-27-03 KIND OF CASING 8" NEW A53-B

KIND OF FORMATION:

FROM <u>0</u> FT. TO <u>16</u> FT. <u>SAND</u>	FROM _____ FT. TO _____ FT.
FROM <u>16</u> FT. TO <u>19</u> FT. <u>SANDY PEAT</u>	FROM _____ FT. TO _____ FT.
FROM <u>19</u> FT. TO <u>23</u> FT. <u>SAND</u>	FROM _____ FT. TO _____ FT.
FROM <u>23</u> FT. TO <u>27</u> FT. <u>Blue clay</u>	FROM _____ FT. TO _____ FT.
FROM <u>27</u> FT. TO <u>46</u> FT. <u>SAND with clay</u>	FROM _____ FT. TO _____ FT.
FROM <u>46</u> FT. TO <u>48.5</u> FT. <u>SAND (water)</u>	FROM _____ FT. TO _____ FT.
FROM <u>48.5</u> FT. TO <u>85</u> FT. <u>Blue clay</u>	FROM _____ FT. TO _____ FT.
FROM <u>85</u> FT. TO <u>87</u> FT. <u>SAND (water)</u>	FROM _____ FT. TO _____ FT.
FROM <u>87</u> FT. TO <u>146</u> FT. <u>Blue clay</u>	FROM _____ FT. TO _____ FT.
FROM <u>146</u> FT. TO <u>155</u> FT. <u>Silt</u>	FROM _____ FT. TO _____ FT.
FROM <u>155</u> FT. TO <u>159</u> FT. <u>Blue clay</u>	FROM _____ FT. TO _____ FT.
FROM <u>159</u> FT. TO <u>176.5</u> FT. <u>SAND (water)</u>	FROM _____ FT. TO _____ FT.

MISCL. INFORMATION:

INSTALLED A 16.5' WELL SCREEN
TOP 10.5" OOB SLOT BOTTOM 6" = .010 SLOT
131'-9" NEW PIPE 32' USED PIPE (yours)

DRILLER'S NAME

Robert G. Gagne

SB 8-14-5 BCB

ORIGINAL WELL THAT SITED UP.
ABANDONED

UNOCAL 

TRADING BAY TANK FARM
Firewater System
Water Well 003

60 48'58"N 151 47'14"W
T8N-R14W Section 5

N



1,000 500 0 1,000



Feet

Alaska State Plane Zone 4, NAD27

WATER WELL 003

60 48'58"N, 151 47'14"W

S008N014W

S009N014W

ORIGINAL WELL
ABANDONED

Kraxberger Drilling Co. Well Drilling Log

Well owner: Marathon

Driller: RRK

Completion: 12/2/93

Builder: Marathon

City: Trading Bay

Road/Area: _____

Legal 1: _____

Legal2: Trading Baay

Depth: <u>116</u>	Casing length: <u>120</u>	Diameter: <u>8</u>	Rig type: <u>RR</u>
Static level: <u>15</u>	Yield/GPM <u>110.</u>	Finish of well: <u>screen 96-116</u>	

0-2 sand fill

7-12 red wet sand

23-32 gray sand & clay

36-48 clean coarse sand, water

50-63 clean fine sand & water

67-74 silty sand, coal, wood, water

82-91 wet silt, sand, gray

95-116 clean sand, gravel, water

Set screen .016 96-101

.014 101-111; .010 111-116

2-7 topsoil & peat

12-23 sand & water

32-36 wet silty gray sand

48-50 gray sandy clay

63-⁶⁷76 gray clay

74-82 clean sand, coal, water

91-95 silty sand & water

116- silty sand, wet clay, coal

LAS 19931

SB 814-5 BCBD

SCBB - 1000

212