

*Guide for Using the Hydrogeologic Classification System for Logging Water Well Boreholes by Thomas M. Hanna NGWA Press

JOE GIELAROWSKI

DRILLING CO.

LIFETIME ALASKAN SERVING ALASKA

P.O. BOX 772847, EAGLE RIVER, ALASKA 99577

MILE 50½ PARKS HWY
892-7950

29711
LAS ZA470

OWNER OF LAND Ken Thomas

ADDRESS Box 329 Palmer, Ak. 99645

WELL - SITE E½ of NW¼ of NW¼ of NW¼ of Sec36 T18N R2E

DATE - STARTED 080396

DATE - ENDED 080396

DEPTH OF WELL 61ft.

STATIC LEVEL OF WATER FT. 40ft. in hole est.

DRAW DOWN FT. 95%

GALS. PER HR. 480 gals. per hour est.

KIND OF CASING 61ft Sch#40 casing

KIND OF FORMATION:

FROM 0 FT. TO 3 FT. pipe

FROM 3 FT. TO 6 FT. overburden

FROM 6 FT. TO 12 FT. sand & gravel

FROM 12 FT. TO 57 FT. hardpan

FROM 57 FT. TO 61 FT. gravel & water

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

FROM FT. TO FT.

MISCL. INFORMATION:

Hang pump 5ft off bottom

SA 18-2-36 BBB A

DRILLER'S NAME Joe Giela

