

31842

WELL LOG

Wheaton Water Wells, Inc.

Box 1218 - Wasilla, Alaska 99687 - 376 - 2041

OWNER ELSINORE INVESTMENTS DEPTH OF WELL 125'
 ADDRESS SR. Box 1792 Eagle River, AK. STATIC LEVEL 41'
 WELL - SITE ELSINORE HEIGHTS Sub. 99577 GALS. PER MIN. 150 +
 LOT _____ SCREENED 10' screen 100 slot
 BLOCK _____ PERFORATED _____
 DATE 3-22-84 SIZE OF CASING 6" ID 1 1/2" casing

KIND OF FORMATION:


FROM <u>0</u> Ft. to <u>3</u> Ft. <u>Top soil</u>	FROM _____ Ft. to _____ Ft.
FROM <u>3</u> Ft. to <u>35</u> Ft. <u>sand gravel</u>	FROM _____ Ft. to _____ Ft.
FROM <u>35</u> Ft. to <u>110</u> Ft. <u>Hard pan</u>	FROM _____ Ft. to _____ Ft.
FROM <u>110</u> Ft. to <u>125</u> Ft. <u>Gravel, water</u>	FROM _____ Ft. to _____ Ft.
FROM _____ Ft. to _____ Ft.	FROM _____ Ft. to _____ Ft.
FROM _____ Ft. to _____ Ft.	FROM _____ Ft. to _____ Ft.
FROM _____ Ft. to _____ Ft.	FROM _____ Ft. to _____ Ft.

DRILLER Z. Rhy

ATTACHMENT C

DRILLER'S WELL LOG

PRC NO. 184020 SCALE: 1"=100' D
 REGISTRATION DIV. CDD
 SHEET 1 OF 1
 ATTACHMENT B



Well / Pump Service

Anchorage

PROJECT Elsinore Subdivision SUBJECT WELL 6"
 ENGINEER Gilfillian Engineering DEPTH 125'
 LOCATION Bogard Rd., Wasilla, Alaska STATIC 42'6"
 AIR LINE DEPTH 104'

DATE	TIME	PIEZO TUBE	FLOW RATE	WATER LEVEL	COMMENTS
4/3/84	3:10				Discontinue Surging
Continued	3:15	7 1/4	65	97 1/2	No Sand Evident
	3:20	7 3/4	66	96 1/2	132 PSI OTV
	3:25	8 1/2	70	98	OTV
	3:30	8 1/2	70	101	OTV
	3:35	8 1/2	70	101 1/2	
	3:40	8	68	102	
	3:50	8	68	102	
	4:00	7 1/2	65	102	
	4:10	7 1/2	65	102	
	4:20	7 1/2	65	102	
	4:30	7 1/2	65	100 1/2	
	4:40	8	68	100	
	4:50	7 1/2	65	100	
	5:00	7 1/2	65	100	
	5:12			Recovery 100	
				95 15 Sec	
				93 30 Sec	
				92 45 Sec	
	5:13			86 1 Min.	
	5:14			75	
	5:15			70	
	5:16			66	
	5:17			63	
	5:18			58	
	5:19			54	
	5:20			51	
	5:21			50	
	5:22			49 1/2	
	5:27			49	
	5:32			48	
	5:37			48	
	5:42			48	

John Pedersen
 4-3-84
 ATTACHMENT D
 PAGE 3 of 3

Well / Pump Service

Anchorage

PROJECT Elsinore Subdivision SUBJECT WELL 6"
 ENGINEER Gilfillian Engineering DEPTH 125 Ft.
 LOCATION Bogard Rd, Wasilla, Alaska STATIC 42'6"
 AIR LINE DEPTH 104 Ft.

DATE	TIME	PIEZO TUBE	FLOW RATE	WATER LEVEL	COMMENTS	
4/3/84	am 11:00	6 "	58	Airline 48	120 PSI	
	11:05	6	58	Airline 102	Cloudy, Air 48' Act 42'6"	
	11:10	7 1/2	65	Airline 102	40 Amp. All Legs, Cr. Clear	
	11:13	7 1/2	65		CTV-11:05	
	11:21	8	70		Adj. Piezometer	
	11:26	7 3/4	68			
	11:31	7 3/4	68			
	11:39	7 3/4	68			
	11:45	7 3/4	68			
	11:53	7 3/4	68			
	pm 12:00	7 3/4	68			
	12:01	7 3/4	68			
			14			OTV
						OTV
						Pump Broke Suction
						CTV 115 PSI
						CTV
		12:05	9	72		
		12:09	7 1/2	65		
		12:15	7 1/2	65	103 1/2	
		12:20	7 1/2	65	103 1/2	
		12:25	7 1/2	65	103	
		12:30	7 1/2	65	103	
		12:35	7 1/2	65	103	
		12:40	7	65	102	
		12:45	7	63.5	103	
		12:50	7	63.5	103	
		12:55	7	63.5	103	
		1:00	7	63.5	103	
		1:05	7	63.5	102	
		1:10	6 1/2	60	101	
		1:20	6 3/4	62	101	125 PSI
		1:30	6 3/4	62	101	
		1:40	6 3/4	62	101	
	1:50	6 3/4	62	101		
	2:00	6 3/4	62	101 1/2		
	2:10	6 3/4	62	101 1/2		
	2:20	6 3/4	62	101 1/2	Owner Jobsite	
					Going 2 On, 2 Off	
					Surge Pump, Per Owner	
	2:20			Pump Off		
	2:30			60		
	2:33			50		
		7	63.5		3 On, 3 Off	
					Average	